
INCH-POUND
MIL-PRF-32038/5
11 March 1999

PERFORMANCE SPECIFICATION SHEET

LOCKERS, CLOTHING, ENLISTED, TYPES 1 - 12

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the furnishings described herein shall consist of this specification sheet and performance specification, MIL-PRF-32038.



Type 1
Crew Wardrobe Locker


Type 2
Overcoat Locker

Type 3
Overcoat Locker

AMSC N/A FSC 2090


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.




Type 4

Crew Locker (2 Persons)




Type 5

Crew Locker (1 Person)




Type 6

Marine Locker




Type 7

Short Hanging Locker



Type 8


Troop Locker
(4 Persons)



Type 9


Crew Locker (3 Persons)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.




Type 10

CPO Wardrobe Locker



Type 11

CPO Wardrobe Locker



Type 12

CPO Wardrobe Locker

REQUIREMENTS:

1. Locker size and weight shall be in accordance with Table 1.
2. Locker stowage capacity shall be in accordance with Table II.
3. Top of clothes hanger rod shall be located 51 mm (2 in) below the top of the locker.
4. Clothes hanger rod shall be capable of supporting a hanging load of 91 kg (200 lb). The load shall be applied to the center of the clothes hanger, and shall remain in that position for 3 minutes. There shall be no indication of permanent set after removal of the load.
5. A cardholder shall be provided for each person’s locker.
6. Shelves shall be provided with a 25 mm (1 in) high lip.
7. Label plate shall be located on the inside upper right corner of the back panel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.

TABLE I. Locker size and weight

Type	Width mm (in)	Depth mm (in)	Height Mm (in)	Weight kg (lb)
1	457 (18)	559 (22)	1854 (73)	43 (95)
2	914 (36)	559 (22)	1854 (73)	38 (83)
3	457 (18)	559 (22)	1854 (73)	28 (62)
4	457 (18)	559 (22)	1854 (73)	43 (95)
5	457 (18)	559 (22)	927 (36-1/2)	21 (46)
6	457 (18)	559 (22)	1854 (73)	37 (82)
7	254 (10)	559 (22)	1041 (41)	7 (15-1/4)
8	457 (18)	559 (22)	1854 (73)	32 (70)
9	635 (25)	559 (22)	1854 (73)	49 (108)
10	610 (24)	559 (22)	1854 (73)	51 (112)
11	457 (18)	559 (22)	1854 (73)	38 (84)
12	914 (36)	559 (22)	1854 (73)	66 (145)

Note: Height and weight do not include subbase.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.

TABLE II. Locker stowage capacity

Type	Short Hanging(1) mm (in)	Long Hanging(2) mm (in)	Drawer Volume(3) cu m (cu ft)	Shelf Volume(3) cu m (cu ft)
1	254 (10)	—	0.12 (4.41)	0.11 (3.71)
2	—	914 (36)	—	—
3	—	457 (18)	—	—
4	—	—	0.07 (2.48)	0.12 (4.21)
5	—	—	0.07 (2.48)	0.12 (4.21)
6	457 (18)	—	0.12 (4.41)	—
7	254 (10)	—	—	—
8	—	—	0.003 (0.12)	0.07 (2.64)
9	—	—	0.05 (1.89)	0.09 (3.25)
10	305 (12)	152 (6)	0.13 (4.45)	0.12 (4.45)
11	305 (12)	152 (6)	0.08 (2.84)	—
12	305 (12)	152 (6)	0.25 (9)	0.16 (5.80)

Notes: (1).Short hanging is a minimum of 940 mm (37 in) vertically.
(2).Long hanging is a minimum of 1651 mm (65 in) vertically.
(3).Volumes are per person.

Custodians:
ARMY – AV
NAVY - SH
AIR FORCE - 99

Preparing activity:
NAVY - SH
(Project 2090-0109-05)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.