
PERFORMANCE SPECIFICATION SHEET

TABLES, RECREATION AND WORK, TYPES 1 – 10

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the furnishings described herein shall consist of this specification sheet and performance specification, MIL-PRF-32038.




Types 1 – 3

Table, Crew Recreation

Types 4 & 5

Table, Crew Recreation, Round




Detail 1-A

AMSC N/A


FSC 2090

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.



Types 6 – 9



Type 10

Table, Writing, Bulkhead Mounted

REQUIREMENTS:

1. Table size and weight shall be in accordance with Table I.
2. For types 1 - 5 tables, a spud, round or square, not less than 381 mm (15 in) high, shall be provided for attachment to deck. Pedestal shall be installed over spud and secured as indicated in detail 1-A.
3. For types 6 – 9 tables, adjustable legs shall be suitable for attachment to deck and shall provide 51 mm (2 in) ± adjustment from the installed 762 mm (30 in) height.
4. For types 6 – 9 tables, distance between table top and bottom of apron shall be not less than 152 mm (6 in).
5. Type 10 table privacy partitions shall be 305 mm (12 in) high at rear sloped down 15 degrees from rear to front and shall be spaced 508 mm (20 in) apart.
6. Type 10 table support brackets shall be not greater than 914 mm (36 in) apart.
7. Label plate shall be located on underside of the table top.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.

TABLE I. Table size and weight

Type	Width mm (in)	Depth mm (in)	Height mm (in)	Weight kg (lb)	Comments
1	914 (36)	914 (36)	737 (29)	32 (71)	4-Persons
2	762 (30)	762 (30)	737 (29)	28 (62)	4-Persons
3	762 (30)	610 (24)	737 (29)	24 (53)	2-Persons
4	-	-	737 (29)	25 (56)	1067-mm (42-in) Diameter
5	-	-	737 (29)	34 (76)	914-mm (36-in) Diameter
6	762 (30)	762 (30)	762 (30)	20 (43)	-
7	1524 (60)	762 (30)	762 (30)	26 (58)	-
8	1829 (72)	762 (30)	762 (30)	29 (64)	-
9	1524 (60)	914 (36)	762 (30)	30 (65)	-
10	1575 (62)	406 (16)	540 (21-1/4)	13 (29)	Bulkhead Mounted

Note: Height and weight do not include spud.

Custodians:
ARMY - AV
NAVY - SH
AIR FORCE - 99

Preparing activity:
NAVY - SH
(Project 2090-0109-09)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:24Z
Check the source to verify that this is the current version before use.