FED. SUP CLASS
6210

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

PANEL ASSEMBLIES (a)

| PART NO. | CLASS | DESCRIPTION |
|---|---|---|
| MS23007-1 | I | PANEL ASSEMBLY - WITH OUTER CASE |
| MS23007-11 | I | PANEL ASSEMBLY - WITHOUT OUTER CASE |
| MS23007-2 | II | PANEL ASSEMBLY - WITH OUTER CASE |
| MS23007-22 | II | PANEL ASSEMBLY - WITHOUT OUTER CASE |
| MS23007-3 | III | PANEL ASSEMBLY - WITH OUTER CASE |
| MS23007-33 | III | PANEL ASSEMBLY - WITHOUT OUTER CASE |

(a) NOTE SHEET NOS. 2 AND 3

REQUIREMENTS:

1. MATERIAL:
   A. CHASSIS BODY & OUTER CASE: STEEL, SHEET, QQ-S-699, .060 THICK.
   B. TOP PANEL: STEEL, SHEET, QQ-S-699, .125 THICK.
   C. CHASSIS FLANGE: STEEL, SHEET, QQ-S-699, .187 THICK.
   D. COVERS, TOP PANEL: PLASTIC, TRANSPARENT, CONFORMING TO L-P-391, .125 THICK.
   E. CARDS (FACSIMILE, CIRCUIT & SWITCH IDENTIFICATION): HEAVY GRAY DRAWING PAPER.
2. FINISH: SEE PROCUREMENT SPECIFICATION.
3. THREADS: IN ACCORDANCE WITH HANDBOOK 28.
4. (A) DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.015, ANGLES +1°. INTERPRET DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH USASI Y14.5-1966 (ANSI)
5. TAXIWAY SWITCHES: TWELVE (12), SPST, SHALL BE PROVIDED BUT NOT MOUNTED. SEE PROCUREMENT SPECIFICATION.
6. WIRE SIZES, LENGTH, ETC: SEE PROCUREMENT SPECIFICATION.
7. TERMINAL BOARDS AND WIRING INSTALLATION: SEE PROCUREMENT SPECIFICATION.
8. EXACT SHAPE OF SWITCH OPTIONAL, PROVIDED DIMENSIONS ARE NOT EXCEEDED, INTERCHANGEABILITY AND PERFORMANCE IS NOT AFFECTED AND THE DESIGN CHANGE IS APPROVED BY THE QUALIFYING ACTIVITY.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) REVISED

APPROVED 15 APR 68 REVISED (A) 13 NOV 1975


This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

| P.A. NAVY - AS Other Cust | TITLE | MILITARY STANDARD |
|---|---|---|
| USAF - 82 | PANEL ASSEMBLY, [illegible] CONTROL | MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES | SHEET 1 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE PLATE NO. 22085

Source: https://assist.dla.mil -- Downloaded: 20260-23T14:46Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6210




APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF- 82 | TITLE: PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES: | SHEET 2 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE PLATE NO 23005

REVIEWER SYMBOLS: NAVY - AS USAF - 11, 85


USER SYMBOLS:

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."


This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
6210




ASSEMBLY, -3 (WITH OUTER CASE)
ASSEMBLY, -33 (W/O OUTER CASE)




VIEW B




SECTION A-A

(FOR ASSEMBLIES 1, 11, -2, -22, -3, AND -33)

* -DIMENSION FOR PLASTIC COVERS

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

REVIEWER SYMBOLS: NAVY - AS USAF - 11, 85

USER SYMBOLS:

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."


This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF - 82 | TITLE: PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES: | SHEET 3 OF 11 |

DD FORM 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. PLATE NO. 23068

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.


4.5.1 Leakage








(FOR RUNWAY SELECTOR)


(TYP FOR RUNWAY CL BRIGHTNESS, RUNWAY EDGE BRIGHTNESS, TOUCHDOWN ZONE BRIGHTNESS, APPROACH BRIGHTNESS, TWY CL BRIGHTNESS, AND TWY EDGE BRIGHTNESS)





TYP FOR ALL MS24509-5 (A) CIRCUIT BREAKERS




(FOR SELECTOR AND TAXIWAY CIRCUIT BREAKERS STROBE, RWDM AND ALL OTHERS)




(FOR APPROACH FLASH MONITOR LIGHTS)




● DENOTES MOUNTING HOLES IN TOP PANEL AS REFERENCE POINTS

(TYP FOR O.L.S. DATUM BRIGHTNESS AND O.L.S. SOURCE BRIGHTNESS)

PANEL CARD MARKINGS AND LOCATIONS

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF - 82 | TITLE PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES: | SHEET 4 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 23066

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.





TABLE I

| SCHEMATIC DIAGRAMS | |
|---|---|
| FOR DASH NO. | DIAGRAM APPLICABLE |
| -1 AND -11 | A |
| -2 AND -22 | A AND B |
| -3 AND -33 | A, B AND C |

FED. SUP CLASS 6210

REVIEWER SYMBOLS: NAVY - AS USAF - 11, 85

USER SYMBOLS:

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of the Navy, Selection for all new engineering and design applications, for repetitive use shall be made from this document


15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11


| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF - 82 | TITLE PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES. | SHEET 5 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. PLATE NO. 22069

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:46Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6210




CHASSIS

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| | | |
|---|---|---|
| P.A.<br>NAVY - AS<br>Other Cust<br>USAF - 82 | TITLE<br>PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD<br>MS23007 |
| PROCUREMENT SPECIFICATION<br>MIL-P-8944 | SUPERSEDES: | SHEET 6 OF 11 |


DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


PLATE NO. 23065

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
6210




TOP PANEL (SEE TABLE II)




DETAIL -A-




DETAIL -B-

NOTE: REMOVE BURRS AND BREAK SHARP EDGES .015 MAX

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| | | |
|---|---|---|
| P.A.<br>NAVY - AS<br>Other Cust<br>USAF - 82 | TITLE<br>PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD<br>MS23007 |
| PROCUREMENT SPECIFICATION<br>MIL-P-8944 | SUPERSEDES | SHEET 7 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 23065

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

REVIEWER SYMBOLS: NAVY - AS USAF - 11, 85

USER SYMBOLS:

FED. SUP CLASS 6210

| TABLE II | | | | |
|---|---|---|---|---|
| HOLE | HOLE DIAMETER ±.005 | | | |
| | MS23007-1 MS23007-11 | MS23007-2 MS23007-22 | MS23007-3 MS23007-33 | SEE DETAIL - B |
| a | .047 | .500 | .500 | |
| b | .047 | .500 | .500 | * |
| c | .047 | .500 | .500 | * |
| d | .047 | .500 | .500 | * |
| e | .047 | .500 | .500 | |
| f | .047 | .500 | .500 | * |
| g | .047 | .500 | .500 | * |
| h | .047 | .500 | .500 | * |
| i | .047 | .500 | .500 | |
| j | .047 | .500 | .500 | * |
| k | .047 | .500 | .500 | * |
| m | .047 | .047 | .500 | * |
| n | .047 | .047 | .500 | * |
| o | .047 | .047 | .500 | |
| p | .047 | .047 | .500 | |
| q | .047 | .047 | .386 | |
| r | .047 | .047 | .185 | |
| s | .047 | .047 | .385 | |
| t | .047 | .047 | .185 | |
| u | .047 | .500 | .500 | |
| v | .047 | .047 | .144 ⊛ | |
| w | .047 | .047 | .144 ⊛ | |
| | | | | |

⊛ - COUNTERSINK FOR NO. 6 FLAT HEAD SCREW

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11


This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF - 82 | TITLE PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES: | SHEET 8 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. PLATE NO. 73065

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6210




OUTER CASE

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

| | | |
|---|---|---|
| P.A.<br>NAVY - AS<br>Other Cust<br><br>USAF - 82 | TITLE<br>PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD<br>MS23007 |
| PROCUREMENT SPECIFICATION<br>MIL-P-8944 | SUPERSEDES: | SHEET 9 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 22065

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:46Z
Check the source to verify that this is the current version before use.


REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85


USER SYMBOLS:


"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.











VIEW B-B
(UNMOUNTED)



(REAR VIEW)




(WIRING AND CONNECTION DIAGRAM)

TABLE III

| KNOB ROTATION (322°) | INPUT | | | OUTPUT | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | VOLTS | TERMS | CONSTANT CURRENT | | CONSTANT IMPEDANCE | |
| | VOLTS | CYCLES | TERMS | | | MAX AMPS | MAX KVA | MAX AMPS | MAX KVA |
| CW | 120 | 50/60 | 1-2 | 0-120 | 1-3 | 2.25 | 0.27 | 3.0 | 0 |

VARIABLE TRANSFORMER (SEE TABLE III)

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

| | | |
|---|---|---|
| P.A. NAVY - AS Other Cust USAF - 82 | TITLE PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
| PROCUREMENT SPECIFICATION MIL-P-8944 | SUPERSEDES: | SHEET 10 OF 11 |




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.

USER SYMBOLS:

REVIEWER SYMBOLS:
NAVY - AS
USAF - 11, 85

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

FED. SUP CLASS
6210






CIRCUIT

| CURRENT CAPACITY 125 VOLTS, 60 CYCLES |
|---|
| INDUCTIVE |
| 3A 80% P.F. |

TABLE IV - PUSH-PULL SWITCH (SEE NOTE 8)

| SWITCH DATA | |
|---|---|
| TYPE | SPST PUSH-PULL |
| ACTUATING FORCE | 1 ± 1/2 LB |
| TOTAL TRAVEL | 1/4 MIN |
| MINIMUM OPERATING CYCLES | 10,000 AT 3A, 125V AC |
| WEIGHT | .04 LB MAX |
| STRENGTH OF PUSH BUTTON AND PUSH BUTTON STOP | 15 LBS |
| STRENGTH OF TERMINALS | 5 LBS |
| CONTACT GAP | DOUBLE .020 |
| AMBIENT TEMPERATURE RANGE | -20°C TO 55°C |



(A)

TABLE V - WARNING BUZZER (W/O LEADS) (EDWARDS 1064 FLASH BUZZER OR EQUAL)

| OPERATING CHARACTERISTICS | | | | | MOUNTING | MIN DEPTH IN INCHES OF OUTLET BOX AND/ OR PLASTIC COVER | FINISH PLATE | APPROX WEIGHT LBS |
|---|---|---|---|---|---|---|---|---|
| VOLTS AC | V-A | AMPS | DC OHMS | FINISH | | | | |
| 120 | 6.0 | .05 | 1400 | ZINC PLATED | MOUNTS ON ANY STANDARD SINGLE GANG BOX OR SINGLE GANG OPENING | 1-3/8 | STD GANG PLATE WITH SINGLE TOGGLE OPENING (NOT SUPPLIED) | 1/4 |

TABLE VI - WIRING AND MODIFICATION FOR MS25002 SWITCH

| PART NO. | WAFER NO. | ELECTRICAL CONNECTIONS WITH KNOB POINTER AT POSITION | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| MS25002-1 | 1 | - | - | 11-13 | 11-14 | 11-15 | 11-16 | 11-17 | - | 5 POSITION - NO OFF |
| MS25002-4 MODIFIED | 1 | - | 11-12 | 11-13 | 11-14 | 11-15 | 11-16 | 11-17 | 11-18 | 8 POSITION - NO OFF CONTINUOUS ROTATION |
| | 2 | 21-22 | - | - | - | - | - | - | - | |
| | 3 | - | 31-32 | 31-33 | 31-34 | 31-35 | 31-36 | 31-37 | 31-38 | |
| | 4 | 41-42 | - | - | - | - | - | - | - | |

APPROVED 15 APR 68 REVISED (A) FOR CHANGES SEE SHEETS 1 THRU 11

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| P.A. NAVY - AS Other Cust: USAF - 82 | TITLE: PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL | MILITARY STANDARD MS23007 |
|---|---|---|
| PROCUREMENT SPECIFICATION: MIL-P-8944 | SUPERSEDES: | SHEET 11 OF 11 |

DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 23085

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:46Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.