INCH-POUND
A-A-59126/12
26 September 1997
SUPERSEDING
MIL-T-55155/12E
7 March 1994

COMMERCIAL ITEM DESCRIPTION SHEET

TERMINALS, STUD (NONINSULATED)
STYLE SE12

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Style SE12 of MIL-T-55155/12 for all federal agencies.

The requirements for acquiring the product described herein shall consist of this sheet and CID A-A-59126.

REQUIREMENTS:

Dimensions and configuration: see Figure 1.



Figure 1. Drawing.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

PART NUMBER	DIMENSIONS												
	A	B	C	D	E	F	G	H	J	K ±.005	L +.007 -.003	M	Mounting board thickness (REF)
AA59126/1201	.186	.072	.050	.093	.038	.020	.082	.102	.164	.082	.017		.062
AA59126/1202										.113			.094
AA59126/1203										.145			.125
AA59126/1204	.237	.090	.093	.125	.047	.020	.082	.102	.195	.105	--	.064 DIA. x .062 deep	.062
AA59126/1205										.135		max. runout	.094
AA59126/1206										.165		±.005 TIR	.125
AA59126/1207	.360	.112	.145	.187	.065	.031	.130	.161	.314	.109	--	.076 DIA. x .096 deep	.062
AA59126/1208										.141		max. runout	.094
AA59126/1209										.172		±.005 TIR	.125
AA59126/1210	.156	.062	.062	.094	.031	.022	.052	.072	.136	.053	--	.043 DIA. x	.031
AA59126/1211		+.000								.084		.04 min. deep	.062
AA59126/1212		-.005								.115			.094
AA59126/1213										.147			.125
AA59126/1214	.070	.032	.032	.047	.020	.010	.030	.040	.060	.053	--	.020 DIA. x	.031
AA59126/1215		+.000								.084		.026 min.	.062
AA59126/1216		-.005								.115		deep	.094

Type of mounting: swage.

NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerance is ± 0.005 inch for types -01 through -09 and ± 0.010 inch for types -10 through -16 on decimals and ± 3° on angles.
3. The drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

Table I. Substitutability data.

Part number in A-A-59126/12	Part number in MIL-T-55155/12E
AA59126/1201	M55155/12X-01
AA59126/1202	M55155/12X-02
AA59126/1203	M55155/12X-03
AA59126/1204	M55155/12X-04
AA59126/1205	M55155/12X-05
AA59126/1206	M55155/12X-06
AA59126/1207	M55155/12X-07
AA59126/1208	M55155/12X-08
AA59126/1209	M55155/12X-09
AA59126/1210	M55155/12X-10
AA59126/1211	M55155/12X-11
AA59126/1212	M55155/12X-12
AA59126/1213	M55155/12X-13
AA59126/1214	M55155/12X-14
AA59126/1215	M55155/12X-15
AA59126/1216	M55155/12X-16

MILITARY INTERESTS:

Custodian:
Army - CR
Navy - EC
Air Force - 85

Reviewer:
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-7FXE

Preparing activity:
Army - CR

(Project No. 5940-1191-12)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.