INCH-POUND
A-A-59126/30
26 September 1997
SUPERSEDING
MIL-T-55155/30A
17 November 1978

COMMERCIAL ITEM DESCRIPTION SHEET

TERMINALS, STUD, DOUBLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE30

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Style SE30 of MIL-T-55155/30 for all federal agencies.

The requirements for acquiring the product described herein shall consist of this sheet and CID A-A-59126.

REQUIREMENTS:

Dimensions and configuration: see Figure 1
.



Figure 1. Drawing.

AMSC N/A FSC 5940
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

PART NUMBER	Mounting board thickness (REF)	A ±.002	B ±.015	C ±.010	D ±.005	E ±.005	F ±.005	G ±.010	H ±.005	K ±.005	L ±.005	M ±.003	P ±.005
AA59126/3001	1/64	.062	.156	.064	.094	.020	.062	.031	.020	.031	.037	.046	.025
AA59126/3002	1/32	.062	.156	.064	.094	.020	.062	.031	.020	.031	.053	.046	.045
AA59126/3003		.090	.218	.094	.125	.023	.094	.047	.020	.062	.078	.064	.062
AA59126/3004		.112	.359	.156	.187	.047	.145	.065	.031	.094	.078	.076	.093
AA59126/3005	1/16	.062	.156	.064	.094	.020	.062	.031	.020	.031	.084	.046	.045
AA59126/3006		.090	.218	.094	.125	.023	.094	.047	.020	.062	.109	.064	.062
AA59126/3007		.112	.359	.156	.187	.047	.145	.065	.031	.094	.109	.076	.093
AA59126/3008		.262	.500	.218	.312	.062	.200	.125	.031	.156	.109	.201	.062
AA59126/3009	3/32	.062	.156	.064	.094	.020	.062	.031	.020	.031	.115	.046	.045
AA59126/3010		.090	.218	.094	.125	.023	.094	.047	.020	.062	.140	.064	.062
AA59126/3011		.112	.359	.156	.187	.047	.145	.065	.031	.094	.140	.076	.093
AA59126/3012		.262	.500	.218	.312	.062	.200	.125	.031	.156	.140	.201	.062
AA59126/3013	1/8	.062	.156	.064	.094	.020	.062	.031	.020	.031	.147	.046	.045
AA59126/3014		.090	.218	.094	.125	.023	.094	.047	.020	.062	.171	.064	.062
AA59126/3015		.112	.359	.156	.187	.047	.145	.065	.031	.094	.171	.076	.093
AA59126/3016		.262	.500	.218	.312	.062	.200	.125	.031	.156	.171	.201	.062
AA59126/3017	3/16	.090	.218	.094	.125	.023	.094	.047	.020	.062	.234	.064	.062
AA59126/3018		.112	.359	.156	.187	.047	.145	.065	.031	.094	.234	.076	.093
AA59126/3019		.262	.500	.218	.312	.062	.200	.125	.031	.156	.234	.201	.062
AA59126/3020	1/4	.090	.218	.094	.125	.023	.094	.047	.020	.062	.296	.064	.062
AA59126/3021		.112	.359	.156	.187	.047	.145	.065	.031	.094	.296	.076	.093
AA59126/3022		.262	.500	.218	.312	.062	.200	.125	.031	.156	.296	.201	.062

Type of mounting: swage.

NOTES:

1. Dimensions are in inches.
2. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

Table I. Substitutability data.

Part number in A-A-59126/30	Part number in MIL-T-55155/30A
AA59126/3001	M55155/30X-01
AA59126/3002	M55155/30X-02
AA59126/3003	M55155/30X-03
AA59126/3004	M55155/30X-04
AA59126/3005	M55155/30X-05
AA59126/3006	M55155/30X-06
AA59126/3007	M55155/30X-07
AA59126/3008	M55155/30X-08
AA59126/3009	M55155/30X-09
AA59126/3010	M55155/30X-10
AA59126/3011	M55155/30X-11
AA59126/3012	M55155/30X-12
AA59126/3013	M55155/30X-13
AA59126/3014	M55155/30X-14
AA59126/3015	M55155/30X-15
AA59126/3016	M55155/30X-16
AA59126/3017	M55155/30X-17
AA59126/3018	M55155/30X-18
AA59126/3019	M55155/30X-19
AA59126/3020	M55155/30X-20
AA59126/3021	M55155/30X-21
AA59126/3022	M55155/30X-22

MILITARY INTERESTS:

Custodian:
Army - CR
Navy - AS
Air Force - 85

Reviewer:
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-7FXE

Preparing activity:
Army - CR

(Project No. 5940-1191-30)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.