QUALIFICATIONS CERTIFIED
JULY 1982

QPL-7886/20-4
20 August 1982
SUPERSEDING
QPL-7886/20-3
17 December 1981

QLALIFIED PRODUCTS LIST

OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-S-7886/20 FSC 2925

SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL T34/0-470-4

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective Issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (ATTENTION: COMMANDING OFFICER, NAVAL AIR ENGINEERING CENTER (ESSD), (CODE 93), LAKEHURST, NJ 08733)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
T34/0470A	SH-20A	NAVAIR ltr AIR-41132D:RCM of 15 Nov 1972	Bendix Autolite Corp. P.O. Box 880 Fostoria, OH 44830 Plant: 1600 N. Union Fostoria, OH 44830
T34/0470A	REM-40E	NAVAIR ltr AIR-41132D:RCM of 15 Nov 1972	Champion Spark Plug Co. P.O. Box 910 Toledo, OH 43661 Plant: 900 Upton Ave. Toledo, OH 43661

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:07Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:07Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:07Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:07Z
Check the source to verify that this is the current version before use.