NOTICE OF CANCELLATION

INCH-POUND

AN924 REV 11
NOTICE 2
22 October 2001
SUPERSEDING
NOTICE 1
22 November 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

NUT, TUBE, BULKHEAD AND UNIVERSAL FITTING

AN924 REV 11, dated 21 March 1979, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5178, "Nut, Fitting, Bulkhead."

Table 1 provides a detailed cross-reference of cancelled AN924 Part or Identifying Numbers (PINs) and replacement AS5178 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5178 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99

Review activities:
Navy - MC, SA
Air Force - 82
DLA - CC

Preparing activity:
DLA - IS

(Project 5310-2684)

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN924-2	.125	AS5178-02	AN924-8	.500	AS5178-08
AN924-2D	.125	AS5178D02	AN924-8D	.500	AS5178D08
AN924-2C	.125	AS5178J02	AN924-8C	.500	AS5178J08
AN924-2J	.125	AS5178J02	AN924-8J	.500	AS5178J08
AN924-2K	.125	AS5178K02	AN924-8K	.500	AS5178K08
AN924-2S	.125	AS5178R02	AN924-8S	.500	AS5178R08
AN924-2T	.125	AS5178T02	AN924-8T	.500	AS5178T08
AN924-2W	.125	AS5178W02	AN924-8W	.500	AS5178W08
AN924-3	.188	AS5178-03	AN924-10	.625	AS5178-10
AN924-3D	.188	AS5178D03	AN924-10D	.625	AS5178D10
AN924-3C	.188	AS5178J03	AN924-10C	.625	AS5178J10
AN924-3J	.188	AS5178J03	AN924-10J	.625	AS5178J10
AN924-3K	.188	AS5178K03	AN924-10K	.625	AS5178K10
AN924-3S	.188	AS5178R03	AN924-10S	.625	AS5178R10
AN924-3T	.188	AS5178T03	AN924-10T	.625	AS5178T10
AN924-3W	.188	AS5178W03	AN924-10W	.625	AS5178W10
AN924-4	.250	AS5178-04	AN924-12	.750	AS5178-12
AN924-4D	.250	AS5178D04	AN924-12D	.750	AS5178D12
AN924-4C	.250	AS5178J04	AN924-12C	.750	AS5178J12
AN924-4J	.250	AS5178J04	AN924-12J	.750	AS5178J12
AN924-4K	.250	AS5178K04	AN924-12K	.750	AS5178K12
AN924-4S	.250	AS5178R04	AN924-12S	.750	AS5178R12
AN924-4T	.250	AS5178T04	AN924-12T	.750	AS5178T12
AN924-4W	.250	AS5178W04	AN924-12W	.750	AS5178W12
AN924-5	.312	AS5178-05	AN924-16	1.000	AS5178-16
AN924-5D	.312	AS5178D05	AN924-16D	1.000	AS5178D16
AN924-5C	.312	AS5178J05	AN924-16C	1.000	AS5178J16
AN924-5J	.312	AS5178J05	AN924-16J	1.000	AS5178J16
AN924-5K	.312	AS5178K05	AN924-16K	1.000	AS5178K16
AN924-5S	.312	AS5178R05	AN924-16S	1.000	AS5178R16
AN924-5T	.312	AS5178T05	AN924-16T	1.000	AS5178T16
AN924-5W	.312	AS5178W05	AN924-16W	1.000	AS5178W16
AN924-6	.375	AS5178-06	AN924-20	1.250	AS5178-20
AN924-6D	.375	AS5178D06	AN924-20D	1.250	AS5178D20
AN924-6C	.375	AS5178J06	AN924-20C	1.250	AS5178J20
AN924-6J	.375	AS5178J06	AN924-20J	1.250	AS5178J20
AN924-6K	.375	AS5178K06	AN924-20K	1.250	AS5178K20
AN924-6S	.375	AS5178R06	AN924-20S	1.250	AS5178R20
AN924-6T	.375	AS5178T06	AN924-20T	1.250	AS5178T20
AN924-6W	.375	AS5178W06	AN924-20W	1.250	AS5178W20

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN924-24	1.500	AS5178-24
AN924-24D	1.500	AS5178D24
AN924-24C	1.500	AS5178J24
AN924-24J	1.500	AS5178J24
AN924-24K	1.500	AS5178K24
AN924-24S	1.500	AS5178R24
AN924-24T	1.500	AS5178T24
AN924-24W	1.500	AS5178W24
AN924-28	1.750	AS5178-28
AN924-28D	1.750	AS5178D28
AN924-28C	1.750	AS5178J28
AN924-28J	1.750	AS5178J28
AN924-28K	1.750	AS5178K28
AN924-28S	1.750	AS5178R28
AN924-28T	1.750	AS5178T28
AN924-28W	1.750	AS5178W28
AN924-32	2.000	AS5178-32
AN924-32D	2.000	AS5178D32
AN924-32C	2.000	AS5178J32
AN924-32J	2.000	AS5178J32
AN924-32K	2.000	AS5178K32
AN924-32S	2.000	AS5178R32
AN924-32T	2.000	AS5178T32
AN924-32W	2.000	AS5178W32
AN924-40	2.500	AS5178-40
AN924-40D	2.500	AS5178D40
AN924-40C	2.500	AS5178J40
AN924-40J	2.500	AS5178J40
AN924-40K	2.500	AS5178K40
AN924-40S	2.500	AS5178R40
AN924-40T	2.500	AS5178T40
AN924-40W	2.500	AS5178W40
AN924-48	3.000	AS5178-48
AN924-48D	3.000	AS5178D48
AN924-48C	3.000	AS5178J48
AN924-48J	3.000	AS5178J48
AN924-48K	3.000	AS5178K48
AN924-48S	3.000	AS5178R48
AN924-48T	3.000	AS5178T48
AN924-48W	3.000	AS5178W48

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.