MIL-C-51285C(EA)
8 August 1983
SUPERSEDING
MIL-C-51285B(EA)
1 November 1977

MILITARY SPECIFICATION

CARRIER, CHEMICAL-BIOLOGICAL MASK: FIELD, M15A1

This specification is approved for use by US Army Armament, Munitions and Chemical Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one type of chemical-biological mask carrier.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. Unless otherwise specified, the following specifications, standards, and handbooks of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

CCC-C-419 - Cloth, Duck, Cotton, Unbleached, Plied-Yarns, Army and Numbered.

STANDARDS

FEDERAL

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

: Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed: to: Commander, US Army Armament Research and Development Command, ATTN: DRDAR-TSC-S, Aberdeen Proving Ground, MD 21010 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein.

DRAWINGS

US ARMY ARMAMENT, MUNITIONS AND CHEMICAL COMMAND

CHEMICAL RESEARCH AND DEVELOPMENT CENTER

E5-4-400 - Carrier, Chemical-Biological Mask: Field, M15A1.

(Copies of specifications, standards, handbooks, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.1.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Materials and components. All materials and components shall conform to the specifications and drawings forming a part of this specification.

3.1.1 Reinforcing strip (Dwg B5-4-1024). When rubber-coated duck is used for the reinforcing strip, it shall consist of duck, weighing 8.25 ounces per square yard and conforming to type III of CCC-C-419, which has been evenly coated on both sides with a cured natural or synthetic rubber compound.

3.2 Manufacture and assembly. The components and subassemblies of the carrier shall be manufactured and assembled as specified on Drawing E5-4-400.

3.2.1 Stitching. All rows of stitching shall be straight or regular lines, free from loose stitches or thread loops. When stitching is not of continuous thread, each thread end or break shall be backstitched as specified on the applicable drawing. All seams and hems shall be backstitched at the ends.

3.2.2 Fastener attachment. The male and female components of all fasteners shall be securely attached to the carrier. The pressure used in attaching the fastener components shall be applied in such a manner that the fabric will not be weakened or damaged. The attached fasteners shall function smoothly and efficiently.

3.3 Marking. The finished carrier shall be legibly and indelibly marked as specified on Drawing C5-4-393.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

3.4 Preproduction. Prior to the start of regular production, a preproduction lot of carriers shall be produced for inspection in accordance with 4.3.

3.5 Workmanship. The carrier shall be free from damage, such as tears, cuts and holes. It shall be free from foreign matter.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.

4.1.1 Contractor's responsibility. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.2 Objective evidence. The contractor shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Preproduction inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction inspection.

4.3.1 Sample. A preproduction sample of 25 carriers shall be produced using the same methods, materials, and equipment as will be used in regular production.

4.3.2 Inspection procedure. The preproduction sample shall be inspected for all the requirements of the drawings and this specification.

4.3.3 Acceptance/rejection criteria. The preproduction sample shall comply with all the requirements of this specification to be acceptable.

4.4 Quality conformance inspection.

4.4.1 Lotting. A lot shall consist of the carriers produced by one manufacturer, at one plant, from the same type of material, under essentially the same manufacturing conditions, and offered for acceptance at one time.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

4.4.2 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

4.4.3 Inspection procedure. The sample carriers shall be inspected in accordance with the classification of defects and with MIL-STD-105.

4.4.3.1 Classification of defects.

(a) Carrier, chemical-biological mask: field, M15A1 - assembly (Dwg E5-4-400).

Categories		Defects
Critical:		None defined
Major:	AQL 1.0 percent defective	
	101	Component missing or incorrectly assembled
	102	Inability of carrier to properly contain all specified contents
	103	Hardware nonfunctioning
	104	Marking incorrect
	105	Workmanship (see 3.5)
	106	Stiffeners not free from cracks or sharp corners
	107	Stitching run off or stitches broken more than 1/2 inch
	108	Seams or hems not backstitched at the ends
	109	Blank not cut in proper direction (see applicable drawing)
Minor:	AQL 2.5 percent defective	
	201	Stitching margin incorrect
	202	Stitching tension loose causing exposed loops
	203	Stitching tension tight causing pleating
	204	Stitching run off or broken more than 1/4 inch but less than 1/2 inch
	205	Stitches per inch incorrect by $\pm$ 2 or more
	206	Tie-in stitches incorrect
	207	Hardware coating missing
	208	Marking missing or illegible
	209	Rivet improperly assembled

5. PACKAGING

5.1 Unit packing, packing, and marking, interplant shipment (see 6.3). The carriers shall be unit packed and packed to provide adequate protection from physical damage from the supply source to the first receiving activity for immediate use or further processing. Shipping containers shall be in compliance with the rules and regulations applicable to the mode of transportation. Marking shall be in conformance with Fed. Std. No. 123.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

5.2 Repair parts. When this carrier is procured for stockage and issue as a repair part, preservation, unit packing, packing and marking shall be as specified on the packaging data sheet which is identified by the National Stock Number.

6. NOTES

6.1 Intended use. This carrier is intended for use with the ABC-M17, M17A1 and M17A2 Field Chemical-Biological Masks.

6.2 Ordering data. Acquisition documents should specify the following:

(a) Title, number and date of this specification.
(b) Mask-size marking to be placed on carrier and also on container.
(c) Preproduction:

(1) Time allowed for contractor submission of samples for Government test and evaluation after award of contract.
(2) Name and address of test facility and shipping instructions when testing is performed by the Government.
(3) Time required for the Government to notify the contractor whether or not to proceed with production.

6.3 Interplant shipment. Packaging for interplant shipment is for supplies and materials that do not enter the military supply system. Typical interplant shipments are shipments from a vendor to a subcontractor or a prime contractor, or from a subcontractor to a prime contractor, or from a vendor or contractor to a military arsenal or plant.

Custodians:

Army - EA

Preparing activity:

Army - EA

Project No. 4240-A791

☆ U.S. GOVERNMENT PRINTING OFFICE: 1983—705—040/A488

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-51285C(EA)	CARRIER, CHEMICAL-BIOLOGICAL MASK: FIELD, M15A1

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation.

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 EDITION OF 1 OCT 76 IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.