MILITARY SPECIFICATION

TEST SET, ELECTRONIC SYSTEMS: M91; REPAIR PARTS FOR

This specification is approved for use by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the inspection and packaging of repair parts for the M91 Electronic Systems Test Set.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents.- The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078	-	Ammunition, Standard Quality Assurance Provisions, General Specification For
MIL-T-63263(AR)	-	Test Set, Electronic Systems: M91

STANDARDS

MILITARY

MIL-STD-1188	-	Commercial Packaging of Supplies and Equipment
MIL-STD-1460	-	Soldering of Electrical Connections and Printed Wiring Assemblies, Procedures for
MIL-STD-454	-	Standard General Requirements for Electronic Equipment

FSC: 4925

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.3)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

9326182	Test Set, Electronic Assembly
9326766	Case, Carrying
9326701	Screwdriver, Ball, Hex Key
9325989	Cable Assembly, Power Cable No. 1
9326142	Printed Circuit Board No. 1
9326143	Printed Circuit Board No. 2
9326144	Printed Circuit Board No. 3
9326145	Printed Circuit Board No. 4
9325999-1	Stud Nut
9326733	Voltage Regulator
9326214	Knob Assembly
9326864	Switch, Rotary
11828982	Packing and Marking for Box, Exterior for Test Set, Electronic Assembly: M91
11828988	Packing and Marking for Box, Exterior for Case, Carrying
11828993	Packing and Marking for Box, Exterior for Screwdriver, Ball Hex Key
11828996	Packing and Marking for Box, Exterior for Cable Assembly, Power Cable No. 1
11829000	Packing and Marking for Box, Exterior for Printed Circuit Board No. 1, 2, 3, or 4
11829003	Packing and Marking for Bag, Polyethylene for Stud Nut
11829005	Packing and Marking for Box, Exterior for Voltage Regulator
11829010	Packing and Marking for Bag, Polyethylene for Knob Assembly
11829011	Packing and Marking for Box, Exterior for Rotary Switch

3. REQUIREMENTS

3.1 Materials.- Materials shall be in accordance with applicable drawings and specifications.

3.2 Parts and assemblies. - The parts and assemblies shall comply with all requirements specified on the applicable drawings and with all requirements specified on applicable specifications.

3.3 Wiring and soldering. - Soldering of electrical wires, cables, connectors, components and assemblies shall be performed in a thorough, workmanlike manner in accordance with MIL-STD-1460 or MIL-STD-454.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

3.4 Workmanship.- All parts shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any part nor shall the parts be contaminated by the cleaning agents. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions.- Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspections.- The following type of inspection shall be conducted on this item.

a. Quality conformance inspection.

4.3 First article inspection. - Not applicable

4.4 Quality conformance inspection

4.4.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. - See MIL-A-48078.

a. Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Printed Circuit Board Assembly (No. 1)				9326142
					NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Any component missing, damaged or improperly assembled		0.40%	3.2	Visual
102	Soldering missing or incorrect		0.40%	3.3	Visual
103	Insulation compound missing, improperly applied or covering surface "X" or "Y"		0.40%	3.2	Visual/Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-L-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326143
4.4.2.2	Printed Circuit Board Assembly (No. 2)				NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Any component missing, damaged or improperly assembled		0.40%	3.2	Visual
102	Soldering missing or incorrect		0.40%	3.3	Visual
103	Insulation compound missing, improperly applied or covering suface "X" or "Y"		0.40%	3.2	Visual/Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.3	Printed Circuit Board Assembly (No. 3)				9326144
					NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	Any component missing, damaged or improperly assembled		0.40%	3.2	Visual
102	Soldering missing or incorrect		0.40%	3.3	Visual
103	Insulation compound missing, improperly applied or covering surface "X" or "Y"		0.40%	3.2	Visual/Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326145
4.4.2.4	Printed Circuit Board Assembly (No. 4)				NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Any component missing, damaged or improperly assembled		0.40%	3.2	Visual
102	Soldering missing or incorrect		0.40%	3.3	Visual
103	Insulation compound missing, improperly applied or covering surface "X" or "Y"		0.40%	3.2	Visual/Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.5	Case, Carrying				9326766
					NEXT HIGHER ASSEMBLY 9325900
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Handle, Clamps or hinges loose, damaged or inoperable		0.40%	3.2	Visual
102	Any length, width, diameter or depth of cutout in base or cover incorrect		0.40%	3.2	Gage
Minor					
201	Protective finish damaged or incorrect		0.65%	3.2	Visual
202	Case dented or damaged		0.65%	3.2	Visual
203	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326701
4.4.2.6	Screwdriver, Key, Ball Hex				NEXT HIGHER ASSEMBLY 9325900
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Width across flats incorrect		0.40%	3.2	Gage
Minor 201 202	Overall length incorrect Evidence of poor workmanship		0.65% 1.00%	3.2 3.4	Gage Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.7	Cable Assembly, Power Cable No. 1				9325989
					NEXT HIGHER ASSEMBLY
					9325990
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9325998-1
4.4.2.8	Stud Nut, Knurled				NEXT HIGHER ASSEMBLY 9325999
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Length "L" incorrect		0.40%	3.2	Gage
102	Hex size incorrect		0.40%	3.2	Gage
103	Pitch		0.40%	3.2	Gage
104	Shaft diameter		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.9	Knob Assembly				9326214
					NEXT HIGHER ASSEMBLY
					9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Hexagonal Socket screwhead loose or missing		0.40%	3.2	Visual
102	Epoxy present in shaft slot or Hex head		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326733
4.4.2.10	Voltage Regulator				NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Output voltage		0.40%	3.2	Gage
Minor 201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326864
4.4.2.11	Switch, Rotary				NEXT HIGHER ASSEMBLY 9326182
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Number of decks, poles or positions per pole incorrect		0.65%	3.2	Visual
202	Pitch diameter		0.65%	3.2	Gage
203	Shaft diameter		0.65%	3.2	Gage
204	Length of threaded section		0.65%	3.2	Gage
205	Length of shaft, minimum		0.65%	3.2	Gage
206	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63278(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326182
4.4.2.12	Test Set, Electronic Assembly				NEXT HIGHER ASSEMBLY 9325900
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: This item shall be tested and inspected to the requirements of MIL-T-63263(AR) para. 4.3 and 4.4 as applicable. Packaging shall be in accordance with section 5.0 of this document.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. - Testing is described in the Quality Conformance Inspection Tables.

4.4.4 Inspection equipment.- The inspection equipment required to perform the examinations and tests prescribed herein is described in the Paragraph Reference/Inspection Method column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.2 herein.

5. PREPARATION FOR DELIVERY

5.1 Packaging - Packaging shall be as specified on the drawings below:

Nomenclature	Pkg Dwgs
Test Set, Electronic Assembly	11828982
Case, Carrying	11828988
Screwdriver, Ball, Hex Key	11828993
Cable Assembly, Power Cable No. 1	11828996
Printed Circuit Board No. 1, 2, 3, or 4	11829000
Stud Nut	11829003
Voltage Regulator	11829005
Knob Assembly	11829010
Switch, Rotary	11829011

5.2 Packing and Marking. - Packing and marking shall be in accordance with the commercial requirements of MIL-STD-1188.

6. NOTES

6.1 Ordering data.- See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

6.2 Submission of inspection equipment designs for approval. (See MIL-A-48078). Submit equipment designs, as required, to Commander: US Army Armament Research and Development Command, ATTN: DRDAR-QAA-I, Dover, New Jersey 07801.

6.3 Drawings. - Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal, or Picatinny Arsenal drawings. Technical data originally prepared by these activities are now under the cognizance of ARRADCOM.

Custodian:
Army - AR

Preparing Activity:
Army - AR

Project Number: 4925-A033

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-T-63278 TEST SET ELECTRONIC SYSTEMS: M91; REPAIR PARTS FOR

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Armament R&D Command
ATTN: DRDAR-QAA
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.