[INCH-POUND]
A-A-2956
November 27, 1995
SUPERSEDING
W-H-196J
December 14, 1973
Int. Amendment-1
December 20, 1976

COMMERCIAL ITEM DESCRIPTION

HEATER, WATER, ELECTRIC, RESIDENTIAL

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers self-contained electric water heaters with all necessary controls mounted as an integral unit intended to provide hot water for residential use.

2. CLASSIFICATION

2.1 Classification. The water heaters shall be of the following type, model, series, and size, as specified (see 7.3).

Type IV - Glass-lined (porcelain enameled) steel tank

Model R - Round
T - Tabletop

Series 1 - Single heating unit
2 - Double heating unit

Size - Gallon

6	(22.7 L)
20	(75.8 L)
30	(113.7 L)
40	(151.6 L)
50	(189.5 L)
52	(197.1 L)
66	(250.1 L)
80	(303.2 L)
120	(454.8 L)

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 4520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

3 SALIENT CHARACTERISTICS

3.1 Standard Commercial Product. The water heaters covered by this commercial item description shall be the manufacturer's standard commercial product except for any changes necessary for compliance with this commercial item description. A standard commercial product is a product which has been sold or is currently offered for sale on the commercial market through advertisements, manufacturer's catalogs or brochures, and represents the latest production model.

3.2 UL 174 Conformance. Acceptable evidence of compliance with the requirements of UL 174 for household electric storage tank water heaters shall be a UL label or listing mark; or a certified test report from an independent testing laboratory acceptable to the Government indicating the electric water heaters have passed all tests, may be acceptable as evidence of conformance to the requirements of UL 174.

3.3 Glass-lining. The glass lining shall be applied to all interior surfaces that are exposed to hot water. The thickness of the glass lining shall be in accordance with industry practice.

3.4 Interchangeability. All parts and assemblies of water heaters of the same type, model, size, and manufacturer shall be interchangeable.

3.5 Relief Valve. A combination temperature/pressure relief valve conforming to ANSI Z21.22 shall be installed on, or supplied with the water heater. If the valve is not installed, complete instructions for installation shall be supplied with the valve. The pressure setting of the valve shall not exceed the maximum working pressure of the water storage tank.

3.6 Dimensions. The maximum diameter and minimum and maximum height requirements will be as specified in the contract or order, as applicable.

3.7 Power input. Power input for water heaters shall be in accordance with Table I or Table II, as applicable.

3.8 Voltage. Unless otherwise specified in the contract or order, the water heaters shall operate on alternating current and have nameplate voltage ratings of 230-240 volts and shall be suitable for operation on 208 volts systems.

3.9 Splashboard. Tabletop heaters may be furnished with or without a splashboard at the option of the manufacturer, unless otherwise specified. If furnished, the splashboard shall be porcelain coated to match the tabletop heater coating.

3.10 Workmanship. The water heaters shall be free of sharp edges, scratches on enameled surfaces, loose edges, dents or bent metal on the outer jacket, or defects that affect appearance, function, or serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

Table I. Series 1 - Single heating unit

Size (Gallons)	Model	Power input regular (watts) Single unit	NSN
6	Round	1000	4520-00-892-5799
20	Round	1500	4520-00-151-6753

Table II. Series 2 - Double heating units

Size (Gallons)	Model	Power input regular (watts) Lower unit	Upper unit	Power input, Speed heater (watts) Lower unit	Upper unit	NSN
30	Round	600	1000			4520-00-143-9399
30	Round			4500	4500	4520-01-017-3595
40	Round	750	1250			4520-00-585-2989
40	Round			4500	4500	4520-00-033-4283
40	Tabletop	1000	1000			4520-00-727-7134
40	Tabletop			4500	4500	4520-00-033-4287
50	Tabletop	1000	1500			4520-00-727-7136
52	Round	1000	1500			4520-00-143-9400
52	Round			4500	4500	4520-00-033-4284
66	Round	1250	2000			4520-00-585-2990
66	Round			4500	4500	4520-00-101-3965
80	Round	1500	2500			4520-00-083-8149
80	Round			4500	4500	4520-00-033-4286
120	Round			4500	4500	4520-00-101-3967

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

3.11 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parentheses are for information purposes only.

3.12 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3.13 Commercial item. The use of the term "commercial item" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. REGULATORY REQUIREMENTS.

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.


6. PACKAGING

6.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part Identification Number (PIN). Water heaters conforming to this commercial item description shall be identified by a part number configuration consisting of identification of a portion of the CID number, type, model, series, power input, and size. An example of the part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within the Federal cataloging system. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.



7.2 Referenced Documents. The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

UL Standards:

Application for copies of UL standards should be addressed to Underwriters Laboratories Inc., 333 Pfingsten Road, Northbrook, IL 60062.

ANSI Standards:

Application for copies of ANSI standards should be addressed to the American National Standards Institute, 11 West 42nd Street, 13th Floor, New York, NY 10036.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type, model, series, and size.
c. The preservation, packing, and marking desired.

7.4 National Stock Numbers (NSNs): The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Part Number	NSN	Part Number
4520-00-892-5799	AA29564R1R6	4520-00-727-7136	AA29564T2R50
4520-00-151-6753	AA29564R1R20	4520-00-143-9400	AA29564R2R52
4520-00-143-9399	AA29564R2R30	4520-00-033-4284	AA29564R2S52
4520-01-017-3595	AA29564R2S30	4520-00-585-2990	AA29564R2R66
4520-00-585-2989	AA29564R2R40	4520-00-101-3965	AA29564R2S66
4520-00-033-4283	AA29564R2S40	4520-00-083-8149	AA29564R2R80
4520-00-727-7134	AA29564T2R40	4520-00-033-4286	AA29564R2S80
4520-00-033-4287	AA29564T2S40	4520-00-101-3967	AA29564R2S120

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Review Activities:

ARMY - ME, MD
Navy - YD

Preparing Activity:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.