[INCH-POUND]
A-A-389B
December 6, 1996
SUPERSEDING
A-A-389A
February 14, 1991

COMMERCIAL ITEM DESCRIPTION

SAUCEPAN

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (cid) covers aluminum and corrosion-resisting steel saucepans.

2. CLASSIFICATION

2.1 Classification. The saucepans shall be of the following types, styles, and sizes, as specified.

Type I - Corrosion-resisting steel
  Style A - Deep (straight walls)
    Size 1 - 2 quart (1.9 L)
    Size 2 - 5 quart (4.7 L)
    Size 3 - 7-1/2 quart (7.1 L)

Type II - Aluminum
  Style A - Deep (straight walls)
    Size 4 - 2-1/2 quart (2.4 L)
    Size 5 - 8-1/2 quart (8.0 L)

  Style B - Tapered walls
    Size 6 - 1-1/2 quart (1.4 L)
    Size 7 - 3-3/4 quart (3.5 L)

3. SALIENT CHARACTERISTICS

3.1 Dimensions. The saucepans shall be of the following sizes listed in tables I and II. All dimensions are listed in inches except capacity which is listed in quarts. A table of metric equivalents is located in section 7. The thickness shall be measured at any point within the bottom of the pans except for an area to include the edge (corner) and up to one inch from the edge (corner). The capacity tolerance shall be plus 20 percent, minus 5 percent. All other dimensions, unless otherwise specified, shall be minimums.

3.2 Material.

3.2.1 Type I pans. Type I pans, including handles and covers, shall be made from type 300 series corrosion-resisting steel.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:07Z
Check the source to verify that this is the current version before use.

Table I - Dimensions of Type I Pans

Size Number	Capacity	Diameter	Bottom Thickness	Depth
1	2	6-1/4	0.031	3-3/4
2	5	8-1/4	0.033	4-7/8
3	7-1/2	9-1/2	0.045	5-3/4

Table II - Dimensions of Type II Pans

Size Number	Capacity	Top Inside Diameter [1]	Bottom (Pan) Thickness	Cover Thickness
4	2-1/2	7-1/8	0.125	0.051
5	8-1/2	10-1/2	0.187	0.064
6	1-1/2	6-1/8	0.081	0.051
7	3-3/4	8-7/8	0.081	0.051

[1] - Maximum top inside thickness

3.2.2 Type II pans. Type II pans and covers shall be made from type 3000 series aluminum alloy. The pan and cover handles shall be made from corrosion resistant steel, tin plated steel, nickel plated steel, nickel chrome plated steel, or malleable cast iron.

3.3 Construction.

3.3.1 Type I. The body of the pans shall be formed seamless from stainless steel and conform to the dimensions in table I. The handles shall be slightly concave and have a hole (1/4 inch minimum diameter) at the end for hanging the saucepan. The size 3 (7 1/2 quart) saucepan shall have a loop handle located directly opposite the primary handle. The loop handle shall have a minimum opening of 1/2 inch in height and 2 1/2 inches in width. The handles shall be attached by rivets, spot welding or continuous welding. If specified, the pans shall be provided with a cover. The cover shall be made from stainless steel and shall have a minimum thickness of 0.025 inch. The cover shall be provided with a stainless steel strap handle with a minimum width of 1/2 inch and shall be spot welded to the cover. The cover handle shall have a minimum opening of 1/2 inch in height and 2 1/2 inches in width.

3.3.2 Type II. The body of the pans shall be formed seamless from aluminum and conform to the dimensions in table II. The handles shall have a hole (1/4 inch minimum diameter) at the end for hanging the saucepan. The handle shall be attached by rivets, spot welding or continuous welding. The handle size shall conform to the manufacturer's standard commercial product. If specified, the pans shall be provided with a cover. The cover shall be made from aluminum and shall be of the thickness specified in table II. The cover shall be provided with a strap handle with a minimum width of 1/2 inch. The cover handle shall have a minimum opening of 1/2 inch in height and 2 1/2 inches in width.

3.4 Marking. The pans shall be marked with the manufacturer's name, trade name, or trademark of such known character that the source of the item may be readily determined.

3.5 Workmanship. The pans shall be clean and free from any cracks, fractures, malforming, scale, pits and flux deposits. Pans shall have no sharp edges, slivers, burrs, deep scratches, tool marks, or other defects which may affect serviceability, durability, or appearance.

3.6 Standard compliance. The pans shall comply with the requirements of NSF International Criteria C-2 or Standard No. 2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:07Z
Check the source to verify that this is the current version before use.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 NSF International compliance. The contractor shall submit to the contracting officer or authorized representative, prior to awarding of contract, satisfactory evidence that the items offered meet the requirements of NSF International Criteria C-2 or Standard No. 2. Satisfactory evidence of this compliance may be any of the following:

(1) Listing in the current edition of the "NSF International Listing Food Service Equipment and Related Products, Components and Materials", and display of the NSF International mark on the finished item; or

(2) Certification issued by NSF International under their special contract evaluation/certification program for government contracts; or

(3) Certified test report from a recognized independent testing laboratory acceptable to the medical authority of the service for which the item(s) are being procured stating that the item has been tested and conforms to NSF International Criteria C-2 or Standard No. 2.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part Numbering. The following part identification number procedure is for government purposes and does not constitute a requirement for the contractor.

Part Numbering System for Commercial Item Description A-A-389

```
Example:  AA389-1A2    (AA389-1A2)    Example - Type I, style A
                |||                                size 2 pan
                |||
                |||---- Size (1, 2, 3, 4, 5, 6,  or 7)
                ||
                ||---- Style (A or B)
                |
                |---- Type (1 - Type I or 2 - Type II)
```


Source: https://assist.dla.mil -- Downloaded: 202640-26T08:07Z
Check the source to verify that this is the current version before use.

7.2 Sources of non-Government association documents.

NSF International standards are available from NSF International, P.O. Box 130140, Ann Arbor, MI 48113-0140.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type, style, and size required.
c. Preservation, packing, and marking desired.

7.4 National Stock Numbers (NSN's): The following is a list of NSN's assigned which correspond to this CID. The list may not be indicative of all possible NSN's associated with the CID.

Type	Style	Size	NSN	Nomenclature
I	A	1	7330-00-240-2134	Saucepan
I	A	2	7330-00-240-2136	Saucepan
I	A	3	7330-00-240-2137	Saucepan
II	A	4	7330-00-205-1880	Saucepan
II	A	5	7330-00-205-1882	Saucepan
II	B	6	7330-00-680-0857	Saucepan
II	B	7	7330-00-680-0858	Saucepan

7.5 Metric equivalents.

inch	7.5	9	10.5	12	12.25	14	15.5	16	17.5
cm	19.05	22.9	26.7	30.5	31.1	35.6	39.4	40.6	44.5

inch	0.027	0.030	0.040	0.045	0.060	0.072	0.075	0.120	0.156
mm	0.69	0.76	1.01	1.14	1.5	1.8	1.91	3.0	4.0

MILITARY INTERESTS:

Military Coordinating Activity:
Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review Activities:
Army - MD1, QM1
Navy - MC
Air Force - 84, 35

Preparing Activity:
GSA - FSS

(DoD Project 7330-0735)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:07Z
Check the source to verify that this is the current version before use.