INCH-POUND
MIL-DTL-32687
w/Amendment 2
18 July 2025
SUPERSEDING
MIL-DTL-32687
w/Amendment 1
15 May 2023

DETAIL SPECIFICATION

WASHERS, CARBON OR ALLOY STEEL, ROUND, ZINC-NICKEL PLATED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1 SCOPE

1.1 Scope. This specification covers custom carbon or alloy steel round washers (see 6.1) that are not covered by industry standards (see 6.4). This detail specification covers the application of Zinc-Nickel plating in lieu of either cadmium or zinc plating with hexavalent-chromium. The individual specification sheets detail cross references to prior cadmium or hexavalent chromium containing washers.

2 APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3 and 4 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

MIL-PRF-32647	-	Zinc-Nickel Electroplating for Fasteners
MIL-DTL-32687/1	-	Washer, Flat, Alloy Steel, Round, Hardened, Zinc-Nickel Plated
MIL-DTL-32687/2	-	Washer, Flat, Alloy or Carbon Steel, Round, Hardened, Zinc-Nickel Plated, Extra Large

(Copies of these documents are available online at https://assist.dla.mil/.)

Comments, recommendations, additions, deletions, clarifications and any data that may improve this document should be sent to U.S. Army DEVCOM Ground Vehicle System Center, ATTN: FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Detroit Arsenal, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST online database at https://assist.dla.mil/.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:33Z
Check the source to verify that this is the current version before use.

2.2.2 Other Government documents, drawings and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

DRAWINGS

19207-10888410	-	Washer, Flat, Special
19207-10910174	-	Washer, Flat, Metal, Round, Hardened
19207-12387327	-	Washer, Flat
19207-12569613	-	Washer, Flat
19207-12662533	-	Washer, Flat, Plain
19207-10941915	-	Washer, Flat, Metal, Round, Hardened

(Copies of the above drawings are available from the U.S. Army Tank-automotive and Armaments Command, 6501 E. 11 Mile Road, Detroit Arsenal, Michigan 48397-5000.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

AMERICAN SOCIETY OF MECHANICAL ENGINEERS

ASME Y14.5	-	Dimensioning and Tolerancing
ASME B18.18	-	Quality Assurance for Fasteners

(Copies of these documents are available online at https://www.asme.org.)

ASTM INTERNATIONAL

ASTM A108	-	Standard Specification for Steel Bar, Carbon and Alloy, Cold-Finished
ASTM A322	-	Standard Specification for Steel Bars, Alloy, Standard Grades
ASTM A506	-	Standard Specification for Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled
ASTM A684/A684M	-	Standard Specification for Steel, Strip, High-Carbon, Cold-Rolled
ASTM A829/A829M	-	Standard Specification for Alloy Structural Steel Plates
ASTM E18	-	Standard Test Methods for Rockwell Hardness of Metallic Materials
ASTM F1941/F1941M	-	Standard Specification for Electrodeposited Coatings on Mechanical Fasteners, Inch and Metric

(Copies of these documents are available online at https://www.astm.org.)

SAE INTERNATIONAL

SAE AMS6345	-	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Aircraft Quality, Normalized or Otherwise Heat Treated - UNS G41300
SAE AMS6350	-	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Aircraft Quality - UNS G41300
SAE AMS6351	-	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Aircraft Quality, Spheroidized - UNS G41300

(Copies of these documents are available online at https://www.sae.org.)

2.4 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein (except for related specification sheets), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:33Z
Check the source to verify that this is the current version before use.

3 REQUIREMENTS

3.1 Specification sheets. The individual item requirements shall be as specified herein and in accordance with the applicable specification sheets. In the event of any conflict between requirements of this specification and the specification sheet, the latter shall govern (see 6.2). Specification sheet MIL-DTL-32687/1 covers Zinc-Nickel plated alternatives to those washers specified in drawings 19207-10888410, 19207-10910174, 19207-12387327, 19207-12569613, and 19207-12662533. Specification sheet MIL-DTL-32687/2 covers Zinc-Nickel plated alternatives to those hardened washers specified in drawing 19207-10941915.

3.2 Recycled, recovered, environmentally preferable, or biobased materials. Recycled, recovered, environmentally preferable, or biobased materials should be used to the maximum extent possible, provided the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

3.3 Edges and corners.

3.3.1 Edges. Unless otherwise specified, edges shall be broken R .02 +.02/-.00.

3.3.2 Corners. All edges and corners shall be free from burrs.

3.4 Finish. Finish shall be Zinc-Nickel plated in accordance with MIL-PRF-32647, Type K20, or Zinc-Nickel plated in accordance with ASTM F1941/F1941M, Fe/Zn-Ni 8BNS.

3.4.1 Conformance. Certificates of compliance to paragraph 3.4 shall be provided to verify conformance.

3.5 Dimensions and tolerances. Dimensional limits shall apply after plating. Dimensioning and tolerances shall be in accordance with ASME Y14.5M - 1994 version (for MIL-DTL-32687/1) and ANSI Y14.5 - 1973 version (for MIL-DTL-32687/2).

3.6 Workmanship. Washers shall be free from surface contamination, tool marks and other imperfections which may adversely affect serviceability.

4 VERIFICATION

4.1 Inspection. Quality Assurance Provisions per Category 3 of ASME B18.18 are required.

4.2 Inspection of packaging. The sampling and inspection of the preservation, packing and container marking shall be in accordance with requirements of 5.1.

4.3 Finish and hardness inspection.

4.3.1 Protective coating and surface treatment inspection. Samples shall be inspected for adequacy of plating in accordance with MIL-PRF-32647, Type K20, or ASTM F1941/F1941M, Fe/Zn-Ni 8BNS.

4.3.2 Hardness inspection. Samples taken as specified in ASME B18.18 Category 3 sample size "C" shall be tested for surface hardness in accordance with ASTM E18.

5 PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of materiel is to be performed by DoD or in- house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:33Z
Check the source to verify that this is the current version before use.

6 NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. Intended use of flat metal, round, washers are as follows:

a. Even distribution of the fastener's load.
b. Reduce friction of the fastener during the torquing process.
c. Protect components from damage during the torquing process.
d. Used as spacers.
e. May also be used in electrical terminal applications.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number and date of this specification and the applicable specification sheet.
b. Applicable specification sheet part number (see 3.1).
c. Protective finish required (see 3.4).
d. Packaging requirements (see 5.1).

6.3 Subject term (key word) listing.

Corrosion
Decarburization
Descaling

6.4 Difference from industry standards. At the time of this document's publication, the specified washers differ dimensionally from similar industry standard washers as found in ASME B18.24, "Part Identifying Number (PIN) Code System Standard for B18 Fastener Products". The user is encouraged to use ASME standard washers when applicable.

6.5 Amendment notations. The margins of this specification are marked with vertical lines to indicate where modifications from this amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - AS
Air Force - 70

Review Activities:
Army - AV, CR4, MI
Navy - SH, YD
Air Force - 20

Preparing Activity:
Army - AT

(Project 5310-2025-022)

NOTE: The activities listed above were interested in this document as of the date of document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:33Z
Check the source to verify that this is the current version before use.