
INCH-POUND
MIL-DTL-32687/2
21 September 2021

DETAIL SPECIFICATION SHEET
WASHER, FLAT, ALLOY OR CARBON STEEL, ROUND, HARDENED, ZINC-NICKEL PLATED, EXTRA LARGE

(Similar to 10941915)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-32687.



NOTES: Dimensions are in inches.

FIGURE 1. Washer, flat, alloy or carbon steel, hardened, extra large.

Comments, recommendations, additions, deletions, clarifications etc. and any data that may improve this document should be sent to U.S. Army Ground Vehicle System Center, ATTN: FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Detroit Arsenal, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@mail.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST online database at https://assist.dla.mil/.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:34Z
Check the source to verify that this is the current version before use.


REQUIREMENTS:

1 Steel composition. Unless otherwise specified, washers shall be made from one of the following materials:

Steel, alloy, strip, sheet or plate 4130, 4140, or 8640, spec ASTM A108, ASTM A506, or ASTM A829/A829M
Steel, alloy, bar Grade UNS 4130, 4140, 8640, or 8740, spec ASTM A108
Steel, alloy, strip, sheet or plate Grade 4130, spec AMS 6350, AMS 6351 or AMS 6345

2 Hardness. Washers shall be quenched and tempered to Rockwell C33 through 38 (or equivalent with contracting officer and Lead Engineering Authority approval), in accordance with SAE AMS2671.

3 Part number. Part or Identifying Number (PIN) consists of the following:



Example: M32687/2-1 is a Flat Washer – Nominal Size 0.250, ID 0.281, OD 0.750, and 0.090 inch thickness. (See Table II for cross-reference from part number 10941915 to PIN).

TABLE I. Dimension.

PIN	Nominal Size	A	B	C
M32687/2-1	0.250	0.281	0.750	0.090
M32687/2-2	0.312	0.343	0.875	0.090
M32687/2-3	0.375	0.406	1.000	0.104
M32687/2-4	0.437	0.458	1.250	0.119
M32687/2-5	0.500	0.531	1.375	0.134
M32687/2-6	0.562	0.594	1.500	0.164
M32687/2-7	0.625	0.656	1.750	0.179
M32687/2-8	0.75	0.812	1.500	0.194
M32687/2-9	0.875	0.938	2.000	0.250
M32687/2-10	1.000	1.062	2.250	0.280
M32687/2-11	1.125	1.250	2.500	0.320
M32687/2-12	1.250	1.375	3.000	0.360
M32687/2-13	1.375	1.500	3.250	0.400
M32687/2-14	1.500	1.625	3.500	0.450

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:34Z
Check the source to verify that this is the current version before use.

TABLE II. Old and new PIN. /1, /2

Old Part Number	New Part Number
10941915-1	M32687/2-1
10941915-2	M32687/2-2
10941915-3	M32687/2-3
10941915-4	M32687/2-4
10941915-5	M32687/2-5
10941915-6	M32687/2-6
10941915-7	M32687/2-7
10941915-8	M32687/2-8
10941915-9	M32687/2-9
10941915-10	M32687/2-10
10941915-11	M32687/2-11
10941915-12	M32687/2-12
10941915-13	M32687/2-13
10941915-14	M32687/2-14

/1 The difference between the parts from the Old and New parts is the finish.
/2 Old part numbers are not to be used for new design.

CONCLUDING MATERIAL

Custodians:
Army – AT
Navy – AS
Air Force – 70

Review activities:
Army – AR, AV, CR4, MI
Navy – AS, MC, OS, SH
Air Force – 11, 20

Preparing activity:
Army – AT

(Project 5310-2021-022)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the informationabove using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:34Z
Check the source to verify that this is the current version before use.