CCC-B-791a

AMENDMENT—5
APRIL 7, 1944

SUPERSEDING
AMENDMENT—4
July 7, 1941

FEDERAL STANDARD STOCK CATALOG

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

BUNTING; COTTON, MERCERIZED

This amendment was approved on the above date by the Director of Procurement, for the use of all departments and establishments of the Government, and shall become effective not later than June 1, 1944. It may be put into effect, however, at any earlier date after promulgation.

The following changes shall be made in Federal Specification CCC–B–791a dated August 27, 1937:

Page 1:

Paragraph **C–1.** Delete paragraph in its entirety and substitute:

C–1. *Material.*—The bunting shall be made of cotton. The cotton shall be thoroughly cleaned, well carded, and spun.

Paragraph **D–3.** Delete paragraph in its entirety and substitute:

D–3. *Singeing.*—The bunting may be singed or not singed.

Page CCC–B–791a—2:

Paragraph **D–7:**

Line 2—Delete "good" and substitute "fair".

Line 4—Following "dyed," insert "chemically neutral in reaction.".

Page CCC–B–791a—3:

Paragraphs **H–1** to **H–4a** inclusive. Delete and substitute:

H–1. The following departmental specifications of the issue in effect on date of invitation for bids, and special requirements, shall form a part of this specification, and shall be applicable to purchases made under this specification by the respective departments:

H–2. *Army.*—

H–2a. *Specification.*—United States Army Specification No. 100–2, Standard Specifications for Marking Shipments.

583042—44

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:30Z
Check the source to verify that this is the current version before use.

H–2b. *Requirements.*—

H–2b (1). Blue bunting shall be dyed with vat colors; red bunting shall be dyed with vat or naphthol colors.

H–2b (2). Bunting shall show fastness equal to that of the standard sample when exposed to weather for 10, 20, and 30 days.

H–3. *Navy.*—

H–3a. *Navy Department Specifications.*—

General Specifications for Inspection of Material. 39P16, General Specification for Packaging, and Packing for Overseas Shipment.

Copies of above-referred-to Navy Department specifications, and of the Navy Shipment Marking Handbook, may be obtained without cost upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C.

H–3b. *Standard samples.*—Standard samples of cotton bunting, in the shades purchased by the Navy Department may be seen upon application to any of the following, or a portion thereof, may be obtained upon application to the Commandant, Navy Yard, Mare Island, Calif., or the Commandant, Navy Yard, New York, N. Y.

Commandant Navy Yard:
New York, N. Y.
Philadelphia, Pa.
Norfolk, Va.
Mare Island, Calif.

Inspector of Naval Material, United States Navy:
Boston, Mass.
Hartford, Conn.
Cincinnati, Ohio.
Chicago, Ill.
Atlanta, Ga.
San Francisco, Calif.
Seattle, Wash.

H–3c. *Packaging.*—Unless otherwise specified, the subject commodity, in lengths as specified in paragraph D–6, shall be furnished in flat folded bolts. Each bolt shall be wrapped in not less than 69-pound basis weight kraft paper and sealed with gummed tape.

H–3d. *Packing.*—

H–3d (1). *For domestic shipment.*—Unless otherwise specified, the subject commodity shall be packed in nailed wood boxes or cleated plywood boxes as follows:

H–3d (1) a. Nailed wood boxes shall conform to the requirements of Section VI of Navy Department Specification 39P16, except that no waterproof bag liner or strapping will be required. The gross weight shall not exceed approximately 200 pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:30Z
Check the source to verify that this is the current version before use.

H–3d (1) b. Cleated plywood boxes shall conform to the requirements of Section V of Navy Department Specification 39P16, except that no waterproof liner, drainage ducts in cleats, and water-resistant and toxic-treated plywood will be required. Each box shall be reinforced with at least two flat or round metal straps in accordance with the requirements of Section V. The gross weight shall not exceed approximately 200 pounds.

NOTE.—It is the intent to reference Navy Department Specification 39P16, Packaging and Packing for Overseas Shipment for the above domestic shipment.

NOTE.—It is the intent to reference Navy Department Specification 39P16, Packaging and Packing for Overseas Shipment for the above domestic shipment.

H–3d (2). *For overseas shipment.*—Unless otherwise specified, the subject commodity, packaged as described in paragraph H–3c, shall be packed in nailed wood boxes or cleated plywood boxes, conforming to the requirements of the applicable section of Navy Department Specification 39P16. Each box shall be lined with a sealed waterproof bag, or its equivalent, made in conformance with the construction and tests of Section XXV of Navy Department Specification 39P16. The material used shall have a minimum water resistance of 15 hours. Each box shall be strapped in accordance with the requirements of the applicable section of Navy Department Specification 39P16. The gross weight shall not exceed approximately 200 pounds.

H–3e. *Marking.*—

H–3e (1). *Packages.*—Unless otherwise specified, each roll or bolt shall be marked with the name of the material, the width, the type, the quantity contained therein as defined by the contract or order under which shipment is made, and the name of the contractor and the name of the manufacturer.

H–3e (2). *Shipping containers.*—Unless otherwise specified, shipping containers shall be marked with the name of the material, the color, the width, the type, the quantity contained therein as defined by the contract or order under which shipment is made, the name of the contractor, the number of the contract or order and the gross weight. In addition to the foregoing, marking shall conform to the requirements of the latest issue of the Navy Shipment Marking Handbook.

H–4. *Veterans' Administration.*—

H–4a. *Color.*—Color shall conform in hue to the U. S. Navy Standard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:30Z
Check the source to verify that this is the current version before use.

Page CCC–B–791a—4:

Paragraph I–3. Delete and substitute:

I–3. Federal specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

Paragraph I–4. Renumber as "I–5."

Insert new paragraph I–4 as follows:

I–4. An Index of Federal Specifications and also a Quarterly Supplement-Index of Emergency Alternate Federal Specifications, may be purchased as noted in the paragraph below, price to be obtained from the Superintendent of Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:30Z
Check the source to verify that this is the current version before use.