RR-F-450C
AMENDMENT-3
July 14,1972
SUPERSEDING
Amendment-2
February 27, 1970

FEDERAL SPECIFICATION

FLATWARE, CORROSION-RESISTING STEEL

This amendment which forms a part of Federal Specification RR-F-450C, dated February 5, 1969, and was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 3

2.2, In American Society for Testing and Materials title.- Delete "Specification" and substitute "Standard".

Delete "A167-63-Corrosion" and substitute: "ASTM Designation A 167-70-Stainless and Heat".

Delete "A276" and remainder of the title and substitute: "ASTM Designation A 276-71-Stainless and Heat Resisting Steel Bars and Shapes".

Add the following:

" National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc: Traffic Order Section, 1616 P. Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL . 60606.)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

3.1 Delete and substitute:

"3.1 First article.- When specified (see 6.2), the supplier shall furnish a sample for first article inspection and approval (see 4.2 and 6.4)."

3.3, End of paragraph.- Add the following: "Commercial tolerances are applicable to all material thicknesses."

3.3.1.1 Line 2, after "410".- Insert "or 420"; also delete "Specification No. A 276-67" and substitute "Designation A 276-71."

3.3.1.2 Line 2.- Delete "Specification No. A167-63" and substitute "Designation A 167-70."

PAGE 6

4.2 Line 1.- Delete "preproduction sample" and substitute "first article".

PAGE 8

Add in proper sequence:

"4.3.4 Examination of palletization.- An examination shall be made to determine that palletization is in compliance with section 5 of this specification. Defects shall be as scored in table XV. The sample unit for this examination shall be one palletized unit load ready for shipment. The lot shall be the number of palletized unit loads submitted for inspection at one time. The inspection level shall be S-1 with an AQL of 6.5 expressed in terms of defects per hundred units.

TABLE XV.- Examination of palletization

Examination	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirements.
Palletization	Not as specified. Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps specified.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:10Z
Check the source to verify that this is the current version before use.

TABLE XV.- Examination of palletization (Con.)

Examination	Defect
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application."

PAGE 10

5.2.2.1 Delete and substitute:

"5.2.2.1 When specified (see 6.2), the shipping container shall be V3c, V3s, or V4s fiberboard box, fabricated in accordance with PPP-B-636 and closed in accordance with the appendix thereto."

5.2.3, Last sentence.- Delete and substitute: "Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules as applicable."

PAGE 11

5.3, Last line, after "shall".- Insert "first".

6.2, Subparagraph c.- Delete and substitute: "(c) When a first article is required (see 3.1, 4.2, and 6.4)."

Add the following in proper sequence:

"6.4 First article.- The items covered by this specification requires first article test and approval under the appropriate provisions of paragraph 7-104.55 of the Armed Services Procurement Regulations. The first article should be a preproduction sample. The first article should consist of one unit. The contracting officer should include specific instructions in all procurement instruments, regarding arrangements for examination, test and approval of the first article."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

Figure 1, table I, under "Demensions Minimum".- Delete "0.750" and substitute "0.705".

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 84

Preparing activity:

Army - GL

Project No. 7340-0060

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.