MIL-D-3945B
INT. AMENDMENT 2(EA)
11 October 1988
SUPERSEDING
INT. AMENDMENT 1(EA)
8 July 1986

MILITARY SPECIFICATION

DETECTOR KIT; CARBON MONOXIDE, COLORIMETRIC

This interim amendment is approved for use within U.S. Army Chemical Research, Development and Engineering Center, with MIL-D-3945B, dated 3 September 1982.

PAGE 2

* 2.1.1:

Under "STANDARDS": Add the following:

"FEDERAL

FED. TEST METHOD STD. NO. 101 - Test Procedures for Packaging Materials".

Under "STANDARDS" "MILITARY": Delete "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment".

PAGE 3

* 3.1, lines 4 and 5: Delete "the level A unit package specified" and substitute "the packaging requirements specified".

PAGE 5

3.8, delete and substitute the following:

"3.8 Inflation time. When the bulb orifice is adjusted, the inflation time of the bulb, without the indicator tubes, shall be 30 ± 3 seconds when tested as specified in 4.4.4.4."

FSC 6665

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:33Z
Check the source to verify that this is the current version before use.

PAGE 8

* 4.3.2.2, line 1: After "For examination of packaging" add (see 5.4)".

* 4.3.2.3: Change title to "For non-destructive tests" and add the following to the end of the paragraph: "The preproduction sample of the packaged detector kits shall be tested for unit pack bag leakage (4.4.5.1)."

* 4.3.2.4: Add the following new paragraph:

"4.3.2.4 For destructive tests. The detector kits, unit packed as specified in section 5, shall be sampled in accordance with MIL-STD-105 for heat seal seam tests (4.4.5.2), using an AQL of 1.0 percent.

PAGE 9

* 4.4.2.2, line 1: After "For examination of packaging" add "(see 5.4)".

* 4.4.2.3: Change title to "For non-destructive tests" and add the following to the end of the paragraph: "The sample (4.4.2.2) of packaged detector kits shall be tested for unit pack bag leakage (4.4.5.1), using and AQL of 2.5 percent."

* 4.4.2.4: Add the following new paragraph:

"4.4.2.4 For destructive tests. The sample (4.4.2.2) of packaged detector kits shall be tested for heat seal seam strength (4.4.5.2), using an AQL of 2.5 percent."

* 4.4.3.1(f): Delete "(see 3.8)" and substitute "(see 3.9)".

* 4.4.3.1(g): Delete "(see 3.9)" and substitute "(see 3.10)".

* 4.4.3.2, line 1: After "For examination of packaging" add "(see 5.4)" and add the following new subparagraph "(j) Unit pack container (bag) missing, or not as specified".

* 4.4.3.3: Add the following to the end of the paragraph: "Test requirements for packaging are not applicable for interplant shipments (see 5.4)."

PAGE 10

4.4.4.4, delete and substitute the following:

"4.4.4.4 Inflation time. After making all necessary orifice adjustments, deflate the bulb, less the indicator tube, to exclude air as completely as possible, and then allow it to refill. The time required to refill the bulb shall

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:33Z
Check the source to verify that this is the current version before use.

be 30 ± 3 seconds. The orifice of the bulb may be adjusted under any atmospheric conditions to permit inflation of the bulb within the specified time."

* 4.4.5: Add the following new paragraphs:

"4.4.5 Packaging tests (see 5.1.1.2).

4.4.5.1 Unit pack bag leakage. The leakage of the unit pack bag containing the detector kit shall be determined by subjecting the sample to the hot water technique test, method 5009.2 FED. TEST METHOD STD. NO. 101.

4.4.5.2 Heat seal seam test. The heat seal seam strength of the unit pack bag shall be determined by subjecting, the same to FED. TEST METHOD. STD. NO. 101, method 2024, except that the static load shall be 45 (+5, -0) ounces."

* 5.1, line 1: Delete "B, or industrial" and substitute "or B".

* 5.1.1.2: Add the following to the end of the paragraph: "The unit packed detector kits shall show no sign of leakage as evidenced by release of a continuous stream of bubbles which appear at any surface when tested as specified in 4.4.5.1. The unit packed container that fails the leakage test shall be immediately dried, repacked and retested. The heat seal seam of the unit pack container shall show no sign of separation when tested as specified in 4.4.5.2."

* 5.1.1.3, lines 8 and 9: Delete "unit packages" and substitute "unit packs".

PAGE 11

* 5.1.3: Delete in its entirety.

* 5.2: Delete "B or industrial" and substitute "or B".

* 5.2.3: Delete in its entirety.

PAGE 12

* 5.3, lines 2, 3, and 4 (sentences 2 and 3): Delete "Marking shall be in accordance with MIL-STD-129. Marking for industrial preservation and packing should be in accordance with MIL-STD-1188."

* 5.4: Add the following new paragraph:

"5.4 Interplant shipments (see 6.3). Military packaging as specified in sections 5.1 through 5.3 is not applicable for interplant shipments as defined in 6.3. The detector kits shall be packaged and marked to provide adequate protection from physical damage from the supply source to the first receiving

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:33Z
Check the source to verify that this is the current version before use.

activity for immediate use or further processing. Shipping containers shall be in compliance with the rules and regulations applicable to the mode of transportation. Quality conformance and testing requirements for packaging are not applicable for interplant shipments."

* 6.2:

(b): Delete "(see 5.1 and 5.2)" and substitute "(see section 5)".

(c): Delete "(see 3.4.3)" and substitute "(see 3.3.5)".

(d): Delete "(see 3.2)" and substitute "(see 3.3.4)".

Add new subparagraph "(f) Shelf life code".

* 6.3: Add the following new paragraph:

"6.3 Interplant shipments. Packaging and marking (commercial) for interplant may only be used when shipping the item from a vendor or supplier to a prime contractor for immediate use or further processing, or from a prime contractor to a military facility for review or evaluation as defined in the contract."

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 6665-A566

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:33Z
Check the source to verify that this is the current version before use.