
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, FASTENER

This specification is approved for use within Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of the following specification listed in that issue of the Department of Defense Index of Specifications (DODISS) specified in the solicitation: MIL-C-28754.




ITEM 1

FIGURE 1. Dimensions and configuration.

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.



SECTION B-B

ITEM 2

INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
0.000025	0.0006	0.010	0.25	0.060	1.52	0.096	2.44
0.001	0.03	0.025	0.64	0.065	1.65	0.115	2.92
0.002	0.05	0.030	0.76	0.072	1.83	0.225	5.72
0.005	0.13	0.057	1.45	0.092	2.34	0.245	6.22

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Break sharp edges 0.005 (0.13 mm) maximum and remove all burrs.
4. Inside corners 0.010 (0.25 mm) radius maximum.

FIGURE 1. Dimensions and configuration - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.

5. Unless otherwise specified, tolerances are plus or minus 0.005 (0.13 mm) for three place decimals, plus or minus 0.01 (0.25 mm) for two place decimals and plus or minus 5° for angles.

6. A small undercut is permissible in this area to facilitate complete coverage of the "C" dimension with coating. The dielectric coating/material shall as a minimum completely cover the "C" dimension. Coating is permitted on other surfaces or features as long as the dimensions and the proper function is not impaired.

7. A part number consists of both items 1 and 2.

8. Items 1 and 2 shall not be shipped separate.

FIGURE 1. Dimensions and configuration - Continued

REQUIREMENTS:

Dimensions and configuration: See figure 1 and table I.

Materials: ASTM A582, Type 303/303SE, Condition A, annealed and cold drawn. Dielectric coating with a dielectric withstanding voltage of 100 volts minimum and a temperature rating of 125°C minimum.

Finish: Passivate per QQ-P-35, Type IV. Surface roughness per ANSI B46.1. There shall be no exposure of the steel over the length of the "C" dimension.

Durability: The coating/material shall withstand 500 cycles of insertion/extraction when the fastener is installed in its applicable hardware (connector/heat sink).

Military part number: M28754/82- (Dash Number from table I).

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.

TABLE I. Dash number and dimensions.

DASH NO	DIM "A"	DIM "B"	DIM "C"	CONTACT COUNT
01	0.092	0.115	0.057 ±0.005	100 PIN
02	0.225	0.245	0.072 ±0.005	250 PIN
03	0.142	0.160	0.057 ±0.005	150 PIN

Supersession data: Supersedes Naval Sea Systems Command Drawing Number 5919383, Code Identification Number 53711.

Custodians:
NAVY - SH

User activities:
NAVY - AS

Agent:
NWSC, Crane

Preparing activity:
NAVY - SH

(Project: 5935-N336-04)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FO 'UT ALONG THIS LINE)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE
MIL-C-28754/82	Connectors, Electrical Modular, Type IV, Connector Assembly, Fastener

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)* _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street City State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 55Z3)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 55Z3)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:52Z
Check the source to verify that this is the current version before use.