REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for information on Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE *(DD-MM-YYYY)*	2. REPORT TYPE	3. DATES COVERED *(From - To)*
13-10-2020	Final	

4. TITLE AND SUBTITLE
Joint Ordnance Test Procedure (JOTP)-072
Disposal Procedure Development for U.S. Weapons Programs

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHORS

5d. PROJECT NUMBER

5e. TASK NUMBER

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
PEO AMMO/Product Director for Joint Services
(SFAE-AMO-JS)
1 Buffington Road
Picatinny Arsenal, Picatinny, NJ 07806

8. PERFORMING ORGANIZATION REPORT NUMBER
JOTP-072

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)
Policy and Standardization Division (CSTE-TM)
US Army Test and Evaluation Command
6617 Aberdeen Boulevard
Aberdeen Proving Ground, MD 21005-5001

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S REPORT NUMBER(S)
Same as item 8

12. DISTRIBUTION/AVAILABILITY STATEMENT

Distribution Statement A. Approved for public release; distribution is unlimited.

13. SUPPLEMENTARY NOTES
Defense Technical Information Center (DTIC), AD No.: TBD

14. ABSTRACT

This document has been generated to provide weapons developers with insight to the risk based process used in developing EOD procedures, feeding recommendations to field new or revised weapon systems. Risk is assessed based on level of data and number of test assets provided for a particular weapon, aiding in development of disposal procedures for EOD operators. This process applies to all U.S. weapons and foreign ordnance under US acquisition; and, is considered a key element in reaching EOD concurrence for a fielding decision at Safety Review Boards (i.e. WSESRB, ATEC, and NNMSB). This document should not be considered as a stand-alone document, as it supports the DoDD 5160.62 and is supported by DI-SAFT-80931B.

15. SUBJECT TERMS

joint service insensitive munitions EOD Explosive Ordnance Disposal

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	B. ABSTRACT	C. THIS PAGE			19b. TELEPHONE NUMBER *(include area code)*
Unclassified	Unclassified	Unclassified	SAR	10	

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std. Z39-18

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

(THIS PAGE IS INTENTIONALLY BLANK.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE

JOINT ORDNANCE TEST PROCEDURE (JOTP)-072

Requirements for Development of Explosive Ordnance Disposal Procedures

Joint Services Munition Safety Test Working Group

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

(THIS PAGE IS INTENTIONALLY BLANK)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

Joint Ordnance Test Procedure (JOTP)-072
Explosive Ordnance Disposal Procedure Development Process

DOCUMENT COMPLETION DATE:	**TITLE AND SUBTITLE:**
13 October 2020	Joint Ordnance Test Procedure (JOTP)-072 Disposal Procedure Development for U.S. Weapons Programs

PREPARING ACTIVITY:	**SPONSORING ACTIVITY:**
PEO AMMO/Product Director for Joint Services (SFAE-AMO-JS) 1 Buffington Road Picatinny Arsenal, Picatinny, NJ 07806	Policy and Standardization Division (CSTE-TM) US Army Test and Evaluation Command 6617 Aberdeen Boulevard Aberdeen Proving Ground, MD 21005-5001

DISTRIBUTION STATEMENT:

Distribution Statement A. Approved for public release; distribution is unlimited.

ABSTRACT:

This document has been generated to provide weapons developers insight to the asset requirements for Joint Service EOD to verify disposal procedures which must be distributed to EOD operators 30 days prior to fielding in accordance with DoDD 5160.62. The specific number of EOD test assets is decided using a risk based approach which is dependent on test assets available from other testing, available data, fielding urgency, and cost of the weapon. This process applies to all energetic weapons under US acquisition. This document should not be considered a stand-alone document, as it supports DI-SAFT-80931B and MIL-STD-882E, Task 403.

COORDINATION DRAFT REVIEWED BY:

This document was coordinated with the following Standardization Offices: AR, AS, EA, MC, MI, MR, OS, TE, AF-2, AF-70, and AF-99. In addition, the document was also coordinated with the Joint Weapon Safety Working Group.

ASSIST COORDINATION DATE: 20 May 2020

IMPLEMENTATION PLAN:

1. This JOTP will be referenced in MIL-STD-882E, TASK 403, DEPARTMENT OF DEFENSE STANDARD PRACTICE SYSTEM SAFETY and relevant, Service specific, system safety documentation.

APPROVING AUTHORITY:



THIERRY L. CHIAPELLO
Executive Director

23 November 2020
Date

DoD Explosives Safety Board
Office of the Under Secretary of Defense for
Acquisition and Sustainment

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

(THIS PAGE IS INTENTIONALLY BLANK)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
JOINT ORDNANCE TEST PROCEDURE

*Joint Ordnance Test Procedure (JOTP)-072 13 October 2020
DTIC AD No. TBD

IDENTIFICATION MARKING FOR MUNITIONS

Paragraph			Page
	1.	INTRODUCTION	2
	2.	SCOPE	2
	2.1	Purpose	2
	2.2	Application	2
	2.3	Limitations	3
	3.	REQUIREMENTS	3
	3.1	Non-applicability Statements Review	3
	3.2	EOD Source Data	3
	3.3	EOD Test Assets for Disposal Procedure Development	4
	3.4	Additional Test Support Requirements	4
	3.5	Requirements for Test and Evaluation	5
	3.6	Requirements for Local EOD Units	5
	3.7	Test Asset Condition	6

Approved for public release; distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

1. INTRODUCTION.

This Joint Ordnance Test Procedure (JOTP) has been developed to communicate to weapons developers, requirements for Explosive Ordnance Disposal (EOD) development of disposal procedures. These guidelines are levied from the DoDD 5160.62 – having verified and approved disposal procedures in place 30 days prior to fielding of the weapon system, Data Item Description (DID) DI-SAFT-80931 and MIL-STD-882E, Task 403 as EOD relates to mitigation of explosive hazards. These procedures are critical to safety of life and property; and, in support of maneuver elements on the battlefield, which may be restricted by U.S. developed unexploded ordnance. The requirements within this JOTP may be tailored with written approval from NSWC IHEODTD or CCDC ARMAMENTS CENTER EOD DIVISION.

2. SCOPE.

2.1 Purpose.

The purpose of this document is to provide detailed munition requirements to ensure the completion of EOD disposal procedures prior to fielding of their weapons. This JOTP is for development of disposal procedures only; and, does not include requirements for development of render safe procedures (RSPs), disassembly procedures, and weapon system downloading. For those specific requirements, contact NSWC IHEODTD and CCDC ARMAMENTS CENTER EOD DIVISION FOR ARMY FIELDED WEAPONS SYSTEMS/MUNITIONS. This JOTP should be used in conjunction with Service specific requirements with respect to development of disposal procedures. Where Service specific direction is ambiguous or non-existent, this JOTP is intended to provide direction in conjunction with Service specific EOD representative dialogue to work through the process.

2.2 Application.

JOTP-072 applies to all U.S. and foreign weapons under US acquisition, containing energetic material which may be subject to disposal by EOD technicians. Further, this JOTP applies to any weapons program where a released baseline is being changed or accepted due to an Engineering Change Proposal (ECP), waiver, or deviation. Communications with EOD procedures developers is encouraged to occur early in the development phases of a weapons program to define and budget for the number of assets required. In cases where budgets and schedule are restrictive to number of available test assets, early planning and coordination with NSWC IHEODTD or CCDC ARMAMENTS CENTER EOD DIVISION, can aid in executing alternative courses of action; reducing programmatic risk to cost and schedule when planning for fielding of munitions.

Rationale for foreign weapons under US acquisition requirements: It is not uncommon for a foreign weapons developer or coalition partner to provide a recommended disposal procedure as part of the delivered product. The US disposal standard for complete consumption of energetics

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

is not necessarily the same as our partners; warranting US verification and validation of methods of disposal through assets provided.

2.3 Limitations.

This document is only applicable to conventional (non-nuclear) U.S. munitions and weapons systems; and, conventional foreign weapons under US acquisition.

3. REQUIREMENTS.

3.1 Non-applicability Statements Review – The respective EOD Service representative shall be consulted by weapons program offices to identify applicability of EOD disposal requirements when fielding or releasing any munition expected to be in the hands of Service Members or transported or stored on US landmasses. This also includes but not limited to all programs associated with munitions that undergo engineering changes, Commercial Off the Shelf (COTS), Rapid Equipment Fielding (REF), Rapid Acquisition Actions (RAA), purchases intended to be used by standard military forces, requested waivers, changes, deviations and all new programmatic efforts related to munitions.

3.2 EOD Source Data.

3.2.1 DI-SAFT-80931 Explosive Ordnance Disposal (EOD) Data Item Description (DID).

3.2.2 Engineering Drawings for all weapons/explosive components.

3.2.3 Assembly Drawings for all weapons/explosive components.

3.2.4 Safety Data Sheets (SDS) prepared in accordance with FED-STD-313. In order to obtain the SDS, FAR clause 52.223-3 must be in the contract.

3.2.5 Energetic formulations including combustion products.

3.2.6 Non-energetic components/formulations that may present a hazard to unprotected personnel.

3.2.7 Qualification test data for new energetic materials as prescribed in AOP-7, STANAG 4170 and 4439.

3.2.8 Security Classification Guide.

3.2.9 Modeling and Simulation Specific Information.

3.2.9.1 Detailed Geometry and Materials Information.

3.2.9.2 Reactivity data for all energetic components

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

3.2.9.3 Barrier / Shipping container materials and geometry (bottom level drawings where possible).

3.3 EOD Test Assets for Disposal Procedure Development.

3.3.1 For munitions meeting any IM or IHE criteria:

3.3.1.1 For programs where high dollar, limited quantities of available test assets are being produced, a minimum of 5 All-up-rounds (AUR) identical to the tactical weapon for disposal testing, including any representative classified components, with shipping containers. For further direction, consult Service specific instruction and guidance along with Service specific EOD representation.

3.3.1.1.1 Representative classified components will have to be agreed upon by the asset provider and the procedures developers. Likeness to the actual component (i.e. form factor, mass, number of layers of a circuit board, and other factors) in the AUR are drivers in allowance of surrogate components as they can influence the outcome of a disposal procedure.

3.3.1.1.2 Expended batteries may be used as a surrogate as long as they are tactically representative of the AUR. Consideration of the use of expended batteries will be given upon request. Request should include all pertinent technical information and design detail of the system battery.

3.3.1.2 Additional assets may be required if disposal testing is unsuccessful.

3.3.1.3 Substitutions for high dollar value components may be made with approval from NSWC IHEODTECHDIV or CCDC ARMAMENTS CENTER EOD DIVISION. NOTE: Intent is to minimize cost to a given program office by removing specified components that offer no value in the development of disposal procedures.

3.4 Additional Test Support Requirements.

3.4.1 Ranges Suitable For Testing of Disposal Procedures.

3.4.1.1 Program is responsible for scheduling range for EOD disposal testing in coordination with EOD personnel and procedures developers at a mutually agreed date, time and location. EOD personnel will provide guidance and recommendations for adequate facilities to execute a disposal test. Additionally, EOD personnel will coordinate as much as possible with the Program Office to leverage key test events, where an unusable tactically representative AUR is available as an end-result of programmatic testing, such as a 40-foot drop test (Reference para 3.4 for additional asset information).

3.4.1.1.1 It is recommended to factor EOD procedure development into a program schedule as close to the establishment of the product baseline as possible to mitigate schedule risk to the program. Currently, programs address the disposal procedure development

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

phase after completion of other testing such as environmental, Effects of Electromagnetic Environment, and other tests; introducing programmatic risk to meeting a fielding schedule, as a result of trying to achieve a successful disposal procedure.

3.4.1.2 Program is responsible for all cost associated with range disposal testing; including all travel and per diem costs for Joint Service EOD personnel and procedures developers to attend test validation/verification events.

3.4.2 Program is responsible for shipping of all test assets to disposal test range.

3.4.3 Program is responsible for funding all demolition materials required for EOD disposal testing. NSWC IHEODTECHDIV or CCDC ARMAMENTS CENTER EOD DIVISION will provide list of required demolition materials to the Program Office.

3.5 Requirements for Test and Evaluation.

3.5.1 Program offices may include a disposal procedure as part of a larger test and evaluation event. In these cases the following are minimum requirements to accept the procedure:

3.5.1.1 Test plan with disposal as part of the effort needs to be reviewed and concurred with by the lead Service.

3.5.1.1.1 Details of what should be included in the plan should come from the respective EOD Service representative as far as diagrams, pictures, and data to be collected.

3.5.1.2 Lead Service EOD representative needs to be present to witness the event.

3.5.1.3 At least one EOD representative from another Service needs to be present and witness the event.

3.6 Requirements when a local EOD unit conducts a disposal of a munition as part of their individual service Research, Development, Test and Evaluation (RDT&E) processes/programs which is not part of the joint service EOD procedures development team.

3.6.1 A local EOD unit can conduct a disposal of a new or modified asset within the individual services RDT&E programs. To leverage the procedure used by the local EOD unit, to be included and accepted by procedures developers, the local EOD unit will need to contact their respective EOD Service detachment at NSWC IHEODTD for guidance on information to be collected. If the data provided does not meet the requirements set forth by the Service detachment/NSWC IHEODTD; or, the procedure results in an incomplete disposal, procedure will not be accepted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

3.7 Test Asset Condition.

3.7.1 Program shall coordinate with the respective NSWC IHEODTECHDIV for Navy, Marine and Air Force programs or CCDC ARMAMENTS CENTER EOD DIVISION for Army programs to put on contract and account for required EOD test assets. Alternatively, EOD procedure developers may use PM funded, post-test munition test articles if it is considered cost effective and schedule permissive and aids in reducing or minimizing programmatic risk. Acceptance of this alternative approach shall only be accepted by the respective EOD Service Branch procedural development offices.

3.7.1.1 Unserviceable / Non-Operational ordnance may be used in development of disposal procedures, upon agreement by the respective EOD Service branch. Reference Hazard Classification of United States Military Explosives and Munitions Rev 16, Aug 2014 or later version for further clarity of unserviceable / non-operational ordnance (Federal Supply Condition Code Definitions). Rationale: In some cases, high-cost, low quantity productions are prohibitive to obtaining assets; and, may re-use components that are similar in dimension and composition to already fielded ordnance. It is possible to accept analogous items in-lieu of a AUR from the programmatic baseline.

3.7.1.2 A local EOD unit can conduct a disposal of a new or modified asset within the individual services RDT&E programs. To leverage the procedure used by the local EOD unit, to be included and accepted by procedures developers, the local EOD unit will need to contact their respective EOD Service detachment at NSWC IHEODTD for guidance on information to be collected. If the data provided does not meet the requirements set forth by the Service detachment/NSWC IHEODTD; or, the procedure results in an incomplete disposal, procedure will not be accepted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.

Comments, suggestions, or questions on this document should be addressed to Policy and Standardization Division (CSTE-ci-P), U.S. Army Test and Evaluation Command, 6617 Aberdeen Boulevard, Aberdeen Proving Ground, Maryland 21005-5001; or e-mailed to:

usarmy.apg.atec.mbx.atec-standards@mail.mil

Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil. This document is identified by the accession number (AD No.) printed on the first page.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:55Z
Check the source to verify that this is the current version before use.