MILITARY SPECIFICATION

BOOSTER, M125A1 ASSEMBLY
LESS BOOSTER PELLET AND LEAD CUP CHARGE

This amendment forms a part of Military Specification MIL-B-46654C(MU) dated 26 June 1969.

Change "M125A1" to "M125A1 (Alternate)" wherever it appears in the specification.

* Paragraph 4.3.2.2, add Major Characteristics 109, 110 and 111.

"109.	Inside Radius, Improper	Gage
110.	Outside Radius, Improper	Gage
111.	Chamfer, Improper	Gage"

Paragraph 4.3.2.4, add Major Characteristic 106.

"106.	Effective length of internal thread, less than min.	Gage"

* Paragraph 4.3.2.4, add Major Characteristic 107.

"107.	Length from bottom surface to top of undercut, improper	Gage"

Paragraph 4.3.2.5, delete Major Characteristic 104 in its entirety.

Paragraph 4.3.2.6, delete Major Characteristic 107 in its entirety.

* Paragraph 4.3.2.6, delete Critical Characteristics 1 and 2 in their entirety.

* Paragraph 4.3.2.8, delete in its entirety.

* Paragraph 4.3.2.9, delete "C7548175" and substitute "A9277283".

* Paragraph 4.4.5.1, delete the words "Remove Dust Cover".

* Paragraph 4.4.5.3, delete the word "Remove Dust Cover".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:35Z
Check the source to verify that this is the current version before use.

Paragraph 4.3.3.6 For "Impact Function Distance" under "Quantity" add asterisk beside "20". Below add "*When ten (10) consecutive lots are fired with no duds occurring in this phase, the sample quantity will be reduced to ten (10) units in lieu of twenty (20). Acceptance criteria remains the same".

Paragraphs 6.1 and 6.1.1, delete in their entirety and substitute 6.1, 6.1.1, 6.1.2 and 6.1.3:

"6.1 Dimensions

6.1.1 Compliance with tests (proving ground, ballistic performance, and shop) required by the specifications and drawings is mandatory. The contractor will not assume, nor does the Government guarantee, that all possible combinations permitted by the tolerance limits of the specifications and drawings will consistently satisfy the test requirements. Therefore, the manufacturer is obligated to choose those combinations of tolerances and fits within the limits of the specifications and drawings that best suit his process needs and still satisfy the testing requirements.

6.1.2 Dimensions which are specifically referred to in the classification of defects, as listed in Section 4, are mandatory. Pertaining to other dimensions, it is recognized that current mass production methods may occasionally produce parts which are not in full compliance with all dimensional requirements, but which may provide adequate fuze performance. Therefore, the contractor, at his own risk, may utilize these parts provided requirements applies to "after the fact" deviations only, to dimensions only, and does not constitute authority to establish new dimensions or to relax efforts to achieve the required sizes within the specified limits. The procedure for accomplishing dimensional changes is available under the established engineering change system. Nothing above is to be construed as relieving the contractor of any responsibility in connection with performance of the fuze.

6.1.3 The contractor shall maintain records showing deviations from dimensional requirements, the extent of such deviations, the amount of material involved, and the date the material is introduced into the assembly line. Copies of these records shall be forwarded to the agency assigned custody of the technical data."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:35Z
Check the source to verify that this is the current version before use.

* The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done for convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:

Army-MU

Preparing Activity

Army-MU(FA)

Project No. 1390-A112

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:35Z
Check the source to verify that this is the current version before use.