INCH-POUND

MIL-B-46667A (AR)
AMENDMENT 3
30 October 1992
SUPERSEDING
AMENDMENT 2
1 March 1965

MILITARY SPECIFICATION

BURSTER, PROJECTILE, M83
LOADING, ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-B-46667A (MU), dated 10 May 1963 and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1 SPECIFICATIONS, MILITARY
Delete: "MIL-I-45208" in it entirety

Add: "MIL-P-116 - Preservation, Methods of" and
"MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification for"

* 2.1 STANDARDS, MILITARY
Delete: "(ABC-STD-105)"

PAGE 2

3.3.1 Delete and substitute:

"3.3.1 Area from the bottom to one inch above bottom. There shall be no single cavity having a projected length of more than 1/8 inch or sum total of cavities of more than 1/64 square inch. There shall be no cracks or annular rings in the charge in this area."

PAGE 2 AND 3

* Delete paragraph 4.1, 4.1.1, 4.1.2 and 4.1.3 in their entirety and substitute the following:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:37Z
Check the source to verify that this is the current version before use.

contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.1.2 General provisions. Unless otherwise specified herein, the provisions of MIL-A-48078, apply and form a part of this specification. Reference shall be made to MIL-STD-109 to define quality assurance terms used herein."

PAGE 3

4.2.1, Line 10, after "number": Add the following: "Product shall be submitted for inspection in accordance with Standard MIL-STD-105 (or Standard MIL-STD-1235, When applicable)."

Delete paragraph 4.2.2 and substitute:

"4.2.2 Examination. Inspection for Critical defects shall be 100 percent. Sampling plans and procedures for Major and Minor defects shall be in accordance with MIL-STD-105 except that continuous sampling plans in accordance with Standard MIL-STD-1235 may be used if approved by the procuring activity. Also, at the option of the procuring activity, AQL's and sampling plans may be applied to individual characteristics listed using an AQL of 0.65 percent for each Minor defect and an AQL of 0.40 percent for each Major defect. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.2.4."

4.2.2.1, Major Category: Delete "AQL 0.25" and substitute "AQL 0.40".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:37Z
Check the source to verify that this is the current version before use.

PAGE 4

4.2.2.2, Major Category: Delete "AQL 0.25" and substitute "AQL 0.40".

4.2.2.3, Major Category: Delete "AQL 0.25" and substitute "AQL 0.40".

4.2.2.4, Major Category: Delete "AQL 0.40" and substitute "AQL 0.65".

PAGE 5

4.2.2.5, Major Category: Delete "AQL 0.40" and substitute "AQL 0.65".

Add the following new paragraph:

"4.2.2.6 Wood packing box prior to closing.

Categories	Defects	Method of inspection	Code No
Critical: None defined.			
Major: None defined.			
Minor:	AQL 1.00 percent		
201.	Bag improperly sealed, torn or cut	Visual	07001
202.	Bag with o-rings missing or not taped to container	Visual	07002"

Add the following new paragraph:

"4.2.3.2 Heat seal of O-ring bag (see dwg. 8863467) Major defect, Code No. 08001. Sampling acceptance criteria and test procedures for this test shall be as prescribed in Specification MIL-P-116 for the "Heat Seal Test"."

* Delete paragraph 4.2.4 and substitute:

4.2.4 Inspection equipment. The inspection equipment required to perform the inspections specified herein is identified in the "Method of inspection" column of the Classification of Characteristics listings starting with 4.2.2.1. Contractor inspection equipment designs shall be submitted for Government approval as specified in the contract. Designs which provide variable measurements instead of attributes data are preferred in order to facilitate the use of statistical process control. See (MIL-A-48078 and 6.3 herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:37Z
Check the source to verify that this is the current version before use.

Delete paragraph 4.2.4.3 and substitute the following:

"4.2.4.3 Government use of contractor's inspection and test equipment. The contractor shall make available to the Government all inspection and test equipment necessary for determining conformance with contract requirements. Personnel for operating the equipment, and verification of its accuracy, shall be supplied by the contractor for the performance of examination or test by the Government."

PAGE 6

* 5.1.1 - Line 3
Change "883466" to "8863466"

* 5.2.1 - Line 2
Change "883467" to "8863467"

* Delete paragraph 6.3 and all sub-paragraph thereto and substitute the following:

6.3 Submission of inspection procedures and equipment designs for approval. Submit copies of designs as required to: Commander, US Army ARDEC, ATTN: SMCAR-QAR-I, Picatinny Arsenal, NJ 07806-5000. This address will be specified on the Contract Data Requirements List, DD Form 1423 in the contract.

PAGE 8

Delete the "Notice" in its entirety.

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1320-AC86)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:37Z
Check the source to verify that this is the current version before use.