MIL-C-45954(WC)
AMENDMENT 2
11 June 1976
SUPERSEDING
AMENDMENT 1
18 December 1975

MILITARY SPECIFICATION

CONTROLLER, WEAPONS GUN SPEED

AND LAUNCHER BRAKE, RH

This amendment forms a part of Military Specification MIL-C-45954(WC), dated 23 July 1974.

Page 2

Paragraph 2.1 - under "STANDARDS" add the following standard:

"MIL-STD-781 - Reliability tests: Exponential Distribution"

Page 7

Paragraph 3.4, line 6 - Delete "265 rounds" and substitute "283 rounds".

Page 8

Paragraph 3.6 - Delete "When subjected to the EMI, the weapons controller shall not exhibit any detrimental damage or deterioration which would prevent acceptable performance."

Paragraph 4.4:

Line 6 - After "contract" add "(see 6.2)".
Line 7 - Delete "(see 3.5)" and substitute "(see 3.5 and 4.6.3)".
Line 8 - Delete "(see 3.6)" and substitute "(see 3.6 and 4.6.4)".

Page 11

Paragraph 4.6.2 - At beginning of first sentence, add "When specified (see 6.2),".

FSC 1090

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:27Z
Check the source to verify that this is the current version before use.

Page 12

Add the following paragraphs:

"4.6.3 Environmental conditions test. When specified (see 6.2), tests shall be performed for each environmental condition in accordance with the applicable method and procedure specified in MIL-A-45967. The controller shall be operated during these tests in accordance with the functional test method of 4.6.1.

4.6.4 Electromagnetic interference (EMI) test. When specified (see 6.2), the EMI test shall be performed in accordance with EMI requirements specified in MIL-A-45967. The controller shall be operated during the EMI test in accordance with the functional test method of 4.6.1."

Page 13

Paragraph 6.2.1 (d) - Delete in its entirety and substitute the following:

"d. Reliability, environmental conditions and electromagnetic interference requirements and tests, when required (see 3.4, 3.5, 3.6, 4.4, 4.6.2, 4.6.3 and 4.6.4)."

Page 17

Add the following "Figure 1" as the last page to the specification.


Custodian:
Army - WC

Preparing Activity:
Army - WC

Project No. 1090-A043

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:27Z
Check the source to verify that this is the current version before use.

Decision Risks: 30%
Discrimination Ratio: 1.5:1
MIL-STD-781 Test Plan VII



NO. OF FAILURES	REJECT (EQUAL OR LESS)	ACCEPT (EQUAL OR MORE)
0	N/A	2248
1	N/A	3115
2	N/A	3983
3	867	4850
4	1734	4850
5	2601	4850
6	4850	N/A

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:27Z
Check the source to verify that this is the current version before use.