
INCH-POUND
MIL-DTL-83420/4A
14 January 2000
SUPERSEDING
MIL-W-83420/4
30 October 1987

DETAIL SPECIFICATION

WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION B

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the wire rope described herein shall Consist of this specification and the latest issue of MIL-DTL-83420.



WIRE ROPE, 7 X 7 **WIRE ROPE, 7 X 19**

NOTES:

1. **Unless otherwise specified, all dimensions are in inches.**

FIGURE 1. Wire Rope, Flexible, Type II, (JACKETED) Composition B .

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:05Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. **Material:** Corrosion Resistant steel (see procurement specification)

2. **Part Number:** The part number consists of the letter "M", the basic number of this specification sheet, and a dash number taken from Table I.

EXAMPLE: M83420/3-005

- 005 — Dash number
- 3 — Specification sheet number

M83420/3-004 Indicates – Wire Rope, Flexible, Type II, Corrosion Resistant Steel, Construction; 7 x 19 Diameter 3/16.

TABLE I. Dash Numbers And Dimensions.

DASH NUMBER	DIAMETER "D"	DIAMETER "A" OUTSIDE DIAMETER OF JACKET	TYPE OF CONSTRUCTION	BREAKING STRENGTH (LBS)	LENGTH PER REEL (FT) 1/
001	3/64	1/16	7 x 7	270	1,000
002	1/16	3/32	7 x 7	480	1,000
003	3/32	1/8	7 x 19	920	100
004	3/32	1/8	7 x 19	920	1,000
005	3/16	1/4	7 x 19	3,700	1,000
006	1/4	5/16	7 x 19	6,400	500
007	1/4	5/16	7 x 19	6,400	1,000

1/ or as specified in the purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:05Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AV
Navy - AS
*** Air Force - 99**

Reviewers:
*** Air Force - 82**

Preparing Activity:
DLA-GS

(Project 1560-0267)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:05Z
Check the source to verify that this is the current version before use.