MILITARY SPECIFICATION

MINE, APERS, PRACTICE, M68
ASSEMBLING AND PACKING

1. SCOPE

1.1 This specification covers the assembling and Packing for one type of Mine designated as Mine, Practice, M68.

2. Applicable DOCUMENTS

2.1 The following documents of the Issue In effect on date on invitation for bids, or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-P-116 -Preservation, Method of
MIL-A-2550 - Ammunition and Special Weapons; General Specification for

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedure and Tables for Inspection by Attributes
MIL-STD-109 - Quality Assurance Terms and Definitions
MIL-STD-1168 - Lot Numbering of' Ammunition
MIL-STD-1235 - Single and Multilevel Continuous Sampling Procedures and Tables for Inspection by Attributes

DHAWINGS

U.S. ARMY MUNITIONS COMMAND

9251503 - Mine, APERS Practice, M68
8800901 - Box, Fiberboard, Ammunition for Mine, APERS M18A1 with accessories or Mine, APERS, Practice, M68

FSC: 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

8800900 - Box, Wirebound, Packing, Ammunition For Mine, APERS, M18A1 with accessories or Mine, APERS, Practice, M68

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer).

3. REQUIREMENTS

3.1 Material. -Materials and parts shall be In accordance with applicable drawings and specifications.

3.2 Assemblies .-The assemblies shall comply with all requirements specified on Drawing (dwg.) 9251503 and with all requirements specified In applicable specifications.

3.3 Workmanship.- All mines and accessories shall be fabricated and assembled in a thorough workmanlike manner. They sha be free of burrs, sharp edges, cracks, dirt, grease, rips, rust and other foreign matter. All requires markings shall be neat and sharply defined. All packing components shall be dry.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.-Unless otherwise specified In the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilit suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Governmen reserves the right to perform any of the inspections set forth in the specifications where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements. Reference shall be made to MIL-STD-109 to define terms used herein. The provisions of MIL-A-2550 shall apply.

4.1.1 Submission of product. -At the time each completed lot of items deliverable under the contract is submitted to the Government for acceptance, the contractor shall supply the following information accompained by a certificate which attests that the information provided is correct and applicable to the product being submitted:

a. A statement that the lot complies with all of the quality assurance provisions specified In this specification.

b. Drawing and specification number and date, together with identification and date of changes thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

c. A statement that all material purchased by the contractor meets requirements, when such material Is controlled by Government or commercial specifications referenced in any of the contractual documents, and that certificates of conformance are on file and available for review.
d. Number of items in the lot.
e. Date submitted.

The certificate shall be signed by a responsible agent of the certifying organization. The initial certificate submitted shall be substantiated by evidence of the agent's authority to bind his principal. Substantiation of the agent's authority will not be required with subsequent certificates unless, during the course of the contract, this authority is vested in another agent of the certifying organization.

4.2 Inspection provisions

4.2.1 Lot formation.-The term "inspection lot" as used in this specification is defined as an essentially homogeneous collection or units of product from which a representative sample is drawn and inspected to determine conformance with applicable requirements. The sample selected shall represent only that quantity of units from which the sample was drawn and shall not be construed to represent any prior or subsequent quantities presented for inspection. Homogeneity shall be considered to exist provided the inspection lot has been produced by one manufacturer in one unchanged process, using the same materials and methods, in accordance with the same drawings, same drawing revisions, same specifications and same specification revisions and complies with the provisions for submission of product as specified in MIL-STD-105. Changes to the process, specification, or drawing not affecting safety, perforrmance, interchangeability, or storage, as determined by the Government, shall not be deemed to alter the homogeneity of an inspection lot. All material submitted for inspection in accordance with this specification shall comply with the homogeneity criteria specified herein regardless of the type of sampling procedure which is being applied to determine conformance with requirements. Lot numbering, as required, shall be in accordance with MIL-STD-1168. Each inspection lot shall contain:

a. Practice APERS Mine Body assemblies, M33, of one lot interfix number from one manufacturer.
b. Firing Devices of one lot interfix number from one manufacturer.
c. Electrical Test Sets of one lot interfix number from one manufacturer.
d. Practice Blasting Caps, M10 of one lot interfix number from one manufacturer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

4.2.2 Examination.-The examinations listed in the following subparagraphs shall be performed on inspection lots (see 4.2.1) of the components or assemblies designated in the applicable paragraph headings. Inspection for critical defects (and major defects, when so specified) shall be 100 percent. Sampling plans for major and minor defects shall be in accordance with MIL-STD-105 except that continuous sampling plans in accordance with MIL-STD-1235 may be used if approved by the Government. Instead of applying the AQL's designated herein to the groups of major and minor defects listed, the contractor may elect to apply AQL's to individual defects using an AQL of 0.40 percent for each major defect and an AQL of 0.65 percent for each minor defect. When this method is elected, it shall be applied to all of the major and minor defects listed in the applicable subparagraphs of this section, except where 100 percent inspection Is specified, and be documented as part of the contractor's inspection system.

4.2.2.1 Mine, APERS, Practice, M68 (see dwg. 9251503).

Categories	Defects	Method of Inspection	Code No. (see 6.2)
Critical:	None defined.		
Major:	AQL 0.65 percent		
101.	Mine or accessory missing.....	Visual	01001
102.	Mine or accessory damaged.....	Visual	01002
103.	Mine or accessory incorrectly packed.....	Visual	01003
Minor:	AQL 1.0 percent		
201.	Marking misleading or unidentifiable.....	Visual	01004
202.	Evidence of poor workmanship (see 3.3).....	Visual	01005

4.2.2.2 Carton, prior to sealing (see dwg. 8800901).

Categories	Defects	Method of Inspection	Code No.
Critical:	None defined		
Major:	AQL 0.40 percent		
101.	Number of field packs incorrect...	Visual	02001
102.	Packing components missing.....	Visual	02002
Minor:	None defined		

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

4.2.2.3 Carton, sealed (see dwg. 8800901).

Categories	Defects	Method of Inspection	Code No.
Critical:	None defined		
Major:	AQL 0.40 percent		
101.	Contents move when carton is shaken (insufficient filler material)	Visual-Manual	03001
102.	Carton damaged so that contents are exposed or liable to be exposed	Visual	03002
Minor:	AQL 1.0 percent		
201.	Marking misleading or unidentifiable	Visual	03003
202.	Evidence of poor workmanship (see 3.3)	Visual	03004

4.2.2.4 Bag, packing (see dwg. 8800901).

Categories	Defects	Method of Inspection	Code No.
Critical:	None defined		
Major:	AQL 0.40 percent		
101.	Bag ruptured, punctured or seal incomplete	Visual-Manual	04001
Minor:	AQL 1.5 percent		
201.	Heat seal incorrectly located	Visual	04002
202.	Air not removed from bag	Manual	04003
203.	Marking misleading or unidentifiable	Visual	04004

4.2.2.5 Wood packing box (see dwg. 8800900).

Categories	Defects	Method of Inspection	Code No.
Critical:	None defined		
Major:	AQL 0.40 percent		
101.	Box damaged to extent that contents are exposed or liable to become exposed	Visual	05001

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

102.	Strapping or hardware missing, broken or loose	Visual-Manual	0500
Minor:	AQL 1.5 percent		
201.	Hardware on strapping improperly assembled or engaged	Visual	0500
202.	Contents loose	Manual	0500
203.	Case seal missing, unsealed or improperly positioned	Visual	0500
204.	Marking misleading or unidentifiable	Visual	0500

4.2.3 There are no applicable testing provisions.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging

5.1.1 Level.-The mine with accessories shall be packaged in accordance with dwg. 8800901.

5.2 Packing

5.2.1 Level A.-The packaged mine with accessories shall be packed in accordance with dwg. 8800900.

5.3 Marking. -The marking of the packaged and packed mine with accessories shall be as specified on dwgs. 8800900 and 880090

6. NOTES

6.1 Ordering data.-Proclurement documents shall specify the following:

a. Title, number and date of this specification.
b. Data cards.-Data cards shall be prepared for each lot in accordance with the information specified in MIL-STD-1167.

6.2 Inspection code numbers.-The five digit code numbers assigned to the inspections herein are to facilitate future data collection and analysis by the Government.

6.3 Inspection lot size.-It is noted that the size of inspection lots of components, assemblies or items of delivery may differ from the actual quantities contractually scheduled for delivery. However, in order to facilitate scheduling of test or deliveries, inspection lots of items of delivery may

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

be equivalent to such contract quantities provided all of the lot formation criteria and sampling provisions of this specification are maintained.

Custodian:
Army-MU

Preparing Activity:
Army-MU

Project Number: 1345-A-298

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS. This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A

[ ] DIRECT GOVERNMENT CONTRACT [ ] SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

[ ] YES [ ] NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)* | DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:27Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Department of the Army
Picatinny Arsenal
ATTN: SMUPA-QA-A
Dover, NJ 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.