INCH-POUND

MIL-F-15733/23A
AMENDMENT 2
31 May 1990
SUPERSEDING
AMENDMENT 1
3 August 1987

MILITARY SPECIFICATION SHEET

FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED,
STYLES FL10 AND FL11

This amendment forms a part of MIL-F-15733/23A, dated 1 February 1982, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Above the preamble, add the following:
"

The following dash numbers are inactive for design after 31 May 1990: -0001 through -0006, -0013 through -0018, -0025 through -0030, -0037 through -0042, and -0049 through -0054. See table III for supersession data.

"

PAGE 7

Following part number, add the following:

"Initial qualification to MIL-F-15733/23 may be granted based on qualification to MIL-F-28861/3 and MIL-F-28861/4 as indicated in table II. Extension of qualification from MIL-F-28861/3 and MIL-F-28861/4 to MIL-F-15733/23 is permissible under the following provisions:

a. The MIL-F-15733/23 parts use the same design and dielectric characteristics as the MIL-F-28861/3 and MIL-F-28861/4 parts.

b. The MIL-F-28861/3 and MIL-F-28861/4 qualification data verifies that the physical and electrical characteristics of the MIL-F-15733/23 parts are satisfied.

"TABLE II. Extension of qualification.

Qualification to MIL-F-28861/3	Will qualify MIL-F-15733/23	Qualification to MIL-F-28861/3	Will qualify MIL-F-15733/23
-020	-0007	-007	-0034
-002	-0008	-027	-0035
-019	-0009	-009	-0036
-001	-0010	-029	-0043
-021	-0011	-011	-0044
-003	-0012	-028	-0045
-023	-0019	-010	-0046
-005	-0020	-030	-0047
-022	-0021	-012	-0048
-004	-0022	-032	-0055
-024	-0023	-014	-0056
-006	-0024	-031	-0057
-026	-0031	-013	-0058
-008	-0032	-033	-0059
-025	-0033	-015	-0060

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:15Z
Check the source to verify that this is the current version before use.

"TABLE II. Extension of qualification - Continued.

Qualification to MIL-F-28861/4	Will qualify MIL-F-15733/23	Qualification to MIL-F-28861/4	Will qualify MIL-F-15733/23
-020	-0001	-007	-0028
-002	-0002	-027	-0029
-019	-0003	-009	-0030
-001	-0004	-029	-0037
-021	-0005	-011	-0038
-003	-0006	-028	-0039
-023	-0013	-010	-0040
-005	-0014	-030	-0041
-022	-0015	-012	-0042
-004	-0016	-032	-0049
-024	-0017	-014	-0050
-006	-0018	-031	-0051
-026	-0025	-013	-0052
-008	-0026	-033	-0053
-025	-0027	-015	-0054

* "Supersession data: See table III.

"TABLE III. Supersession data.

Inactive part number M15733/23-	Superseding specification	Superseding part number M28861/04-	Inactive part number M15733/23-	Superseding specification	Superseding part number M28861/04-
0001	MIL-F-28861/4	020	0028	MIL-F-28861/4	007
0002	"	002	0029	"	027
0003	"	019	0030	"	009
0004	"	001	0037	"	029
0005	"	021	0038	"	016
0006	"	003	0039	"	028
0013	"	023	0040	"	010
0014	"	005	0041	"	030
0015	"	022	0042	"	012
0016	"	004	0049	"	032
0017	"	024	0050	"	014
0018	"	006	0051	"	031
0025	"	026	0052	"	013
0026	"	008	0053	"	033
0027	"	025	0054	"	015

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:15Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - AR, MI
Navy - OS
Air Force - 11, 99
DLA - ES

User activities:
Army - AT, AV, ME
Navy - AS, MC, SH
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 5915-0351)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:15Z
Check the source to verify that this is the current version before use.