INCH-POUND

MIL-C-82189A(MC)
AMENDMENT 2
February 22, 1995
SUPERSEDING
AMENDMENT 1
28 March 1994

MILITARY SPECIFICATION
COAT, MAN'S: FULL DRESS, U.S. MARINE BAND
OFFICER'S

This amendment forms a part of MIL-C-82189A(MC) dated 29 September 1981 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Para 2.1 under Federal and Military specifications, delete in entirety and add:

FEDERAL	
A-A-50196	-Thread, Silk
A-A-50198	-Thread, Gimp, Cotton, Buttonhole
A-A-50199	-Thread,Polyester Core,Cotton or Polyester Covered
A-A-52071	-Tape, Textile, Cotton, General Purpose (Bleached, Unbleached, Dyed)
A-A-52094	-Thread,Cotton
A-A-52097	-Cloth, Wigan, Cotton
A-A-52106	-Cloth, Twill or Plain Weave,Polyester or Polyester Blend
DDD-L-20	-Label;for Clothing,Equipage and Tentage
MILITARY	
MIL-C-368	-Cloth, Satin, Rayon and Cloth, twill, Rayon
MIL-B-3461	-Buttons, Insignia, Metal , Uniform and Cap
MIL-P-15064	-Pads, Shoulder and Sleeve Head
MIL-L-17507	-Lace, Ornamental
MIL-E-17568	-Embroidery Materials, Metallic and Synthetic Metallic
MIL-E-20652	-Eyelets, Metallic and Eyelet Washers (General Specification For)
MIL-C-21115	-Cloth, Tropical: Wool, polyester/wool
MIL-C-82114	-Coat Front; for Coats, Musicians
MIL-O-82194	-Ornamentation: for Jacket, Man's, Evening Dress

AMSC N/A FSC 8405
DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:55Z
Check the source to verify that this is the current version before use.

PAGE 4

Add new paragraph as: "3.3.3.3 Vinyl piping. The white vinyl piping for the upper edge of the collars shall be tubular, with 7/16 inch welt and serrated edges. One acceptable product is produced by the Pearl Binding Corporation of Philadelphia, PA."

Para 3.3.4 delete title and substitute "Cloth, twill or plain weave" delete line 3 and add "class 1 of A-A-52106"

Para 3.3.5 line 2 after to delete and add "type V, class 2 of MIL-44296.

PAGE 5

Para 3.3.8 delete "type I of MIL-C-16375" and add "to A-A-52097"

Para 3.3.9 line 2 delete "type III" and substitute "type II" delete "DDD-T-86" and substitute "A-A-52071"

PAGE 6

Para 3.3.12.1 line 1 delete "V-T-301" and substitute "A-A-50196": line 5 delete "2 ply"

Para 3.3.12.2 line 1 substitute "A-A-52094" for "V-T-301": line 2 substitute "type III" for "type IC2": line 3 substitute "type II" for "type IB3": line 4 substitute "type I" for "type IA3" Add to end of para "As an alternate to the cotton thread, a polyester core, cotton or polyester covered thread conforming to A-A-50199, ticket No. 50, 2 ply or ticket No. 70, 2 ply may be used"

Para 3.3.13 line 2 substitute "A-A-50198" for "V-T-280"

PAGE 8

Para 3.3.17.1 line 2 delete "officer design"

Para 3.3.18 Delete in it's entirety and substitute, "3.3.18 Collar closure hook and eye. The hook and eye for closing the collar shall be brass, black japanned finish or black chemical finish conforming to MIL-F-495, followed by a clear lacquer coatings and conforming to the requirements of figure 13 which supersedes hook and eye details of figure 10."

Add new paragraph as: "3.3.18.1 Eyelets. The eyelets for the collar shall be brass, rolled flange type, with the barrel scored with 6 to 8 scores. The eyelets shall conform to MIL-E-20652, sheet 1A-BE108 and be enameled a black shade."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:55Z
Check the source to verify that this is the current version before use.

Para 3.3.19.12 delete in entirety and add "Combination Identification/Instruction label. The combination identification/instruction label shall be type V, classes 14 and 2 combined of DDD-L-20 except all printing and the space between the lines of printing shall be minimum 10 points (approximately 1/8 inch). The content and format shall be as follows:

COLLAR SIZE_____
NOMENCLATURE_____
CONTRACT NO._____
NAME OF CONTRACTOR_____
WOOL PRODUCTS ACT INFORMATION_____

NOTE: Size of characters for "Name of Contractor" shall be minimum 8 points (approximately 3/32 inch)."

PAGE 9

Para 3.3.19.2 line 1 substitute "V" for "I"
Delete references to stock numbers on size labels.

Para 3.4 Add at end, "The upper edge of the collar shall be piped with the white vinyl specified in 3.3.3.3."

PAGE 10

Para 3.5.1 after item 21, Material delete "Cloth, Cotton, Silesia" and add "Twill or Plain weave, polyester or polyester blend"

PAGE 16

Oper 11. add to title "and pipe upper edge."

PAGE 17

Add new operations as: "11.c Position the collar on the vinyl cord, with the upper edge of the collar abutted against the cord edge. Stitch collar to vinyl cord 1/16 inch from the edge of collar. Trim the ends even with the ends of the collar.
(301 LSa-1 10-14 A A silk)"

PAGE 18

Oper 13, Delete in it's entirety and substitute, "13. Collar eyelets. Attach metal eyelets on each end of collar, midway between the top and bottom edges and 1-3/4 inches from the finished ends. The eyelet cover will not be caught in the operation."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:55Z
Check the source to verify that this is the current version before use.

Oper 76. Delete in its entirety and substitute, "76. Sew hook and eye to collar. Finished appearance. The hook and eye shall be positioned to properly engage each other, effecting a flat, smooth closure at the front of the collar without misalignment.

a. Position and securely sew the hook to the right end and the eye to the left end of the collar. The hook and eye shall be positioned with their front edges even with the respective front ends of the collar and securely sewn to the collar at the top and bottom edge of the hook and eye. The stitching on each side shall not be more than 3/8 inch from the front end of the collar through the individual holes at the rear of the hook and eye. (Hand 16 per hook and 16 per eye C silk)"

Delete old figure 1 and insert new figures 1, 6A and 13.

Preparing activity
Navy-MC
Project 8405-N256

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:55Z
Check the source to verify that this is the current version before use.