INCH-POUND

MIL-P-70786 (AR)
AMENDMENT 3
01 February 1996
SUPERSEDING
AMENDMENT 2
26 August 1994

MILITARY SPECIFICATION

PALLET, STANDARD METAL

This Amendment forms a part of MIL-P-70786 (AR), dated 29 June 1989, and is approved for use by the US Army Armament, Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.2 Classification. Add the following:

"Type V - Pallet, Special Size 56" x 28", Sheet Metal
Type VI - Pallet, Special Size 70" x 29", Sheet Metal
Type VII - Pallet, Special Size 77 1/2" x 29", Sheet Metal"

PAGE 2

* 2.1.1 MILITARY SPECIFICATIONS:

Delete "MIL-W-12332" in its entirety
Add "MIL-C-53072 - Chemical Agent Resistant Coating (CARC) System Application Procedures and Quality Control Inspection"

* 2.1.1 Specifications, standards and handbooks. Last (parenthetical) paragraph (found on page 2): Delete "Naval Publications and Forms Center (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099" and substitute "DODSSP - Customer Service, Standardization Document Order Desk, 700 Robbins Avenue, Bldg. 4D, Philadelphia, PA 19111-5094".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

* 2.1.2 Other Government documents, drawings and publications. Under "DRAWINGS", add:

"AC200000413 - Pallet, Special 56" x 28", Sheet Metal
ACV00164 - Pallet, Special 70" x 29", Sheet Metal
ACV00165 - Pallet, Special 77 1/2" x 29", Sheet Metal"

PAGE 3

* 2.2 Non-Government publications. Under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)", add:

"ASTM-D4138 - Measurement of Dry Film Thickness of Protective Coating System by Destructive Means"

PAGE 4

2.3 Order of precedence. First sentence: Delete "except for associated detail specification, specification sheets or MS standard)."

* 3.2 Pallets. After "AC200000437", add "AC200000413, ACV00164 and ACV00165".

* 3.4 Welding. Delete in its entirety and substitute:

"3.4 Welding. The welding shall comply with the requirements of MIL-STD-1261, Class 1, to include submission of the welding procedure and workmanship specimens with the first article samples."

PAGE 5

* Delete 3.6, 3.6.1 and 3.6.2 in their entirety and substitute:

"3.6 Painted surface. The painted surface of the pallets shall comply with the requirements of Drawing AC200000423 CHEMICAL AGENT RESISTANT COATING (CARC) and applicable drawings."

* 3.8 First article inspection. Delete in its entirety and substitute:

"3.8 First article inspection. When specified in the contract or purchase order (see 6.2), a sample shall be subjected to first article inspection in accordance with the technical provisions herein (see 4.3)."

* 5.9.2 Paint coating. Second sentence. Change "provided there are no more...." to "provided they are no more....".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

PAGE 6

* 4.3.1 Submission. Second sentence. Change "twelve (12) painted pallet assemblies...." to "nine (9) painted pallet assemblies....".

PAGE 8

* TABLE I. First article inspection. (Sheet 2), Change the quantity (No. of sample units) for stacking strength from "9" to "6".

PAGE 10

* 4.4.2.1 Unpainted pallet assembly

a. Drawing Block. Delete "AC200000431, 433, 435 or 437, as applicable" and substitute "see Note 2".

b. Add following major defect: "109 Material Certification (see Note 3)".

c. Notes Block. Add the following notes:

"2. Dwg AC200000431, AC200000433, AC200000435, AC200000437, AC200000413, ACV00164 or ACV00165 applies, as applicable.

3. A Certified Material Test Report (CMTR) shall be submitted for all chemical and physical requirements for compliance with the applicable drawing."

PAGE 11

* 4.4.2.2 Pallet assembly

a. Drawing Block. Change "AC200000431, 433, 435, or 437 as applicable" to "see Note 1".

b. Major 101: Change "(see dwg. AC200000423 and Notes 1 and 2 below)" to "(see dwg. AC200000423 and Note 2)".

c. Add "Major 102. Marking missing, incorrect or illegible 1.5 3.2 Visual
Major 103. Paint adhesion test 4,0-1 3.6 4.5.4
Major 104. Primer coat thickness (see AC200000423 and Note 2) 1.0 3.2 Gage"

d. Delete "Minor 202" in its entirety.

e. Note Block. Delete Notes 1 and 2 in their entirety and substitute:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

"1. Dwg. AC200000431, AC200000433, AC200000435, AC200000437, AC200000413, ACV00164 or ACV00165 applies, as applicable.

2. The primer thickness may be determined from a test panel, when representative of the part for CARC topcoat. When destructive testing is done on samples (e.g. ASTM-D4138), these samples may be touched up in accordance with MIL-C-53072."

PAGE 13

* 4.5.3 Unit load test. Delete in its entirety and substitute:

"4.5.3 Unit load test. (First article inspection only (see 6.2)). Unit loads for the pallet and applicable adapter shall be fabricated in accordance with MIL-STD-1660 with the following exceptions. The gross weight of the ammunition load shall be 2,500 pounds minus 50 pounds, evenly distributed over the deck. Assembly of the unit load shall include the applicable pallet adapters and containers for the contract. The following test shall be performed on the pallets in accordance with MIL-STD-1660, in the sequence indicated (4.5.3.1 through 4.5.3.4)."

* Add new paragraph as follows:

"4.5.4 Paint adhesion test. The paint (primer and top coat) adhesion shall be tested in accordance with TT-C-490."

PAGE 14

* 6.2 Acquisition requirements. Delete in its entirety and substitute:

"6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number and date of this specification.

b. Type of pallet (see 1.2).

c. Applicable stock number.

d. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of the individual documents referenced (see 2.1.1 and 2.2).

e. First article sample requirements. Contractual provisions shall require that the unit load test (as per MIL-STD-1660) will be performed at the U.S. Army Defense Ammunitions Center and School (USADACS), SMCAC-DEV, Savanna, IL 61074-9639.

f. Packaging requirements, if other than specified in Section 5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

g. Serialization requirements, if applicable.

h. Certificate of conformance for each lot of product shipped."

6.3 Submission of inspection equipment for design approval. Delete in its entirety and substitute:

"6.3 Submission of contractor inspection equipment designs for approval. Submit two copies of designs as required to: Commander, U.S. Army Armament Research, Development and Engineering Center, ATTN: AMSTA-AR-QAT-P, Picatinny Arsenal, NJ 07806-5000. This address will be specified on the Contracts Data Requirement List, DD Form 1423 in the contract."

6.4 Approval of equivalent test methods. Second sentence: Delete "AMSMC-QAR-Q (D)" and substitute "AMSTA-AR-QAT-P".

6.5 Subject term (key word) listing. Delete "Metal" and "Pallet" from the listing.

Add the following APPENDIX as pages 15 and 16, included herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

*APPENDIX

QUALITY ASSURANCE PROVISIONS FOR REFURBISHMENT

10. SCOPE:

10.1 Scope. This appendix provides the Quality Assurance provisions for the refurbishment of metal pallets.

20. APPLICABLE DOCUMENTS:

STANDARDS

MILITARY

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-171	Finishing of Metal and Wood Surfaces

30. REFURBISHMENT:

30.1 Cleaning. Loose paint, dirt, grease and rust shall be removed.

30.2 Refinish. The parts shall be finished in accordance with the applicable drawings.

40. REQUIREMENTS:

40.1 Welds. Welds shall be in accordance with good commercial practices.

40.2 Stackability. The pallet shall not be deformed to the extent that it effects safely stacking of pallets in storage.

40.3 Workmanship. See paragraph 3.8 unless otherwise specified below:

a. Deformation or damage that does not effect stacking, slinging or assembly of the pallet is allowed.

b. Damage or deformation to the pallet legs that does not allow four way entry or prevents the pallet from resting evenly on a level surface is not allowed.

50. INSPECTION:

50.1 Examination. Unless otherwise specified examinations for major and minor characteristics shall be performed in accordance with MIL-STD-105, inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

50.1.1 Metal Pallet (see drawings listed in 2.1.2 as applicable).

CLASS	CHARACTERISTICS	AQL or 100%	INSPECTION METHOD
Critical	None Defined		
Major			
101	Welds missing or broken	1.0%	40.1/Visual
102	Stacking surface deformed	1.0%	40.2/Visual
Minor			
201	Marking missing, incorrect or illegible	1.0%	3.2/Visual
202	Protective finish damaged	1.0%	3.2/Visual
203	Poor workmanship	1.0%	40.3/Visual*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian
Army-AR

Preparing activity:
Army-AR

(Project 8140-0050)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:00Z
Check the source to verify that this is the current version before use.