MIL-S-49182(CR)
AMENDMENT 1
22 August 1984

MILITARY SPECIFICATION
SHELTER, ELECTRICAL EQUIPMENT
S-548 ( ) /TRC-152(V)

This amendment forms a part of military specification MIL-S-49182(EL), dated 18 Apr 79, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 10

Paragraph 4.2c. - Delete- Part c in its entirety and substitute "c. Quality conformance inspection of equipment before packaging (see 4.5)".

Paragraph 4.2d. - Add the following paragraph , "d. Packaging inspection (see 4.19)."

PAGE 20

Paragraph. 4.6.3.1.a. Delete "Radio-to-cable PATCH THRU " from line one and substitute " RADIO REPEATER-RADIO TO CABLE".

Paragraph. 4.6.3.1.b. Delete "TD-754 "PATCH THRU SYS-1"; C to E, E to F, A to G and B to H respectively." and substitute "TD-754 "PATCH THRU SYS-1"; D to F, E to E, J to H and K to G respectively."

Paragraph 4.6.3.1.e. Delete " 12 CH Radio Repeater Patch THRU" from line 1 and substitute "Radio Repeater to Radio Repeater".

Paragraph 4.6.3.1.f. Delete " D to E" from line 3 and substitute "D to D".

PAGE 22

Paragraph 4.6.4.1. Delete the table of part a and substitute the following table:

FROM PATCH PANEL MARKED	TO CABLE ASSEMBLY MARKED
TD-202 12 CHAN PCM OUT SYS-1	TD-202 PCM OUT - Sys-1
TD-202 12 CHAN PCM IN SYS-1	TD-202 PCM IN-1 Sys-1
TD-202 TIM IN Sys-1	TD-202 TIM IN Sys-1
TD-202 TIM OUT Sys-1	TD-202 TIM OUT-1 Sys-1
TD-202 12 CHAN PCM OUT -2 Sys-1	TD-202 PCM OUT- 2 Sys-1
TD-202 12 CHAN PCM IN 2-Sys-1	TD-202 PCM IN-2 Sys-1
TD-202 TIM OUT -2 Sys-1	TD-202 TIM OUT-2 Sys-1
TD-754 12 CHAN PCM OUT Sys-1	TD-204/754 PCM OUT-1 Sys-1
TD-754 12 CHAN PCM IN Sys-1	TD-204/754 PCM IN-1 Sys-1
TD-754 TIM IN Sys-1	TD-204/754 TIM IN Sys-1

FSC 5410

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:54Z
Check the source to verify that this is the currentversion before use.

TD-754 TIM OUT SYS-1
TD-754 12 CHAN PCM IN-2 Sys-1
TD-754 12 CHAN PCM OUT-2 Sys-1
TD-754 TIM OUT-2 Sys-1
GRC-103 12 CHAN PCM OUT Sys-1
GRC-103 12/24 CHAN PCM IN Sys-1
GRC-103 TIM OUT Sys-1
GRC-103 24 CHAN PCM OUT Sys-1
TD-202 24 CHAN PCM OUT Sys-1
TD-202 12/24 CHAN PCM IN Sys-1
TD-754 from Cable Sys-1
TD-754 to Cable Sys-1
VID ENT Box from Cable Sys-1
VID ENT Box to Cable Sys-1
P/O Rack J115 (FDM Loop test)
PINA
PINB
PINC
PIND

TD-204/754 TIM OUT SYS-1
TD-204/754 PCM IN-2 Sys-1
TD-204/754 PCM OUT-2 Sys-1
TD-204/754 TIM OUT-2 Sys-1
GRC-103 PCM Sys-1
GRC-103 Video Tr Sys-1
GRC-103 TMG Sys-1
GRC-103 VID Sys-1
TD-202 to Radio XMTR Sys-1
TD-202 from Radio RCVR Sys-1
TD-204/754 from Cable Sys-1
TD-204/754 to Cable Sys-1
VIO ENT Box IN(M) Sys-1
VIO ENT Box OUT (F) Sys-1
GRC-103 FDM Sys-1
PINA
PINB
PINC
PIND

PAGE 23

Paragraph 4.6.4.1.6 Delete the paragraph and substitute "Repeat steps of 4.6.4.1 for system 2 (J116) and system 3 (J117)."

PAGE 41

Paragraph 4.19 - Delete - Paragraph 4.19 in its entirety and substitute the following paragraphs and table:

4.19 Packaging inspection. - Packaging inspection requirements specified herein are classified as follows:

a. First Article Inspection of Packaging.

b. Quality Conformance Inspection of Packaging.

4.19.1 First Article Inspection Packaging. Unless otherwise specified in the contract, First Article Inspection of Packaging shall be in accordance with the Unit Pack Design Validation Requirements of MIL-P-116.

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:54Z
Check the source to verify that this is the currentversion before use.

4.19.2 Quality Conformance Inspection of Packaging.

4.19.2.1 Materials inspection. - All materials to be used in packaging shall be inspected in accordance with the applicable material specification.

4.19.2.2 Preservation inspection. - Inspection of preservation and interior markings shall be in accordance with group A and B Quality Conformance Inspection Requirements of MIL-P-116.

Lot formation and sampling procedures shall be as specified therein.

4.19.2.3 Packing inspection. - Inspection of packing and the marking for shipment and storage shall consist of the examinations specified in Table VII, "PACKING INSPECTION PROVISIONS". Lot formation shall consist of all packs made of the same materials during an identifiable period and submitted at one time for acceptance. Sampling procedures shall be in accordance with MIL-STD-105, using a single sampling plan and Acceptable Quality level of 4.0 percent defective.

Source: https://assist.dla.mil -- Downloaded: 20260-22T19:54Z
Check the source to verify that this is the current version before use.

TABLE VII PACKING INSPECTION PROVISIONS.

No.	CHARACTERISTIC	METHOD OF INSPECTION
101	Intermediate container not as specifed	Visual
102	Improper closure of intermediate container	Visual
103	Shipping containers not in accordance with specification	Visual
104	Excessive cube	Visual
105	Improper blocking and bracing	Visual
106	Closure not in accordance with specification	Visual
107	Weight and size exceed container limitations	Weight & measure
108	Strapping not in accordance with specification, incorrectly applied, omitted	Visual
109	Marking omitted, incorrect, or illegible	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:54Z
Check the source to verify that this is the current version before use.

Paragraph 4.20 - Delete- "(Preparation for delivery)" and substitute "(packaging)."

PAGE 42

Paragraph 5.1 - Delete - MIL-P-55507 "and substitute "MIL-S-55507.

Paragraph 6.2 Add the following paragraphs: "6.2.e Level A or B preservation and packing (see section 5)."

"6.2f. When first article inspection rough handling tests are not required.

"6.2g. When first article packaging inspection reports require acquisition activity approval prior to production unit packing".

PAGE 46

Paragraph 6.8, 6.9 Add the following paragraphs: "6.8 Level B Preservation. When Level B Preservation is specified, this level of protection will only be used under known favorable conditions during transportation, storage and handling.

6.9 Environmental. Environmental pollution prevention measures are contained in the packaging material specifications referenced herein. Refer to material specifications or preparing activity for recommended disposability methods."

CUSTODIAN
ARMY - CR

PREPARING ACTIVITY
ARMY-CR
Project 5410-A314

Source: https://assist.dla.mil -- Downloaded: 20261O-22T19:54Z
Check the source to verify that this is the current version before use.