[INCH-POUND]
A-A-1074A
October 15, 1993
SUPERSEDING
A-A-1074
January 23, 1981

COMMERCIAL ITEM DESCRIPTION

LINER, BAKING CUP (Paper)

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Federal Specification RR-L-1829 which has been canceled.

1. SCOPE

1.1 Scope. This commercial item description covers paper cup liners for baking purposes.

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposal unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units For General Use By The Federal Government.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A : Approved for public release; distribution is unlimited.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA, and the GSA Specifications Unit (3FBP-W), Suite 8100, 470 E. L'Enfant Plaza, S.W., Washington, DC 20407.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

Code of Federal Regulations:

Title 21 - Food and Drug Administration, Department of Health and Human Services.

Application for copies of the CFR should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Design and construction.

3.1.1 Material. The baking cup liner shall be made of paper conforming to 21 CFR 121, Federal Food, Drug, and Cosmetic Act, as amended.

3.1.2 Dimensions. The liner shall be furnished in the form of a circle having a diameter of 4-1/2 inches (114.3 mm) plus or minus 1/8 inch (3.2 mm) and uniformly fluted to form a cup. The cup shall have a bottom diameter of 2 inches (50.8 mm) plus or minus 1/16 inch (1.6 mm). The cup shall have fluted slanting sidewalls measuring 1-1/4 inches (31.8 mm) plus or minus 1/16-inch (1.6 mm) in slant height.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.2 Performance. The liners shall release easily from the pan without the necessity for pan greasing. The liner shall not adhere to the baked item to such extent that significant portions are pulled away when the liner is removed. This is not intended to include the occurrence of thin layers of crumbs which usually adhere to the liner.

3.3 Workmanship. The liners shall be free from any dirt, holes, tears, cuts, foreign matter, or undefibered stock and shall have clean-cut edges.

3.4 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

3.5 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The values stated in parentheses are for informational purposes only.

3.6 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the specification preparing activity for changes to this document.

3.7 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor certification. The contractor shall certify that the item meets the salient characteristics and the requirements of this commercial item description, and, except for any government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace, or is the same product that has been successfully been delivered to the government on a previous contract or purchase order. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

4.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.4 Lot formation. All liners from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

4.5 Sampling for visual and dimensional examination. A random sample of liners shall be selected from each lot in accordance with inspection level S-4, AQL 4.0 expressed in terms of defects per hundred units. The sample unit shall be one unit package. The sample liners shall be visually and dimensionally examined to verify compliance with table I and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.

TABLE I - Classification of defects

Examine	Defect
Construction and Workmanship	Material not as specified.
	Dimensions not as specified.
	Liner not uniformly fluted.
	Misshapen.
	Ragged or uneven edges.
Appearance	Not clean.
	Any foreign matter, undefibered stock.
	Any tear, hole, or cut.
	Any wrinkle, crease, or fold not consistent with construction requirements.

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate and shipping containers (as applicable) for conformance with the packaging, packing, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5, expressed in terms of defects per hundred units. The sample unit shall be one shipping container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should include the following information in procurement documents (if applicable):

a. Title, number and date of this commercial item description.
b. The packaging, packing, and marking required.

6.2 National Stock Number (NSN). The following NSN corresponds to this CID: 7330-00-170-8382.

Military Coordinating Activity:

Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Civil Agency Coordinating Activity:

VA - OSS

Review Activities:
Army - MD, QM
Air Force - 84, 50

PREPARING ACTIVITY:

GSA - FSS

User Activity:
Navy - MC

(DoD Project 7330-0680)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.