INCH-POUND

A-A-52061
January 22, 1990

COMMERCIAL ITEM DESCRIPTION

DISPENSER, CUPS, CUP LIDS, AND DRINKING STRAWS

The General Services Administration has authorized the use of this commercial item description.

1. SALIENT CHARACTERISTICS

1.1 Design and construction. The dispenser shall be a countertop type containing four cylindrical tubes for paper, or plastic, or styrofoam cups and compartments for cup lids and drinking straws, to be used with beverage drink dispensers. Maximum overall dimensions shall be 14 inches wide, 24 inches deep, and 26 inches high. The dispenser, except for the cup tubes, shall be fabricated of stainless steel or polished aluminum. The cup tubes shall be fabricated of 300 series stainless steel. The dispenser shall be equipped with four stainless steel spring-loaded cup tubes suitable for dispensing plastic, paper, or styrofoam cups. The cup tubes shall be in a near horizontal position running from the front of the dispenser to the back with the opening for loading and removing the cups in the front. Size of cup tubes shall be for cup size specified (see 4.2). Open compartments, accessable from the front of the dispenser, shall be provided for storage and removal of plastic cup lids and drinking straws. The dispenser shall be mounted on rubber or plastic feet.

1.2 Codes and standards. The dispenser shall comply with National Sanitation Foundation Standard No. 18 or Criteria C-2.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent by letter to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-ES, Natick, MA 01760-5014

AMSC N/A

FSC 4510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

1.3 Identification marking (Government unique requirement, see 4.4). Each dispenser shall have the manufacturer's name, contract number, and national stock number embossed or engraved on the outer housing of the dispenser. Use of "stick-on" or removable labels is prohibited.

2. QUALITY ASSURANCE

2.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

2.2 End item examination. Sampling inspection shall be in accordance with MIL-STD-105. The inspection level shall be II and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 4.0. The sample unit shall be one complete end item. The defects are as follows:

Any component missing
Not fabricated of materials specified
Not constructed as specified
Any burr, sliver, sharp edge, rough die, tool, gauge, trim, or grind marks
Any component fractured, bent, buckled, dented, punctured, or malformed
Welding not smooth and free of cracks, burn holes, or undercuts
Manufacturer's identification marking missing or incomplete
Cup tubes not proper size

2.3 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this CID are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

2.4 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

3. PACKAGING

3.1 Packaging and packing. Packaging and packing shall be commercial or as specified (see 4.2).

3.2 Commercial packaging and packing. Each dispenser shall be cleaned, preserved, packaged, packed, and unitized in accordance with ASTM D 3951.

3.3 Marking. Marking of unit pack, shipping container, and unit load shall be in accordance with ASTM D 3951.

4. NOTES

4.1 Intended use. The dispenser covered by this commercial item description is intended for use in the serving line of military dining facilities to dispense cups, lids, and straws in an organized manner.

4.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. Size of cup to be dispensed (see 1.1).
c. Type of packaging and packing required (see 3.1)

4.3 Sources of documents.

4.3.1 Sources of nongoverment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103

NSF Standard No. 18 - Manual Food and Beverage Dispensing Equipment and Criteria C-2 - Special Equipment and/or Devices, are available from:

National Sanitation Foundation (NSF)
3475 Plymouth Road
P.O. Box 1468
Ann Arbor, MI 48106



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

4.3.2 Source of governmental documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

4.4 Government unique requirements. Whenever "(Government unique requirements)" is included in the title of a paragraph under "salient characteristics" it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD, TS
Air Force - 84, 50

User activities:

Army - CE
Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

Army - GL

(Project 4510-0243)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.