INCH-POUND

A-A-52065
February 23, 1990

COMMERCIAL ITEM DESCRIPTION

CARDBOARD AND PAPER, EMBOSSING, TOP

The General Services Administration has authorized the use of this commercial item description in preference to MIL-C-43397.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers embossing material of the following types (see 5.2):

Type I - Embossing top paper - 12 inches by 10 inches
Type II - Cardboard - 44 inches by 28 inches

2. SALIENT CHARACTERISTICS

2.1 Type I. The embossing top paper shall consist of a sheet of paper uniformly coated on one side with heat sensitive adhesive. The paper shall not block to the extent that sheets cannot be separated without surface pick, delamination or loss of coating. The paper shall emboss satisfactorily without surface cracking, scuffing, tearing, delamination or sticking to the embossing die. The embossed letters shall firmly adhere to the backing cardboard. The color of the embossing top paper (see 5.1.1) shall be as specified in the contract or purchase order (see 5.2). The embossing top paper shall conform to the requirements specified in table I.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be addressed to: Commander, U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014.

AMSC N/A FSC 9310

DISTRIBUTION STATEMENT A. Approved for public release; distribution in unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

TABLE I. Physical requirements for type I embossing paper

Basis weight, 24 by 36 - 500, pounds	115± 10
Thickness, inch	0.0065± 0.0010
Bursting strength, points, minimum	23

2.2 Type II. The cardboard shall consist of a facing sheet, a filler board and a backing sheet. The cardboard shall contain not less than 10 percent by weight of reclaimed fiber as specified in 40 CFR, Part 250. The facing sheet shall be not less than 0.005 inch thick and shall be made from 100 percent bleached wood fiber. The backing sheet shall be not less than 0.004 inch thick and shall be of sufficient contrast to the color of the facing sheet to readily establish the intended working surface. The filler board shall be of sufficient thickness and basis weight so that when pasted to the backing and facing sheets, the end item meets the requirements specified in Table II.

TABLE II. Physical requirements for type II cardboard

Basis weight, pounds/1000 sq. ft.	200± 20
Thickness, inch	0.065± 0.005

The cardboard shall emboss satisfactorily without cracking, breaking or ply separation. The color of the cardboard (see 5.1.2) shall be as specified in the contract or purchase order (see 5.2).

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify that the product offered meets the salient characteristics and requirements of the description and conforms to the producer's own specifications, standards and quality assurance practices, and is the same as the product offered for sale in the commercial marketplace. When specific quality assurance provisions are specified for any commercial characteristic, the contractor shall furnish data resulting from inspection conducted in accordance with the specific quality assurance provisions. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PACKAGING

4.1 Packaging.

4.1.1 Type I. One hundred sheets of embossing top paper of one color shall be packed in a paperboard box.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:05Z
Check the source to verify that this is the currentversion before use.

4.1.2 Type II. Fifty sheets of cardboard shall be wrapped in kraft paper and shall be secured by tape.

4.2 Packing. Two thousand sheets of type I embossing top paper, or fifty sheets of type II cardboard shall be packed in a box conforming to style RSC, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Box closure shall be in accordance with the appendix of PPP-B-636.

4.3 Palletization. When specified (see 5.2), containers shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Pallet types shall be type I (4-way entry), type IV or type V in accordance with MIL-STD-147. Pallets shall be fabricated from wood groups I, II, III or IV or MIL-STD-731. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means C and D, or film bonding means F or G, in accordance with MIL-STD-147.

4.4 Marking. Unit packs, shipping containers and palletized unit loads shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 Intended use. The embossing materials specified are intended for use in making signs.

5.1.1 Type I colors. The type I embossing top paper is available in the following colors:

Red	Green	Black
Yellow	Purple	White
Blue	Orange	Metallic gold
Dark blue		

5.1.2 Type II colors. The type II cardboard is available in the following colors:

Red	Black
Yellow	White
Blue	Gray

5.2 Ordering data. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Type and size required (see 1.1).
c. Color required (see 2.1 and 2.2).
d. Selection of the applicable type of packaging (see 4.1.1 and 4.1.2).
e. When palletization is required (see 4.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

5.3 Sources of documents.

5.3.1 Sources of governmental documents.

40 CFR Part 250 - Guideline For Federal Procurement of Paper and Paper products containing recovered material.

(The Code of Federal Regulations (CFR) and Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. When indicated reprints of certain regulations may be obtained from the Federal agency responsible for issuance thereof.)

Federal and Military documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

MILITARY INTEREST:

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activity:

Air Force - 84

User activity:

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY

GSA-FSS

Preparing activity:

Army - GL

(Project 9310-0106)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.