INCH-POUND

A-A-52068
March 12, 1990

COMMERCIAL ITEM DESCRIPTION

SCRAPER, BAKERS

The General Services Administration has authorized the use of this commercial item description in preference to MIL-S-17531.

1. SALIENT CHARACTERISTICS

1.1 Design and construction.

1.1.1 Handle. The handle shall be of one piece molded construction of Food and Drug Administration (FDA) approved plastic material conforming to National Sanitation Foundation (NSF) requirements. Dimensions shall be 1-5/8 ± 1/8 inches high, 5/8 inches minimum to 1 inch maximum for width, and 6-1/4 ± 1/8 inches long. The handle shall be finished in accordance with commercial practice.

1.1.2 Blade. The blade shall be fabricated from 0.025 inch thick stainless steel and be 6 inches minimum to 6-1/4 inches maximum in length. The overall height of the scraper shall be 4-1/2 inches minimum to 4-5/8 inches maximum. The blade shall be secured to the handle with either 2 or 3 uniformly spaced rivets. The blade shall be heat treated to Rockwell C40 to C45. The blade shall fit firmly in the handle slot so that the surfaces of the slot bear evenly against the blade at all points to prevent accumulation of food or foreign matter between the handle and the blade. The blade shall be polished in accordance with commercial practice.

1.2 Marking. The scraper shall be marked with the manufacturer's name, trade name, or trademark of such known character that the source of manufacture may be determined.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-ES, Natick, MA 01760-5014.

AMSC N/A FSC 7330

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

1.3 Codes and standards. Scrapers shall conform to National Sanitation Foundation (NSF) Basic Criteria C-2, Special Equipment and Devices.

1.4 Workmanship. The scrapers shall be clean and free of burrs, slivers, rough surfaces, sharp edges, and any other defects which may affect appearance or serviceability.

2. QUALITY ASSURANCE

2.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characterisitcs and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

2.2 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

3. PACKAGING

3.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 4.2)

3.2 Commercial packaging and packing. Each scraper shall be cleaned, preserved, packaged and packed in accordance with ASTM D 3951.

3.3 Export packaging and packing.

3.3.1 Export packaging. Each scraper shall be cleaned, preserved, and cushioned to protect against corrosion, deterioration, and physical damage during shipment and storage. Each scraper shall be packaged in a plastic bag. Twelve scrapers shall be packaged in an intermediate paperboard box.

3.3.2 Export packing. One hundred forty-four scrapers shall be packed in a snug-fitting fiberboard box constructed, closed, and reinforced in accordance with grade V3c, V3s, or V4s, style RSC of PPP-B-636. Reinforcement shall be limited to nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape.

3.3.3 Palletization. When specified (see 4.2), shipping containers shall be palletized in accordance with MIL-STD-147.

3.4 Marking (commercial and export). Marking of unit packs, shipping containers, and unit loads shall be in accordance with MIL-STD-129 or ASTM D 3951, as applicable.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:05Z
Check the source to verify that this is the current version before use.

4. NOTES

4.1 Intended use. The scraper covered by this commercial item description is intended for use in kitchens and galleys of military installations as a baker's tool for the removal of food particles from work tops and miscellaneous pans.

4.2 Ordering data. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Type of packaging and packing required (see 3.1).
c. When palletization of shipping containers is required (see 3.3.3).

4.3 Sources of documents.

4.3.1 Sources of nongovernment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

The American Society for Testing and Material (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

NSF Basic Criteria C-2 - Special Equipment and Devices, is available from:

National Sanitation Foundation (NSF)
3475 Plymouth Road
P.O. Box 1468
Ann Arbor, MI 48106

4.3.2 Source of government documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:05Z
Check the source to verify that this is the currentversion before use.

MILITARY INTERESTS:

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD, TS
Navy - MS
Air Force - 84

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

Army - GL

(Project 7330-0600)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.