MIL-P-63143A (AR)
1 February 1979
SUPERSEDING
MIL-P-63143 (AR)
1 August 1977

MILITARY SPECIFICATION

PROJECTILE, 8 INCH, HE, RA, M650 ACCESSORIES FOR

This specification is approved for use by US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the accessories required in loading and assembling the 8 Inch Rocket Assisted Projectile, M650.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids, form a part of this Military Specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-453 - Inspection, Radiographic
MIL-STD-1169 - Packaging, Packing and Marking for Shipment of Inert Ammunition Components

FSC: 1320

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

DRAWINGS

AKRADCOM

PRODUCT AND PACKAGING

9287955 - Spacer, Grain
9287956 - Ring, Shear Seal
9287962 - Cushion, Forward
9287969 - Liner
9287874 - Washer, Closure
9287975 - Case, Adapter-Booster
9287978 - Pad
9287979 - Disk
9287981 - Disk Closure
9287983 - Obturator
9287998 - Washer, Lock, External Tooth
9288029 - Cap
9288039 - Plate
9288040 - Cap Assembly, Rocket Off
9324797 - Packing and Marking for Ring, Shear Seal
9324796 - Spool for Packing Ring, Shear Seal
9324795 - Box for Packing Ring, Shear Seal

3. REQUIREMENTS

3.1 Material.-Materials shall be in accordance with applicable drawings and specifications.

3.2 Parts.-The parts covered by this specification shall comply with all requirements specified on the applicable drawing (dwg.) and with all requirements specified in applicable specifications.

3.3 Molding defects.-The molded component shall be free of porosity, foreign inclusions, ripples, voids, surface imperfections, and excess flashing.

3.4 Obturator breaking load test.-The obturator shall exhibit a minimum breaking load of 400 pounds when tested as specified in 4.4.3.6. In addition, the obturator shall elongate a minimum of ten percent (10%).

3.5 Workmanship.-All parts shall be correctly fabricated and properly finished in a thorough, workmanlike manner. They shall be of the required finish and free of burrs, chips, sharp edges, dirt, scale, unblended radii, tears, holes, nicks,

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

surface defects, grease, rust, corrosion products and other foreign matter. The cleaning method used shall not be injurious to any part nor shall the parts be contaminated by the cleaning agent.

3.6 First article inspection.-This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions.-Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspections.-The following types of inspections shall be performed on this item:

a. First Article Inspection
b. Quality Conformance Inspection

4.3 First article inspection

4.3.1 Submission.-The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Part Description	Drawings	Quantity
Spacer, Grain	9287955	10*
Ring, Shear Seal	9287956	10
Cushion, Forward	9287962	20*
Liner	9287969	20*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

Washer Closure	9287974	10*
Case, Adapter Booster	9287975	20
Pad	9287978	10*
Disk	9287979	10
Disk Closure	9287981	10*
Obturator	9287983	20**
Washer, Lock External Tooth	9287998	10*
Cap	9288029	10
Plate	9288039	10
Cap Assembly, Rocket Off	9288040	10

* Consecutively produced from each set of dies.
** Consecutively poroduced from each cavity of each mold.

4.3.2 Inspections to be performed.-See MIL-A-48078 and Table I specified herein.

4.3.3 Rejection.-See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

TABLE I - FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143 A (AR)

PARAGRAPH	TITLE	SHEET 1 OF 3			DRAWING NUMBER
	M650 , Accessories for				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Spacer, Grain (Dwg. 9287955) Examination for Defects	10	-	3.2	4.4.2.1
	Ring, Shear Seal (Dwg. 9287956) Examination for Defects	10	-	3.2	4.4.2.2
	Cushion Forward (Dwg. 9287962) Examination for Defects	20	-	3.2	4.4.2.3
	Liner (Dwg. 9287969) Examination for Defects	20	-	3.2	4.4.2.4
	Washer, Closure (Dwg. 9287974) Examination for Defects	10	-	3.2	4.4.2.5
	Case, Adaptor Booster (Dwg. 9287975)				
	Examination for Defects	20	-	3.2	4.4.2.6
	Examination for Defects	20	-	3.2	4.4.2.7

NOTES:

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

TABLE I - FIRST ARTICLE INSPECTION (Cont'd)
CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 2 OF 3		DRAWING NUMBER
	M650, Accessories For				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Pad (Dwg. 9287978)				
	Examination for Defects	10	-	3.2	4.4.2.8
	Disk (Dwg. 9287979)				
	Examination for Defects	10	-	3.2	4.4.2.9
	Disk, Closure (Dwg. 9287981)				
	Examination for Defects	10	-	3.2	4.4.2.10
	Obturator (Dwg. 9287983)				
	Examination for Defects	20	-	3.2	4.4.2.11
	Break Load Test	2	-	3.4	4.4.3.6
	Washer, Lock, External Tooth (Dwg. 9287998)				
	Examination for Defects	10	-	3.2	4.4.2.12
	Cap (Dwg. 9288029				
	Examination for Defects	10	-	3.2	4.4.2.13

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

TABLE I - FIRST ARTICLE INSPECTION (Cont'd)

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 3 OF 3		DRAWING NUMBER
	M650, Accessories for				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Plate (Dwg. 9288039) Examination for Defects	10	-	3.2	4.4.2.14
	Cap Assembly Rocket Off (Dwg. 9288040) Examination for Defects	10	-	3.2	4.4.2.15

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection

4.4.1 Inspection lot formation.-Inspection lots shall comply with the lot formations provisions of MIL-A-48078.

4.4.2 Examination.-See MIL-A-48078.

a. Sampling plans.-Unless otherwise specified in the Classification of Defects and Test tables, sampling plans for Major and Minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Spacer Grain				9287955
					NEXT HIGHER ASSEMBLY 9287966
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Length of side		(a)	3.2	Gage
202	Thickness		(a)	3.2	Gage
203	Evidence of poor workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.4.3.1 & 4.4.3.2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.2	Ring, Shear Seal		9287956
			NEXT HIGHER ASSEMBLY 9287992

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Small Outside Diameter		0.40%	3.2	Gage
102	Large Inside Diameter		0.40%	3.2	Gage
103	True Position of Large Inside Diameter		0.40%	3.2	Gage
104	Length of Large Inside Diameter		0.40%	3.2	Gage
Minor					
201	Small Inside Diameter		0.65%	3.2	Gage
202	True Position of Small Inside Diameter		0.65%	3.2	Gage
203	Overall Length		0.65%	3.2	Gage
204	Evidence of Poor Workmanship		1.00%	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.3	Cushion, Forward				9287962
					NEXT HIGHER ASSEMBLY 9287994
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside Diameter	(a)		3.2	Gage
102	True Position of Inside Diameter	(b)		3.2	Verify Die
103	Thickness	(a)		3.2	Gage
Minor					
201	Inside Diameter	(a)		3.2	Gage
202	Evidence of poor workmanship	(a)		3.5	Visual

NOTES:
(a) See 4.4.3.1 and 4.4.3.2
(b) See 4.4.3.3

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9287969
4.4.2.4	Liner				NEXT HIGHER ASSEMBLY 9287977
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside Diameter		(a)	3.2	Gage
102	Spherical Radius		(a)	3.2	Gage
103	Overall Height		(a)	3.2	Gage
Minor					
201	Thickness of Material		(a)	3.2	Gage
202	Evidence of poor workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.4.3.1 & 4.4.3.2

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.5	Washer, Closure		9287974
			NEXT HIGHER ASSEMBLY 9287977

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside Diameter		(a)	3.2	Gage
102	Inside Diameter		(a)	3.2	Gage
103	True Position of Inside Diameter		(b)	3.2	Verify Die
104	Thickness		(a)	3.2	Gage
Minor					
201	Protective Finish missing or incomplete		(a)	3.2	Visual
202	Evidence of poor workmanship		(a)	3.5	Visual

NOTES: (a) See 4.4.3.1 and 4.4.3.2
(b) See 4.4.3.3

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.6	Case, Adapter-Booster Prior to Knurling		9287975
			NEXT HIGHER ASSEMBLY
			9287977

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Large Outside Diameter		0.40%	3.2	Gage
102	Runout of Large Outside Diameter		0.40%	3.2	Gage
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77, Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9287975
4.4.2.7	Case, Adapter-Booster After Knurling				NEXT HIGHER ASSEMBLY 9287977
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Knurled Diameter		0.40%	3.2	Gage
102	Length of Knurled Diameter		0.40%	3.2	Gage
103	Second Largest Outside Diameter		0.40%	3.2	Gage
104	Large Inside Diameter		0.40%	3.2	Gage
105	Length of Large Inside Diameter		0.40%	3.2	Gage
106	Small Inside Diameter		0.40%	3.2	Gage
107	Corner Radius on Large Inside Diameter		0.40%	3.2	Visual
Minor					
201	Overall Length		0.65%	3.2	Gage
202	Distance to end of Second Largest Outside Diameter		0.65%	3.2	Gage
203	Small Outside Diameter		0.65%	3.2	Gage
204	Chamfer on Outside Diameter missing or improper		0.65%	3.2	Visual
205	Protective Finish improper or missing		0.65%	3.2	Visual
206	Evidence of Poor Workmanship		1.00%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.8	Pad	1 OF 1	9287978
			NEXT HIGHER ASSEMBLY: 9287993

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside Diameter		(a)	3.2	Ruler
102	Thickness		(a)	3.2	Ruler
Minor					
201	Workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.4.3.1 and 4.4.3.2

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.9	Disk		9287979
			NEXT HIGHER ASSEMBLY 9287993

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Large Outside Diameter		0.40%	3.2	Gage
102	True Position of Large Outside Diameter		0.40%	3.2	Gage
103	Small Outside Diameter		0.40%	3.2	Gage
104	Length of Large Outside Diameter		0.40%	3.2	Gage
Minor					
201	Overall Length		0.65%	3.2	Gage
202	Inside Diameter		0.65%	3.2	Gage
203	Chamfer Missing or Improper		0.65%	3.2	Visual
204	Inside Radius Missing or Improper		0.65%	3.2	Visual
205	Protective Finish Improper or Missing		0.65%	3.2	Visual
206	Evidence of Poor Workmanship		1.00%	3.5	Visual

NOTES:

DESC-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.10	Disk, Closure				9287981
					NEXT HIGHER ASSEMBLY 9287977
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Diameter		(a)	3.2	Gage
102	Thickness		(a)	3.2	Gage
Minor					
201	Evidence of Poor Workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.3.3.1 and 4.3.3.2

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.11	Obturator		9287983
			NEXT HIGHER ASSEMBLY 9287994

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Inside Diameter		(a)	3.2	Gage
102	Thickness of band		(a)	3.2	Gage
103	Thickness at Small Outside Diameter		(a)	3.2	Gage
104	Distance between two Inside Diameters		(a)	3.2	Gage
105	Length of Small Inside Diameter		(a)	3.2	Gage
106	Breaking Load Test	20		3.4	Test/4.4.3.6
Minor					
201	Overall Length		(a)	3.2	Gage
202	Molding Defects		(a)	3.3	Visual
203	Evidence of Poor Workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.4.3.4 and 4.4.3.5

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.12	Washer, Lock, External Tooth				9287998
					NEXT HIGHER ASSEMBLY 9287993
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside Diameter		(a)	3.2	Gage
102	Inside Diameter		(a)	3.2	Gage
103	True Position of Outside Diameter		(a)	3.2	Gage
104	Curved Slots missing, incorrect quantity, or obviously improper		(a)	3.2	Visual
105	Tabs not bent or improperly bent		(a)	3.2	Visual
106	Overall Thickness of entire part after tabs are bent		(a)	3.2	Gage
Minor					
201	Protective finish missing or incomplete		(a)	3.2	Visual
202	Evidence of Poor Workmanship		(a)	3.5	Visual

NOTES:

(a) See 4.4.3.1 and 4.4.3.2

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 2	DRAWING NUMBER
4.4.2.13	Cap		9288029
			NEXT HIGHER ASSEMBLY 9288040

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Major					
101	Second Largest Outside Diameter		0.40%	3.2	Gage
102	Major Diameter of Thread		0.40%	3.2	Gage
103	Pitch Diameter of Thread		0.40%	3.2	Gage
104	True Position of Thread		0.40%	3.2	Gage
105	Diameter of O-ring Groove		0.40%	3.2	Gage
106	True Position of O-ring Groove		0.40%	3.2	Gage
107	Width of O-ring Groove		0.40%	3.2	Gage
108	Surface Finish of O-ring Groove and Boss Improper		0.40%	3.2	Visual
109	Small Outside Diameter (Boss)		0.40%	3.2	Gage
110	Diameter of Knurled Surface		0.40%	3.2	Gage
111	Length of Full Knurl, Including Relief, min.		0.40%	3.2	Gage
112	Length of Knurl Relief, max.		0.40%	3.2	Gage
Minor					
201	Largest Outside Diameter		0.65%	3.2	Gage
202	Overall Length		0.65%	3.2	Gage
203	Length of Small O.D. (Boss)		0.65%	3.2	Gage
204	Length of Thread Including Undercut		0.65%	3.2	Gage
205	Location of O-ring Groove		0.65%	3.2	Gage
206	Length of Thd Undercut		0.65%	3.2	Gage
207	Flat or Taper Missing or Improper on Boss		0.65%	3.2	Visual
208	Marking Missing		0.65%	3.2	Visual
209	True Position of Boss		0.65%	3.2	Gage
210	Thickness of Cap		0.65%	3.2	Gage

NOTES:

DRSAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A(AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.13	CONTINUATION SHEET	SHEET 2 OF 2	9288029
			NEXT HIGHER ASSEMBLY 9288040

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
211	Distance from Boss End to Large O.D.		0.65%	3.2	Gage
212	Evidence of Poor Workmanship		1.00%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77. Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONF RMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-63143A (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9288039
4.4.2.14	Plate				NEXT HIGHER ASSEMBLY 9288040
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Major					
101	Inside Diameter		0.40%	3.2	Gage
Minor					
201	Outside Diameter of Circular Section		0.65%	3.2	Gage
202	Width of Tab (3 places)		0.65%	3.2	Gage
203	True Position of Tab Width		0.65%	3.2	Gage
204	Length of Tab (3 places)		0.65%	3.2	Gage
205	Thickness of Plate		0.65%	3.2	Gage
206	Evidence of Poor Workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

PAR GRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.15	Cap Assembly, Rocket Off		9288040
			NEXT HIGHER ASSEMBLY 9287992

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Major					
101	Excess Gap Between Plate & Cap Shoulder		0.40%	3.2	Gage
102	Marking Missing, Incorrect or Incomplete		0.40%	3.2	Visual
103	Plate Loose or Obviously Improper		0.40%	3.2	Visual/Manual
Minor					
201	Evidence of Poor Workmanship		1.0%	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

4.4.3 Testing

4.4.3.1 Initial sampling - die made parts.-The first pieces from each die shall be inspected for all defects listed in the applicable subparagraph of 4.4.2 until 20 consecutively produced parts from each die have been found acceptable.

4.4.3.2 Subsequent sampling - die made parts.-One piece per each 1000 produced and the last five pieces produced from each die shall be inspected for all defects listed in the applicable subparagraph of 4.4.2. If any critical major or minor defect is found the production represented by the sample shall be rejected and sampling for this die will return to 4.4.3.1.

4.4.3.3 True position requirements - die made parts.-Each die shall be inspected for the true position requirement applicable at the start and conclusion of production and at 30 day intervals in between. If the die fails to comply with the specified true position all parts made from that die shall be rejected.

4.4.3.4 Initial sampling - molded components.-The first pieces from each cavity of each mold shall be inspected for all defects listed in the applicable subparagraph of 4.4.2 until 20 consecutively produced parts from each die have been found acceptable.

4.4.3.5 Subsequent sampling - molded components.-One piece per each 1000 produced and the last five pieces produced for each cavity of each mold shall be inspected for all defects listed in the applicable subparagraph of 4.4.2. If any critical, major or minor defect is found the production represented by the sample shall be rejected and sampling for this die returned to 4.4.3.4.

4.4.3.6 Obturator breaking load test.-A sample of twenty (20) obturators shall be randomly selected from each lot of obturators. If any of the samples fail to meet the requirements of 3.4, the lot shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

4.4.4 Inspection equipment.-The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and paragraph 6.3 herein.

4.5 Test methods and procedures

4.5.1 Breaking load.-The obturator shall be tested for breaking load using an approved test fixture. The test fixture shall consist of two one inch diameter opposing spindles machined to the internal profile of the obturator. The obturator shall be assembled and tested using a test speed of 2.00 inches per minute.

5.1 Packaging, packing and marking for accessories other than ring shear seal.-Packaging, packing and marking, with the exception of the ring seal shall be as specified in MIL-STD-1169, Level C.

5.2 Ring, shear seal packaging, packing and marking.-The ring, shear seal shall be packaged, packed and marked in accordance with Dwg. 9324797.

6. NOTES

6.1 Intended use.-The components covered by this specification are intended for use on the 8 Inch, M650, RA Projectile.

6.2 Ordering data.-See MIL-A-48078.

6.3 Submission of inspection procedures and/or equipment designs for approval - See MIL-A-48078.-Submit equipment designs, as required, to Commander, US Army Armament Research and Development Command, ATTN: DRDAR-QAR-I, Dover, New Jersey 07801.

6.4 Inspection lot size.-It is noted that the size of inspection lots of components, assemblies or items of delivery may differ from the actual quantities contractually scheduled for delivery. However, in order to facilitate scheduling of

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

tests or deliveries, inspection lots of items of delivery may be equivalent to such contract quantities provided all of the lot formation criteria and sampling provisions of this specification are maintained.

6.5 Visual examination qualification.-When compliance with the applicable requirement is in doubt as a result of visual examination the characteristic may be measured or gaged to determine acceptability.

Custodian:
Army - AR

Preparing activity:
Army - AR

Project No.: 1320-A385

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.