DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

2. TITLE	1. IDENTIFICATION NUMBER
PROPULSION UNIT DATA	DI-MISC-80226

3. DESCRIPTION / PURPOSE

3.1 Propulsion Unit Data consists of two parts.

3.1.1 The Propulsion Unit Data Sheet provides acceptance data for each lot of rocket motor/guided missile propulsion units manufactured for procurement by the Government.
(Continued on Page 2)

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
860904	N/SEA-62Z3		

7. APPLICATION / INTERRELATIONSHIP

7.1 This data item description contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement for this data product included in the contract.

7.2 The Propulsion Unit Data/History Sheet is applicable whenever the contract contains a requirement for propulsion unit lot acceptance data for rocket motor/guided missile propulsion unit manufacture, reload, or modification.

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
		N3946

10. PREPARATION INSTRUCTIONS

10.1 Contract. This data item is generated by the contract which contains a specific and discrete work task to develop this data product.

10.2 Content and Format. The Propulsion Unit Data shall be in contractor's format and shall contain the information in 10.3 and 10.4 as appropriate. See Figures 1, 2 and 3 for sample Propulsion Unit Data Sheets and Figure 4 for Propulsion History Data.

10.3 Part I. Propulsion Unit Data Sheet.

10.3.1 Section I.

10.3.1.1 Header information. Contract No. and name of system being provided; that is, rocket motor, booster, or sustainer.

10.3.1.2 Identification of system. The following information as appropriate.

a. Nomenclature. Enter MK and MOD.
b. Serial No.
c. Chamber No.
d. Assembly Activity - manufacturer's name and address
e. Condition Code

10.3.1.3 Propellant data. Identify whether propellant is for booster or sustainer.

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

3. DESCRIPTION/PURPOSE (Cont'd)

3.1.2 The Propulsion Unit Data History provides historical data for each lot or rocket motor/guided missile propulsion units manufactured for procurement by the Government.

---

10. PREPARATION INSTRUCTIONS (Cont'd)

10.3.1.3.1 Booster.

a. Grain No.
b. Grain Lot No.
c. Grain Batch No.
d. Grain Manufacturer
e. Grain Manufacture Date
f. Grain Cast No.
g. Grain Cure Date
h. Grain Expiration Date

10.3.1.3.2 Sustainer.

a. Grain No.
b. Grain Lot No.
c. Grain Batch No.
d. Grain Manufacturer
e. Grain Manufacture Date
f. Grain Cast No.
g. Grain Cure Date
h. Grain Expiration Date

10.3.1.4 Igniter Data.

a. Nomenclature. List MK and MOD as appropriate.
b. Lot No.
c. Serial No.
d. Manufacturer
e. Manufacture Date
f. Expiration Date

10.3.1.5 Arming and Firing Device-data.

a. Nomenclature, Enter MK and MOD.
b. Serial No.
c. Manufacturer
d. Manufacture Date
e. Expiration Date
f. Drawing and Revision No.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

10.3.1.6 Delay Cartridge Data.

a. Item Identification
b. Lot No.
c. Manufacturer
d. Manufacture Date
e. Expiration Date

10.3.1.7 Pressure Switch/Booster Ignition Element Data.

a. Drawing No.
b. Lot No. or Serial No.
c. Manufacturer
d. Manufacture Date
e. Expiration Date

10.3.2 Section II, Drawing Information. Provide Drawing No. and Revision No. for:

a. Motor Loaded
b. Arming and Firing Devices
c. Igniter
d. Booster Ignition Element/Pressure Switch

10.3.3 Section III, Weight Data. All measurements shall be stated in metric.

a. Propellant Weight
b. Total Loaded Weight
c. Igniter Explosive Weight
d. Total Igniter Weight
e. Propellant Weight (less liner/inhibitor)
f. Inert Weight
g. Igniter Charge Weight
h. Crated Weight

10.3.4 Section IV, Component Parts Data. Provide serial numbers as needed for sustainer.

a. Forward Head
b. Motor Tube
c. Igniter Tube
d. Nozzle Assembly

10.3.5 Section V, Resistance Data. Shall be measured in ohms as specified in specification for the propulsion unit.

10.3.5.1 Resistance (Ohms) required by propulsion unit specification.

a. ARM Poisition Port
b. ARM Position Starboard
c. SAFE Position Port

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

d. SAFE Position Starboard

10.3.5.2 Actual Resistance (Ohms) measures resistance readings taken of:

a. ARM Position Port
b. ARM Position Starboard
c. SAFE Position Port
d. SAFE Position Starboard

10.3.6 Section VI, Temperature Limitations. Maximum and minimum temperatures at which propulsion unit can be stored. All measurements shall be in °C.

a. Firing Temperature Limits
b. Storage Temperature Limits

10.3.7 Section VII, Shipping Information.

a. Date Shipped
b. Shipped From
c. Shipped To
d. Loaded Center of Gravity from Designated Station.
e. Position of Center of Gravity in Relation to a Designated Station.

10.3.8 Remarks. Amplifying information as required.

10.4 Part II. Propulsion Unit History.

10.4.1 Header Information. Name of system being provided, i.e., rocket motor, booster or sustainer.

10.4.2 Identification of System . The following information as appropriate:

a. Nomenclature. Enter MK and MOD
b. Serial No.

10.4.1.3 Historical data. The following information as appropriate.

a. Activity - FMSC
b. Action Date
c. Historical Action
d. Recorded Date
e. Condition Code

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

G/M PROPULSION UNIT DATA SHEET

STANDARD MOTOR | CONTRACT NO.

	MK	MOD	SERIAL NO.	ASSEMBLY ACT	CHAMBER NO.	CONDITION CODE
STANDARD MOTOR						

DTRM PROPELLANT

GRAIN	BATCH NO.	GRAIN NO.	LOT NO.	CAST NO.	CURE DATE	EXPIRATION DATE*
BOOSTER						
SUSTAINER						

IGNITER

MK	MOD	LOT NO.	SERIAL NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE*

ARMING - FIRING DEVICE

MK	MOD	LOT NO.	SERIAL NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE*

PRESSURE SWITCH

DWG. NO.	SERIAL NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE
				N/A

INSTRUCTIONS

***Do not fire after any of above expiration dates - Notify NAVSEA**

DRAWINGS

MOTOR LOADED	ARMING - FIRING DEVICE	IGNITER
DWG REV.	DWG REV.	DWG REV.
LD REV.	LD REV.	LD REV.

WEIGHTS

PROPELLANT	TOTAL LOADED	IGNITER EXPLOSIVE	TOTAL IGNITER

RESISTANCE (OHMS)

	REQUIRED	ACTUAL	
	PORT STARBOARD	PORT	STARBOARD
ARM	.09 TO 1.50		
SAFE	90 TO 110		

TEMPERATURE LIMITS

FIRING	STORAGE
+45°F TO 95°F	−20°F TO 130°F

SHIPPED

DATE	TO

REMARKS

FIGURE 1. Sample propulsion unit data sheet for standard motor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

G/M PROPULSION UNIT DATA SHEET
STANDARD MISSILE BOOSTER

	MK	MOD	SERIAL NO.	ASSEMBLY ACTIVITY	CONDITION CODE
STANDARD MISSILE BOOSTER					

BOOSTER GRAIN/PROPELLANT

MK	MOD	BATCH NO.	LOT NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE*

IGNITER

MK	MOD	LOT NO.	SERIAL NO.	MANUFACTURER	PELLET MFG. DATE	EXPIRATION DATE*

DELAY CARTRIDGE

ITEM I. D.	LOT NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE*

BOOSTER IGNITION ELEMENT

DRAWING NO.	LOT NO.	MANUFACTURER	MFG. DATE	EXPIRATION DATE*

INSTRUCTIONS

*DO NOT FIRE AFTER ANY OF ABOVE EXPIRATION DATES - NOTIFY NAVSEA

WEIGHTS (LBS.)

PROPELLANT (LESS LINER/INHIBITOR)	INERT	TOTAL LOAD	CRATED	IGNITER CHARGE

RESISTANCE (OHMS)				TEMPERATURE LIMITS	
	REQUIRED	ACTUAL		FIRING	STORAGE
	PORT STARBOARD	PORT	STARBOARD		
ARM	.87 to 1.23			+45°F to 95°F	+10°F to 130°F
SAFE	.01 to .05			CONTRACT NUMBER	SHIPPED DATE
					TO

LOADED C. G. FROM STATION 184.0	MOMENT ABOUT STATION

ADDITIONAL COMPONENTS

ITEM	SERIAL NO.	DATE
CERTIFIED CLAMP RING		
(DUAL) RELEASE MECHANISM		

FIGURE 2. Sample propulsion unit data sheet for standard missile booster.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

G/M PROPULSION UNIT DATA SHEET

	MOD	SERIAL NUMBER	GRAIN MANUFACTURE DATE	IGNITER MANUFACTURE DATE	
ARMING & FIRING DEVICE MFG DATE	CONDITION CODE	ASSEMBLY ACTIVITY	GRAIN		
			GRAIN NO.	BATCH	LOT

IGNITER				ARMING AND FIRING DEVICE			
MK	MOD	SERIAL NUMBER	LOT	MK	MOD	SERIAL NUMBER	LOT

DRAWINGS	LOAD & SERVICE DWG. NO. AND REV. LETTER	GEN. ARRANGE. DWG. NO. & REV. LETTER	INERT PARTS DWG. NO. & REV. LETTER
MANUFACTURERS	GRAIN	IGNITER	ARMING & FIRING DEVICE / METAL PARTS
WEIGHTS	PROPELLANT	INERT	TOTAL LOADED / CRATED
COMPONENT PARTS	FORWARD HEAD SERIAL NO.	MOTOR TUBE SERIAL NO.	IGNITER TUBE SERIAL NO. / NOZZLE ASSEMBLY SERIAL NO.

RESISTANCE (OHMS)

S/A DEVICE	POSITION	REQUIRED MINIMUM	REQUIRED MAXIMUM	MEASURED BETWEEN POINTS	ACTUAL
	SAFE				
	SAFE				
	SAFE				
	TEST ARMED				

LOADED C.G. FROM STATION | MOMENT ABOUT STATION

TEMPERATURE LIMITS

FIRING	STORAGE

SERVICE LIFE EXPIRATION DATES

GRAIN	IGNITER	ARMING & FIRING

DO NOT FIRE AFTER ANY OF ABOVE DATES

SHIPPED

FROM/DATE	TO	MISSILE SER. NO.

REMARKS

FIGURE 3. Sample propulsion unit data sheet for sustainer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

G/M PROPULSION UNIT HISTORY

☐SUSTAINER ☐BOOSTER	☐TARTAR DTRM ☐STANDARD DTRM	MARK	MOD	SERIAL NUMBER

ACTIVITY	DATE	*Record of receipt, inspections, tests, modifications, ordaits accomplished, repairs, replacement, expenditure or shipment. Include changes in condition code.*	REPORTS TO NWSC, CRANE	
			DATE	COND. CODE

FIGURE 4. Sample propulsion unit history data sheet.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.