DATA ITEM DESCRIPTION
Title: FAILURE SUMMARY AND ANALYSIS REPORT

Number: DI-SESS-80255B
AMSC Number: N10166
DTIC Applicable: Yes
http://www.dtic.mil/dtic/submit
Preparing Activity: AS
Applicable Forms: N/A

Approval Date: 20191015
Limitation: N/A
GIDEP Applicable: Yes
http://www.gidep.org/data/submit.htm
Project Number: SESS-2019-063

Use/relationship: The Failure Summary and Analysis Report presents a summary of the individual failures that occur prior to and during the reporting period and describes the analysis and corrective actions performed. This report is used to evaluate the contractor's failure reporting, analysis, and corrective action efforts in accordance with the solicitation.

This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the contract.

This DID supersedes DI-SESS-80255A.

Requirements:

1. Reference Documents. None

2. Format. The Failure Summary and Analysis Report shall be in contractor's format.

3. Content. The report shall summarize the results of the contractor's Failure Reporting, Analysis, and Corrective Action System (FRACAS) implementation required by the statement of work, and shall include a cumulative tabulation of failure data. Failures that occurred during the latest report period shall be identified by suitable notation. The report shall include the following elements at a minimum:

3.1 Failure number

3.2 Failure analysis number

3.3 Failure date

3.4 Name of engineer responsible for failure analysis

3.5 Failed part name

3.6 Failed part number (e.g. national stock number (NSN), logistics control number, work unit code)

3.7 Manufacturer of failed part

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

3.8 Subassembly name and number

3.9 Major assembly name and number

3.10 Equipment name and serial number

3.11 Failed part's accumulated test or field operational life data

3.12 Test or mission being performed when the failure occurred

3.13 Test or mission mode of operation and environmental and use conditions when the failure occurred

3.14 Failure symptoms and description of detection or diagnosis methods (e.g. Built In Test)

3.15 Failure effects (e.g. none, degradation, abort)

3.16 Repair action (e.g. remove/replace)

3.17 Failure mode description

3.18 Description of engineering analysis method employed in failure analysis

3.19 Failure mechanism/cause of failure

3.20 Contributing factors, including multiple factor interactions, or secondary effects of the failure

3.21 Categorization of failure (e.g. equipment design, equipment manufacturing workmanship, part design, part manufacturing workmanship, software errors, unverified, intermittent, non-relevant)

3.22 Information on previous corrective actions for the same part or failure mode. Corrective action required to mitigate the failure mode, including:

3.22.1 Identification of the failure mode

3.22.2 The recommended process or process control changes, when the failure cause was due to workmanship defects

3.22.3 Proposals for retrofit of all equipment already delivered or assembled, including recommended effectivity, in accordance with the contract

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.

3.22.4 Disposition of all defective material and material rendered obsolete because of any necessary redesign, to assure their exclusion from production items

3.22.5 Identification of previous functional and environmental qualification tests, if any, invalidated by the corrective action changes and a recommendation of those tests that should be repeated, in accordance with the terms of the contract, to demonstrate the corrective action's effectiveness

3.22.6 Effect on operational and diagnostic software programs and plan for changes, if necessary

3.23 Corrective action status

3.24 The recommended fix effectiveness factor (FEF) to be applied to the failure mode based on the proposed corrective action

3.25 Rationale for any open failure analyses past the contract-specified closeout time

3.26 Severity criticality ranking of the failure modes. The severity classification categories are:

3.26.1 Category I - Catastrophic - A failure which may cause death or system loss (i.e., aircraft, tank, missile, ship)

3.26.2 Category II - Critical - A failure which may cause severe injury, major property damage, or major system damage resulting in mission loss.

3.26.3. Category III - Marginal - A failure that may cause minor injury, minor property damage, or minor system damage which will result in delay or loss of availability or mission degradation.

3.26.4 Category IV - Minor - A failure not serious enough to cause injury, property or system damage, but which results in unscheduled maintenance or repair.

End of DI-SESS-80255B

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:35Z
Check the source to verify that this is the current version before use.