METRIC

A-A-59911
28 August 2012

COMMERCIAL ITEM DESCRIPTION

ANCHOR, ROCK, CHOCK, TYPE I REPLACEMENT KITS

The General Services Administration has authorized the use of this Commercial Item Description for all Federal agencies.

1. SCOPE. This Commercial Item Description (CID) covers the requirements for kits that replace the Anchor, Rock, Chock (A-A-59834) issued in the Assault Climber Team Kit (ACTK) (A-A-59873) completely or in part.

2. CLASSIFICATION. The Anchor, Rock, Chock, Replacement Kits for Type I Wedge, wired will be furnished as four kits.

2.1 Classes

Class I - Complete Set Replacement Kit
Class II - Anchor, Rock Chock Type I, Small Replacement Kit
Class III - Anchor, Rock Chock Type I, Medium Replacement Kit
Class IV -Anchor, Rock Chock Type I, Large Replacement Kit

2.2 Sizing. The chocks will be as light-weight as possible, while meeting the standards described in the description.

3. SALIENT CHARACTERISTICS. The kits shall be composed of the following items in the following quantities as listed in Table I:

Comments, suggestions, or questions on this document should be addressed to: Attn: DLA Troop Support, Standardization Team, 700 Robbins Avenue, Philadelphia, PA 19111-5096. Since contact information can change, you may want to verify the currency of this address information using Acquisition Streamlining and Standardization Information System (ASSIST) online database at https://assist.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:30Z
Check the source to verify that this is the current version before use.

TABLE I. Type I quantities requirements

TYPE	SIZE	QUANTITY			
		CLASS I	CLASS II	CLASS III	CLASS IV
I	1	1	1	N/A	N/A
I	2	1	1	N/A	N/A
I	3	1	1	N/A	N/A
I	4	1	1	N/A	N/A
I	5	1	N/A	1	N/A
I	6	1	N/A	1	N/A
I	7	1	N/A	1	N/A
I	8	1	N/A	N/A	1
I	9	1	N/A	N/A	1
I	10	1	N/A	N/A	1
I	11	1	N/A	N/A	1

3.1 Dimensions. Individual item dimensions for Type I shall be in accordance with drawings and specification requirements specified in the applicable CID document (see A-A-59834) unless item is a manufacturer's part number/cage code then, in which case manufacturer's current specifications apply.

3.2 Color. Individual item colors for Anchor, Rock, Chock Type I Replacement Kits shall be in accordance with applicable specifications. (See A-A-59834).

3.3 End item testing. Individual item test standards for Anchor, Rock, Chock Type I Replacement Kits shall be in accordance with their related International Climbing and Mountaineering Federation Standards, where applicable. (See A-A-59834).

3.4 Materials. Individual item materials shall be in accordance with the applicable specifications (see A-A-59834).

3.5 Workmanship. The Anchor, Rock, Chock, Type I Replacement Kits shall conform to the quality of product established by this document and the related document for each item (A-A-59834). The occurrence of defects shall not exceed the contractors own quality assurance standards and the quality assurance standards defined in the technical data in the solicitation and/or contract.

3.6 Service life. The Anchor, Rock, Chock, Type I Replacement Kits shall have no unexpected material or component failures during a continuous one-year cycle. The Anchor, Rock, Chock, Replacement Kits shall have no unexpected material or component failures during periodic use over a five year period.

3.7 Labels/barcoding/instruction slip. If applicable, all labeling, barcoding and instruction slip requirements shall be as specified in the solicitation or contract (see 7.2).

3.7.1 Labels. Each Anchor, Rock, Chock Type I Replacement Kit shall have identification label Class 5 conforming to Type VI of MIL-DTL-32075. The color of the label shall be white.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:30Z
Check the source to verify that this is the current version before use.

The following information shall be included in the printing for the identification label:

ANCHOR, ROCK, CHOCK, TYPE I REPLACEMENT KIT
NSN: XXXX-XX-XXX-XXXX (Example)

The following instruction information shall be supplied:

a. The name or trademark of the manufacturer, importer or supplier
b. The meaning of any marking on the product
c. The use of the product
d. How to choose other components for use in the system
e. How to maintain and service the product
f. The lifespan of the product or how to access it
g. The effects of chemical reagents and temperature on the product
h. The effects of storing and aging
i. Identification of the model, if more than one model is available

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.1 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible, provided that the material meets or exceeds the operational and maintenance requirements and promotes economically advantageous life cycle costs.

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

5.2 End item examination. Each kit shall be examined for the following defects as listed in Table II:

TABLE II. End item examination

Examine	Defect Description
Components	Missing components Incorrect item, size, type or color
Label, barcoding and instruction slip (if applicable)	Incorrect, illegible, omitted or misplaced

5.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order (see 7.2).

6. PACKAGING.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:30Z
Check the source to verify that this is the current version before use.

6.1 Preservation, packing and marking. The preservation, packing and marking shall be as specified in the contract or order (see 7.2) and as below.

7. NOTES.

7.1 Sources of Government documents.

7.1.1 Copies of Government documents are available online at https://assist.dla.mil/quicksearch/ or from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

7.1.2 Federal Acquisition Regulations are available online at http://acquisition.gov/far/index.html or by contacting the Superintendent of Documents at 202-512-1800.

7.2 Ordering data. The contract or order should specify the following:

a. Title, number, and date of this Commercial Item Description.
b. When required, labeling, barcoding and instruction slip (see 3.7)
c. Acceptance criteria (see 5.3).
d. Packaging (see 6.1).

7.3 National Stock Numbers (NSNs). The following is a list of NSNs and Sizes associated for Type I, to determine the required items for the replacement kit that corresponds to A-A-59834, Anchor, Rock, Chock, listed below:

NSNs	SIZES
8465-01-578-6458	1
8465-01-578-6642	2
8465-01-578-6671	3
8465-01-578-6823	4
8465-01-578-6849	5
8465-01-578-6852	6
8465-01-578-6859	7
8465-01-578-7082	8
8465-01-578-7089	9
8465-01-578-7162	10
8465-01-578-7310	11

7.4 Key words.

Assault Climber Team
Climbing

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:30Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Army – GL
Navy –MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

DLA-CT

Project Number: 8465-2012-025

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:30Z
Check the source to verify that this is the current version before use.