INCH-POUND
MIL-PRF-15160/77B
17 August 2006
SUPERSEDING
MIL-PRF-15160/77A
12 October 1999

PERFORMANCE SPECIFICATION SHEET

FUSES, (INDICATING), STYLE F77A

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification and MIL-PRF-15160.



Inches	mm	Inches	mm	Inches	mm	Inches	mm
0.004	0.10	.078	1.98	.300	7.62	1.437	36.50
.005	0.13	.125	3.18	.315	8.00		
.015	0.38	.230	5.84	.350	8.89		
.031	0.79	.250	6.35	1.265	32.13		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.

FIGURE 1. Style F77A fuses.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:51Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Interface and physical dimensions: See figure 1.

Terminal and indicating pin: Brass.

Case: Fibre tube.

Terminal: Ferrule type.

Terminal strength: 10 inch-ounce torque between ferrules and fuse body. and fuse body.

Electrical:

Current rating: See table I.

Voltage rating: 125 volts, maximum.

Characteristic: Characteristic A.

Overload blowing time: Maximum of 1 hour at 135 percent of rated current.

Short circuit alternating current interrupt: Minimum 1000 amperes at 125 volts.

Finish:

Terminal: Bright alloy plate.

Indicating pin: Silver plated.

Type designation: Type designation shall be as specified in table I.

TABLE I. Type designation and electrical rating.

Style	Characteristic	Maximum Voltage	Current
F77	A	125V	1A
F77	A	125V	2A
F77	A	125V	3A
F77	A	125V	5A
F77	A	125V	8A
F77	A	125V	10A
F77	A	125V	12A
F77	A	125V	15A

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:51Z
Check the source to verify that this is the current version before use.

VERIFICATION:

Qualification inspection is not applicable for this specification sheet and is replaced by acceptance testing which shall consist of Group A and Group B inspection of MIL-PRF-15160.

The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Navy - SH
Air Force - 11
DLA - CC

Preparing activity:
DLA - CC

(Project 5920-2005-026)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:51Z
Check the source to verify that this is the current version before use.