MIL-B-48228A(AR)
30 JUNE 1981
SUPERSEDING
MIL-B-48228(MU)
16 May 1973

MILITARY SPECIFICATION

BANDOLEERS FOR CARTRIDGES: 40MM AMMUNITION

This specification is approved for use by the U.S. Army Armament Research and Development Command and is available for use by all Department and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers two (2) types of Bandoleers for use in 40MM Ammunition.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on data of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

MILITARY

MIL-W-530	-	Webbing, Textile, Cotton, General Purpose, Natural or in Colors
MIL-A-48078	-	Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1169	-	Packaging, Packing and Marking for Shipment for Inert Ammunition Components
MIL-STD-1188	-	Commerical Packaging of Supplies and Equipment

FSC: 1310

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.5)

U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

8835107	-	Bandoleer for Cartridge 40MM
9278204	-	Bandoleer for Cartridge, 40MM, M433

3. REQUIREMENTS

3.1 Material. Materials shall be in accordance with the applicable drawings and specifications.

3.2 Bandoleer. The bandoleer shall comply with all requirements specified on Drawing (Dwg.) 8835107 or 9278204, all associated drawings, and with all requirements specified in applicable specifications.

3.3 First article testing. This specification makes provisions for first article testing. Submission of first article quantity by the contractor shall be as specified in the contract.

3.4 Workmanship.

3.4.1 Stitching. Tack stitching shall be tight and in a straight line. Ends shall not unravel if pulled.

3.4.2 Characteristics. The bandoleer shall be uniform in color, appearance and free of defects affecting serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are made a part of this detail specification.

4.2 Classification of inspection. The following type of inspections shall be conducted on this item:

a. First article inspection.
b. Quality conformance inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

4.3 First article inspection.

4.3.1 Submission. The contractor shall submit a first article as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Part Description	Drawings	Quantity
Bandoleer for Cartridge, 40MM	8835107	30
Bandoleer for Cartridge, 40MM, M433	9278204	30

4.3.2 Inspections to be performed. See MIL-A-48078 and TABLE I herein.

4.3.3 Rejection. See MIL-A-48078

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

TABLE I. FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48228A(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
	Bandoleer		SEE BELOW
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Bandoleer for Cartridge 40MM (Dwg. 8835107 or 9278204)				
	Examination for defects	30	--	3.2	4.4.3.1
	Pull test of fasteners from tab	30	--	3.2	4.5.1
	Water repelling and mildew resistance	30	--	3.2	4.5.2

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. See MIL-A-48078.

a. Sampling plans. Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48228A(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Bandoleer				8835107 or 9278204
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101.	Flap does not snap properly over body tab		0.40%	3.2	Visual/Manual
102.	Stitching defective		0.40%	3.4.1	Visual
103.	Any fasteners missing		0.40%	3.2	Visual
MINOR					
201.	Flap does not mate properly with its tab		0.65%	3.2	Visual
202.	Rips or tears		0.65%	3.2	Visual
203.	Color improper		0.65%	3.2	Visual
204.	Closing tab on body damaged		0.65%	3.2	Visual
205.	Evidence of poor workmanship		0.65%	3.4.2	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

4.4.3 Testing.

4.4.3.1 Pull test of fasteners for tab. Each fastener on five (5) bandoleers shall be subjected to this test. If any fastener fails the requirements specified on the applicable drawings, the lot shall be rejected.

4.4.3.2 Water repelling and mildew resistance. Fifteen bandoleers shall be subjected to this test. If any bandoleer fails to comply with the requirement specified on the applicable drawing, the lot shall be rejected.

4.4.4 Inspection equipment. The inspection equipment required to perform the examinations and tests prescribed herein is described in the Paragraph Reference/Inspection Method Column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See MIL-A-48078 and 6.3 herein.

4.5 Test methods and procedures.

4.5.1 Pull test of fasteners on tab. This test shall be performed in accordance with the procedure specified on Dwg. 8835107 Sheet 2 or 9278204 sheet 2.

4.5.2 Water repelling and mildew resistance. This test shall be performed in accordance with MIL-W-530.

5. PACKAGING

5.1 Preservation and packaging. Unless otherwise specified, packaging will be level B. Maximum and intermediate protection (Level A and B) shall be in accordance with MIL-STD-1169. Minimum protection shall be in accordance with MIL-STD-1188.

5.2 Unitization. Unitization for Levels A and B shall be in accordance with MIL-STD-1169.

5.3 Marking. Marking shall be in accordance with MIL-STD-1169.

6. NOTES

6.1 Intended use. The parts covered by this specification is intented for use with Cartridges: 40MM Ammunition.

6.2 Ordering data. See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

6.3 Submission of inspection equipment design for approval. See MIL-A-48078. Submit equipment designs as required to Commander, ARRADCOM, ATTN: DRDAR-QAA-I, Dover, NJ 07801. Request letter of submittal state contractor, contract number, specification number, item nomenclature and classification of defects or test paragraph.

6.4 Submission of results of contractor-conducted examinations and tests. Unless otherwise specified by the Contracting Officer, the contractor shall forward requested records of examinations or tests to Commander, ARRADCOM, ATTN: DRDAR-QAA-S, Dover, NJ 07801.

6.5 Drawings. Drawings listed in Section 2 of this specification under the heading of US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under cognizance of ARRADCOM.

6.6 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project Number: 1310-A258

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-B-48228A BANDOLEERS FOR CARTRIDGES: 40MM AMMUNITION

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.