MIL-T-55417(EL)
AMENDMENT 2
23 January 1967
SUPERSEDING
AMENDMENT 1
6 July 1966

MILITARY SPECIFICATION

TELETYPEWRITER TERMINAL AN/MGC-22( ) AND TELETYPEWRITER OPERATIONS CENTRAL AN/MGC-32( )

This amendment forms a part of Specification MIL-T-55417EL dated 24 February 1965.

Paragraph 3.1 Description.- Add to the listing of installed major components:

"Low Level Signalling Device TT-524( )/FGC 5 each 1 each"
"Low Level Signalling Device TT-523( )/FGC 1 each 1 each"
"Interconnecting Box J-2671( )/FGC-( )XC-1, 1 each in AN/MGC-32 column."

Paragraph 3.1.1 Semitrailer, Van Electronic Facility V-317( )/MGC.- Delete "(See 6.2(d))" and substitute: "(See 6.2(b).)"

Paragraph 3.4.2.3 Circuits associated with Red Patch Panel.- AN/MGC-32( ) operation.- Delete "ZVA control circuits - see 4.6.3.7".

Paragraph 3.5 System operation.- After paragraph title add: "The system operation shall be performed on the preproduction sample only."

Paragraph 3.18.4 Statement of treatment.- Delete the sentence "period" and "(See 6.2)" from the end of the paragraph and add the following: "for material such as canvas, webbing cloth, etc., cited on drawings listed on SC-DL-507400."

Paragraph 4.5.1 Group A inspection.- Table II. Group A inspection.- Relocate the double asterisks "**" from the "Minor" column to the "Major" column of the "AQL" heading in line with "Electrical". Delete "ZVA control circuits - 3.4.2.3, 4.6.3.7".

Paragraph 4.5.1.1 Order of inspection within group A for AN/MGC-22( ) operation.- Delete "(See 6.2(d))" and substitute: "(See 6.2.(b))".

FSC 5815

Source: https://assist.dla.mil -- Downloaded: 202640-22T23:19Z
Check the source to verify that this is the current version before use.

Paragraph 4.5.1.2 Order of inspection within group A for AN/MGC-32( ) operation.- Delete "(See 6.2.(d))" and substitute: "(See 6.2(b))"

Paragraph 4.5.4 Reinspection of conforming group B and group C sample units.- Delete the word "visible" in last line.

Paragraph 4.6.1.1 Breakdown voltage test.- In subparagraph "(b)" delete the sentence "period" and add: "and bell."

Paragraph 4.6.1.4 Test of Distribution Panel No. 1, Breaker 1 circuit.- In subparagraph "(g)" delete "T" in third line and substitute: "D".

Paragraph 4.6.1.6 Test of Distribution Panel No. 1, Breaker 3 circuit.- Replace "Note: "paragraph with: "Note: This breaker controls 3 equipment outlets. For the AN/MGC-22( ) they shall be identified as AN/GGC-9 #1 and #2 and TT-524; for the AN/MGC-32( ) they shall be identified as ZVA Teletype and TT-524."
Replace subparagraph "(b)" with the following: "(b) The 115 VAC test light shall illuminate when plugged into either outlet of the duplex receptacle. Plug the 115 VAC lamp into the TT-524 outlet; lamp shall not light. Turn switch on; lamp shall light."

Paragraph 4.6.1.20 Test of Distribution Panel No. 3, Breaker 2 circuit.- Replace subparagraph "(b)" with the following: "(b) The 115 VAC test light shall illuminate when plugged into each TTY outlet Pos #8 and #9. Plug 115 VAC lamp into the TT-524 outlets; it shall not illuminate in either outlet. Turn outlet switches on; lamp shall light in both outlets."

Paragraph 4.6.1.22 Test of Distribution Panel No. 3, Breaker 4 circuit.- Replace subparagraph "(b)" with the following: "(b) The 115 VAC test light shall illuminate when plugged into TTY Pos #5 and Convenience duplex outlets #6 and #7. Plug the 115 VAC lamp into the TT-524 outlet; it shall not illuminate. Turn outlet switch on; lamp shall light."

Paragraph 4.6.1.23 Test of Distribution Panel No. 3, Breaker 5, circuit.- Replace subparagraph "(b)" with the following: "(b) The 115 VAC test light shall illuminate when plugged into each TTY outlet Pos #6 and #7. Plug the 115 VAC lamp into the TT-524 outlets; it shall not light in either outlet. Turn outlet switches on; lamp shall light in both outlets."

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:19Z
Check the source to verify that this is the current version before use.

Paragraph 4.6.3.1 Test of Secure Circuit No. 1, Send (Red Patch Panel).- In subparagraph "(d)" delete "PJ-039" and substitute: "PJ-309".

Paragraph 4.6.3.7 Test of ZVA Control Circuits.- Delete.

Paragraph 4.6.5 Test of Ammeter Circuits (Red and Black Patch Panels).- In subparagraph "(b)" delete "PJ-039".

Paragraph 4.6.6.6 ZVA Position Operation.- Subparagraph "(b)"; delete second sentence. Replace "(c)" with the following: "(c) Reference Drawing SC-D-507401 Sheet #6, View "U". Connect low level signalling device cable assemblies to the TT-178( )/FG as indicated in the low level signalling device instruction manual. Connect the low level signalling device to its power receptacle." Subparagraph "(e)" Add a period after the number "4" and delete all thereafter."

Paragraph 4.6.7.2 Secure Circuit No. 1, operation.- In subparagraph "(1)" delete the word "Red".

Paragraph 4.6.7.3 Operation of Secure Circuits No. 2 through 8.- Replace "8" with "4" in the title.
In the first sentence, replace "7" with "3"

Add a new paragraph as follows:

"4.6.7.5 Test of Low Level Signalling Devices.- Connect the low level signalling devices at Positions 5 through 9 (Reference Drawing SC-D-507401 Sheet #6, View "U" and low level signalling instruction manual). At each position, 5 through 9, place test tape in TD and receive reperforated copy of the TT-178( )/FG and page copy at the TT-119( )/FG."

Paragraph 4.7 Vehicular transportation test.- Delete subparagraph "(a)".
In subparagraph (b) delete "fourth sentence" and subsubparagraphs (2), (3), and (4) and change "10 laps" to read: "20 laps" in subsubparagraph (1)".

Paragraph 6.2 Ordering data.- Delete subparagraphs (b) through (h) inclusive and substitute the following:

(b) Procurement of Semitrailer, Van Electrical Facility V-317( )/MGC should be in accordance with this specification. It should be stated whether the van facility is to be used as part of Teletypewriter Terminal AN/MGC-22( ) or Teletypewriter Operations Central AN/MGC-32( ). Preproduction inspection of the V-317( )/MGC should be performed using

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:19Z
Check the source to verify that this is the current version before use.

Government furnished live-loads for testing purposes unless otherwise specified in bid request or contract.

(c) List of each individual component item to be used for testing the equipment where a complete AN/MGC-22( ) or AN/MGC-32( ) assemblage is not available for transfer of major components. (See 3.1).

(d) Submission of the statement of treatment referenced in 3.18.4, as soon as possible after award of contract. The statement should be submitted to the contracting officer.

Custodian
Army EL

Preparing Activity
Army EL

Project Number 5815-A039

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:19Z
Check the source to verify that this is the current version before use.