MILITARY SPECIFICATION

VEHICLE, COMBAT ENGINEER, FULL-TRACKED: 165MM GUN, M728; PROCESSING FOR SHIPMENT AND STORAGE OF

This amendment forms a part of Military Specification MIL-V-62060B(AT), dated 8 August 1980, and is approved for use by US Army Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Paragraph 2.1, under Specifications Federal:

Delete line 1 in its entirety.

Add new line 3:

"O-S-801 - Sulfuric Acid, Electrolyte; for Storage Batteries."

Delete line 16, "QQ-E-450", in its entirety.

Delete line 19, "QQ-R-566", in its entirety.

Delete line 22 in its entirety and substitute:

"QQ-S-781 - Strapping, Steel, and Seals."

Delete line 23 in its entirety and substitute:

"QQ-W-461 - Wire, Steel, Carbon (Round, Bare and Coated)."

Delete line 33 in its entirety and substitute:

"UU-P-268 - Paper, Kraft, Wrapping."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:12Z
Check the source to verify that this is the current version before use.

PAGE 3

Paragraph 2.1, under Specifications, Federal:

Delete line 12, "PPP-T-42", in its entirety.

Delete line 14 in its entirety and substitute:

"PPP-T-97 - Tape, Packaging/Industrial, Filament Reinforced."

Under Specifications, Military, delete line 8, "MIL-S-207", in its entirety.

PAGE 4

Under Specifications, Military:

Delete line 3, "MIL-E-16053", in its entirety.

Delete document identifier of line 17, "MIL-L-46002", and substitute: "MIL-P-46002".

Add new line following 23:

"MIL-E-51454 - Ethyl Alcohol (Ethanol)."

Delete line 28 in its entirety and substitute:

"MIL-D-81298 - Dye, Liquid, for the Detection of Leaks in Aircraft Fuel Systems."

Under Standards, Military:

Delete line 2 in its entirety and substitute:

"MIL-STD-1261 - Arc Welding Procedures for Constructional Steel."

Delete line 4 in its entirety and substitute:

"MS16228 - Nut, Self-Locking, Hexagon-Thin, UNC 3B (Nonmetallic Insert) Austenitic Corrosion Resistant Steel, Nonmagnetic, 250 Deg. F."

PAGE 5

Under Standards, Military:

Delete line 16 in its entirety and substitute:

"MS35751 - Bolt, Square Neck, Round Head (Carriage) Steel, Cadmium or Zinc Plated UNC-2A."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:12Z
Check the source to verify that this is the current version before use.

Delete line 23 in its entirety and substitute:

"MS90725 - Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Steel, Grade 5, Cadmium Plated, UNC-2A."

Add paragraph 2.1.1 before Drawings, Army as follows:

"2.1.1 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation.

COMMERCIAL ITEM DESCRIPTION (CID)

A-A-883 - Tape, Pressure Sensitive Adhesive, Masking."

PAGE 6

Paragraph 2.2, add the following:

"AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI/AWS A5.1 - Covered Carbon Steel, Arc Welding, Electrodes.
ANSI/AWS A5.10 - Aluminum and Aluminum Alloy, Bare Welding Rods and Electrodes.

(Application for copies should be addressed to the American National Standards Institute, Inc., 1430 Broadway, New York, NY 10018.)"

PAGE 8

Delete "O-E-760" from lines 4 and 7 of paragraph 3.1.5.1.3 and substitute: "MIL-E-51454".

PAGE 10

Delete "MIL-L-46002" from line 2 of paragraph 3.1.9.4 and line 4 of 3.1.9.5 and substitute: "MIL-P-46002".

PAGE 13

Paragraph 3.1.12.3, line 2, change from "coincidently" to "coincidentally".

PAGE 14

Paragraph 3.1.13.2, delete the first sentence in its entirety and substitute: "Electrolyte shall be packaged, packed and marked in accordance with O-S-801, except that the exterior container shall conform to PPP-B-601 or PPP-B-621."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:12Z
Check the source to verify that this is the current version before use.

PAGE 15

Paragraph 3.1.15, delete last line in its entirety and substitute: "conforming to A-A-883."

PAGE 17

Paragraph 3.1.24, line 1, delete "TWO" and substitute: "TOW".

PAGE 26

Add paragraph 6.4 as follows:

"6.4 Subject term (key word) listing.

Combat engineer vehicle, full-tracked: 165 mm gun, M728, storage and processing.
Full-tracked, vehicle combat engineer, storage and processing.
Processing for shipment and storage of full-tracked vehicle.
Vehicle, full-tracked, M728, 165 mm gun, processing for storage and shipment of."

PAGE 28

Delete line 2 of Welding Requirement in its entirety and substitute: "aluminum filler conforming to AWS A5.10".

PAGE 64

Figure D9 note, delete "SPEC QQ-R-566" from line 5 and delete line 6 in its entirety and substitute: "SPEC AWS A5.10".

PAGE 66

Figure D13 note, delete "SPEC QQ-R-566" from line 4 and delete line 5 and substitute: "or type 4043 SPEC AWS A5.10".

PAGE 70

Figure D21 note, delete lines 5 and 6 entirely and substitute: "4043 SPEC AWS A5.10".

PAGE 73

Figure D25 note, delete lines 5 and 6 entirely and substitute: "or type 4043 SPEC AWS 5.10".

PAGE 74

Figure D26 note, delete "SPEC QQ-R-566" from line 4 and delete line 5 in its entirety and substitute: "or type 4043 SPEC AWS A5.10".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:12Z
Check the source to verify that this is the current version before use.

PAGE 87

Figure D39, delete "SPEC QQ-E-450", line 4 of welding note and substitute: "SPEC AWS A5.1".

PAGE 90

Figure D43, delete "SPEC QQ-E-450", line 5 of weld note and substitute: "SPEC AWS A5.1".

PAGE 91

Figure D45, delete "SPEC QQ-E-450", line 5 of weld note and substitute: "SPEC AWS A5.1".

PAGE 99

Figure D58, delete "FROM SPEC QQ-E-450", line 3 of weld note and substitute: "FROM SPEC AWS A5.1".

PAGE 102

Figure D63, delete "ELECTRODE SPEC QQ-E-450", from line 4 of weld note and substitute: "ELECTRODE SPEC AWS A5.1".

Custodian:
Army - AT

Review activity:
Army - SM

Preparing activity:
Army - AT

(Project PACK-A326)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:12Z
Check the source to verify that this is the current version before use.