MILITARY SPECIFICATION

COVERS, AUTOMOBILE DISTINGUISHING PLATE COMMANDANT AND GENERAL OFFICERS (USMC)

This amendment forms a part of Military Specification MIL-C-21082A(MC) dated 8 June 1966.

PAGE 1

2.1: "Under "STANDARDS FEDERAL", delete "FED. STD. NO. 751 - Stitches, Seams, And Stitchings" and substitute "FED-STD-751 - Stitch, Seam, And Stitching."

PAGE 2

2.2, line 6: Delete "of the freight classification rules".

3.2: Delete and substitute the following:

"3.2 First article. Unless otherwise specified (see 6.2), before production is commenced, the first article consisting of the number of finished covers specified by the procuring activity (see 6.2) shall be submitted, or made available, to the contracting officer or his authorized representative for approval. The approval of the first article authorizes the commencement of production, but does not relieve the supplier of responsibility for compliance with all provisions of this specification. The first article shall be manufactured by the supplier in the same facilities to be used for the manufacture of the production items."

PAGE 3

3.6.1.2, line 2: Delete "FED. STD. NO. 751" and substitute "FED-STD-751".

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:40Z
Check the source to verify that this is the current version before use.

PAGE 5

4.1: Delete and substitute the following:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2: Delete and substitute the following:

"4.2 First article inspection. When first article is required, inspection shall be made of a completely fabricated cover for conformance to all provisions of this specification."

PAGE 9

6.1: Delete "(MC)".

6.2: Delete and substitute the following:

"6.2 Ordering data. Purchasers should exercise any desired options offered herein, and procurement documents should specify the following:

"6.2.1 Procurement requirements.

(a) Title, number, and date of this specification.
(b) Size required (see 1.2).
(c) Whether first article is required (see 3.2).
(d) Number of covers in first article (see 3.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:40Z
Check the source to verify that this is the current version before use.

"6.2.2 Contract data requirements. Data conforming to Data Item Descriptions DI-R-4803, DI-R-4805, DI-T-4901, DI-T-4902, DI-T-4903 and DI-T-4904 will usually be required for delivery in connection with this specification. When so required, such data will be specified for delivery on a DD Form 1423 included in the contract."

After 6.4, add new paragraph as follows:

"6.5 First article. Examinations, test and approval shall be as specified by the contracting officer (see 3.2)."

Delete "Custodian: Navy - MC."

Preparing activity:
Navy - MC
Project No. 8345-N108

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:40Z
Check the source to verify that this is the current version before use.