DOD-P-63986(AR)
AMENDMENT 1
14 September 1984

MILITARY SPECIFICATION

PELLET, FLASH TUBE 1B52

This Amendment forms a part of Military Specification DOD-P-63986(AR), dated 14 May 1982 and is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1: Delete "PXR6317" and substitute "M883".

PAGE 2

2.1.1: Add "MIL-STD-1235 - Single and Multi-Level Continuous Sampling Procedures and Tables for Inspection by Attributes" to the end of the paragraph.

PAGE 3

3.3: Delete "Calorfic Value" and substitute "Caloric Value".

3.6.1: Delete "4.5.2.1 and 6.3.4" and substitute "4.5.4".

Table 1, Case mouth pressure (mean peak): Delete footnote "1/" and substitute "415 Mpa maximum".

PAGE 4

3.6.2: Delete in its entirety and substitute

"3.6.2 Environmental conditions. When assembled into a complete round, as shown on Drawing 11825947 the pellet shall not deteriorate and the mean muzzle velocity shall not increase or decrease from the mean muzzle velocity at 21°C by more than 30 m/s and the mean peak pressure shall not change by more than 60 MPa from the data at 21°C, after being subjected to the following conditions:"

PAGE 5

3.6.2.1: Add last sentence "Refer to MIL-STD-810, method 518.1".

4.3.1, Quantity: Delete "400" and substitute "360 pellets".

FSC 1305

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:08Z
Check the source to verify that this is the current version before use.

4.3.1.1: Delete "100" and substitute "60".

PAGE 6

Table II: Add "11825903" to next highest assembly.

PAGE 7

Table II:

Delete "225 grams" and substitute "30 Pellets".

Delete "calorfic value" and substitute "caloric value (granular)".

Delete "TH & A and vibration tests".

PAGE 8

4.2.2a, Add to last sentence: "or MIL-STD-1235".

PAGE 9

4.4.2.1:

Add "11825903" to next higher assembly.

Delete "Chemical uniformity" and substitute "uniformity".

Major 104: Delete "Calorific" and substitute "Caloric".

PAGE 10

4.4.2.2

Add: "11825903" to the next higher assembly.

Major 102: Delete "0.25%" and substitute "n = 30, Acc-0, Rej-1".

PAGE 12

4.4.3.3:

Delete "225 grams" and substitute "30 pellet".

Third sentence: Delete "Table I" and substitute "3.9".

Delete: "1.0" and substitute "0.080".

4.5.1.1: Delete 3.3.1" and substitute "3.2".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:08Z
Check the source to verify that this is the current version before use.

PAGE 13

4.5.2.1: Delete "3.2.2" and substitute "3.3".

PAGE 15

4.5.4.2: Delete "±10°C" and substitute "±5°C".

PAGE 17

4.5.4.7, last sentence: Delete "refernce" and substitute "reference".

PAGE 18

4.5.4.11.1:

Test Method: Delete "504" and substitute "518.1".

Delete "4.6.2" and substitute "4.5.4.11".

4.5.4.11.2:

Second sentence: Delete "AAH magazine" and substitute "M592 Ammo Can".

Delete "4.3.2" and substitute "4.5.4.11".

Delete "Figure 1" Substitute Figure 514.2-3, 514.2-10 of MIL-STD-810.

PAGE 19

Delete Figure I in its entirety.

PAGE 20

6.3.2:

Delete "chamber pressure" and substitute "case mouth pressure".

Delete "projectile extraction".

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1305-A999)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:08Z
Check the source to verify that this is the current version before use.