MIL-C-36351B
18 October 1971
SUPERSEDES
MIL-C-36351A
10 July 1968

MILITARY SPECIFICATION

CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC, 0.05%

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers Cetylpyridinium Chloride Solution, Alcoholic, 0.05%. (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-585	Box, Wood, Wirebound.
PPP-B-601	Box, Wood, Cleated-Plywood.
PPP-B-621	Box, Wood, Nailed and Lock-Corner.
PPP-B-636	Box, Fiberboard.
PPP-B-676	Box, Set-Up, Paperboard.
PPP-C-00186a	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

Military

MIL-L-10547	Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals, shall apply.

AMERICAN PHARMACEUTICAL ASSOCIATION PUBLICATION

National Formulary

(Application for copies should be addressed to the Mack Publishing Company, Easton, Pa. 18042.)

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder

(Application for copies should be addressed to the Food and Drug Administration, U. S. Department of Health, Education, and Welfare, Washington, D. C. 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States

(Application for copies should be addressed to the Mack Publishing Company, Easton, Pa. 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a clear, aqueous, alcoholic solution containing 0.05 percent of cetylpyridinium chloride (1:2000) suitable for use as a mouthwash and gargle.

3.1.1 Assay. The solution shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amount of cetylpyridinium chloride when determined by an appropriate, accurate, and reproducible method.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

3.1.1.1 Upon a separate request of the contracting officer, the bidder or offeror shall submit the proposed method of assay for the solution. The method shall be subject to approval and acceptance by the Government. If the method is approved and accepted by the Government, such method shall be employed in the testing of the material.

3.1.2 Alcohol. The solution shall assay to contain not less than 13.0 percent and not more than 16.0 percent of alcohol, when determined by an appropriate, accurate, and reproducible method.

3.1.2.1 Upon a separate request of the contracting officer, the bidder or offeror shall submit the proposed method of assay for the alcohol content. The method shall be subject to approval and acceptance by the Government. If the method is approved and accepted by the Government, such method shall be employed in the testing of the material.

3.1.3 pH. The pH of the solution shall be not less than 7.0 and not more than 7.8 at 25° C., when determined potentiometrically, using the U.S.P. method.

3.1.4 Specific gravity. The specific gravity of the solution shall be not less than 0.9900 and not more than 1.0000 at 25° C.

3.1.5 Identity. The presence of cetylpyridinium chloride in the solution shall be determined using a suitable identification method.

3.1.5.1 Upon a separate request of the contracting officer, the bidder or offeror shall submit the proposed method of identification for the solution. The method shall be subject to approval and acceptance by the Government. If the method is approved and accepted by the Government, such method shall be employed in the testing of the material.

3.1.6 Flavor and palatability. The finished product shall be palatable, nontoxic, and nonirritating, and shall be pleasant to the taste with no unpleasant aftertaste. Not later than the time specified for opening of bids or receipt of proposals, the offeror shall submit to the contracting officer six (6) individually packaged samples (each containing 5 fluid ounces of Alcoholic Cetylpyridinium Chloride Solution) representative of the product which the offeror proposes to furnish. Two (2) samples will be subjected to panel testing for a determination of flavor and palatability (see 4.4.2, flavor and palatability test). The remaining samples will be used by cognisant

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the above requirements. Approval as to flavor and palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirements of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the flavor and palatability requirement.

3.1.7 Stability. The solution shall not change physically or chemically and shall comply with all tests specified in this document for the finished product when stored at a temperature not below 50° F. and not above 86° F., and protected from direct sunlight for at least 1-1/2 years.

3.1.8 The assay (3.1.1), pH (3.1.3), and specific gravity (3.1.4) shall be determined on each day's production run (lot).

3.2 Active ingredient. The Cetylpyridinium Chloride used in the manufacture of the solution shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients entering into the finished solution shall be of U.S.P. or N.F. quality or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.4 Workmanship. The material and its containers shall be free from any defects which detract from their appearance or impair their serviceability.

3.5 Delivery. Not more than four (4) months shall have elapsed from the date of manufacture of the solution, to the date of delivery to the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For the purpose of this specification, a lot, batch, or control is that quantity of cetylpyridinium chloride solution produced from one day's production run, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105, with an Acceptable Quality Level (AQL) of 1.0 percent defective for major defects and 2.5 percent defective for minor defects.

4.4 Tests.

4.4.1 Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

4.4.2 Flavor and palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Cetylpyridinium Chloride Solution Flavor and Palatability Standard,* when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

*The Flavor and Palatability Standard for FSN 6505-142-8730 is available upon separate request to the contracting officer, Defense Personnel Support Center.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery of the product shall be as specified herein and shall be in accordance with all applicable paragraphs of Interim Federal Specification PPP-C-00186a, dated 15 May 1969, and any amendment or revisions thereto.

5.1.1 Immediate containers. Each immediate container shall comply with the following classification:

GROUP A CLASS 2* STYLE 1 GRADE 2

CLOSURE A or B

*Commercial polyvinyl chloride.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.2 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug, and Cosmetic Act, and shall include the information required below.

5.2.1 Immediate containers. Each immediate container label shall bear the following information. However, the information is not required to appear in the sequence indicated:

(a) the item name designated as "CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC"

(b) the concentration designated as "0.05%"

(c) the quantity of contents designated as "5 fl oz (148 cc)"

(d) the Federal Stock No. designated as "FSN 6505-142-8730" or "Stock No. 6505-142-8730"

(e) the lot or control number

(f) the date of manufacture

(g) the name and address of the manufacturer. When the manufacturer is not the contractor, the name and address of the contractor shall also appear.

When both names are placed on the label, the following designations shall precede the names:

"MFR" for the manufacturer and
"CONTR" for the contractor.

(h) indication of the percent of alcohol

(i) the statement "DO NOT FREEZE."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.3 Packaging.

5.3.1 Unit of issue. One (1) bottle containing 5 fluid ounces, as specified, constitutes one unit of issue.

5.3.2 Packaging quantities. The number of units of issue indicated in Table I shall be packaged in each intermediate and exterior container, as applicable, for the required level of protection specified in the procurement document.

Table I. Packaging quantities

Unit package	Intermediate package	Exterior container
Optional (see 5.3.3.1)	24 units	72 units

5.3.2.1 Packing variation permitted. If the required number of units to be shipped is less than the number of units specified to be overpacked in an exterior container, such units shall be packed in an exterior container of suitable size and design, acceptable to a common carrier, which shall insure safe delivery to destination.

5.3.3 Level A.

5.3.3.1 Unit package. At the option of the contractor, each unit shall be packaged in a box of appropriate size constructed in accordance with PPP-B-566 or PPP-B-676, except that commercial colors are acceptable. Closure shall be adequate to prevent spilling of contents under normal handling.

5.3.3.2 Intermediate package. Intermediate package shall be a box of appropriate size constructed in accordance with PPP-B-636, type CF, class domestic. Closure of box shall be adequate to prevent spilling of contents under normal handling.

5.3.4 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.4 Packing.

5.4.1 Level A.

5.4.1.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-636, class weather-resistant, grade V3c.

5.4.1.2 Case liner. Each level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes.

5.4.1.3 Closure. Closure of wood boxes shall be in accordance with appendix of applicable box specification. Closure of each fiberboard box shall be as specified in the appendix, and waterproofing shall conform with 30.4 of PPP-B-636.

5.4.1.4 Strapping. Strapping, when required, shall be in accordance with appendix of applicable box specification.

NOTE: Strapping shall not be required for shipments forwarded to a receiving activity within the continental limits of the United States for storage and redistribution.

5.4.2 Level B.

5.4.2.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure of wood boxes shall be as specified in the appendix of the applicable box specification. Closure of fiberboard boxes shall conform to method II of PPP-B-636.

5.4.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, stise, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.5 Marking.

5.5.1 Unit package. When furnished, each unit package shall bear the same information as required for the immediate container.

5.5.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. When labels are utilized, waterproofing shall be required only when applicable carton is fabricated of water-resistant material. Contract or purchase order number and name of contractor shall be shown. In addition, lot (control) number, date of manufacture (in lieu of date packed), and the following legends shall be shown:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)."
and
"SUBJECT TO DAMAGE BY FREEZING."

5.5.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. In addition, lot (control) number, date of manufacture (in lieu of date packed), and the following legends shall be shown:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)."
and
"SUBJECT TO DAMAGE BY FREEZING."

6. NOTES

6.1 Ordering data. Procurement documents should specified the following:

(a) Number and date of this specification
(b) the Federal Stock No.
(c) Selection of applicable levels of packaging and packing (see 5.3 and 5.4).

6.2 This specification covers the following item:

FSN 6505-142-8730 CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC, 0.05%, 5 fl oz (148 cc)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

6.3 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activities:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM
Project No. 6505-1280

Review information is current as of date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

DATE: 1 October 1971

APPROVED NEW DRUG APPLICATION REQUIRED

The supplier of any item(s) listed below must possess, at time of award of contract for such item(s), a New Drug Application which has been approved by the Food and Drug Administration.

FSN	Item Identification
6505-142-8730	CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC, 0.05% 5 fl oz (148 cc)

SSC-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document (s) or serve to amend contractual requirements.

SPECIFICATION
MIL-C-36351B

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

a. GIVE PARAGRAPH NUMBER AND WORDING.

b. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 68 1426 REPLACES EDITION OF 1 OCT 64, WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Defense Personnel Support Center
Attn: DPSC-ATTS
2800 South 20 th St.
Philadelphia, Pa. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.