MIL-D-36354D
30 July 1976
SUPERSEDING
MIL-D-36354C
8 November 1974

MILITARY SPECIFICATION

DIOCTYL CALCIUM SULFOSUCCINATE CAPSULES, NF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Dioctyl Calcium Sulfosuccinate Capsules, NF.

1.2 Classification. The tablets covered by this specification shall be of the following sizes (See 6.2):

Size 1 - 30s
Size 2 - Individually sealed, 100s
Size 3 - 500s

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-676 - Boxes, Setup.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Doucment Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-00285 --Capsules (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Dioctyl Calcium Sulfosuccinate Capsules, NF, and shall be in accordance with all applicable requirements of FED-STD-00285, and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I or type II.

S5.3 The following is added to this paragraph:

Shall be capsules containing 0.24 gram of Dioctyl Calcium Sulfosuccinate per capsule, within the applicable assay limits for the capsules.

S6.2.15 Acid solubility. In the last paragraph, delete "5 minutes" and substitute "20 minutes."

3.1.1 Leakage. Not more than three (3) capsules shall leak when 100 capsules are placed under 62 percent relative humidity at a temperatue of 40°C. for a period of 72 hours.

3.2 Ingredients.

3.2.1 Dioctyl calcium sulfosuccinate. The dioctyl calcium sulfosuccinate used in the manufacture of the capsules shall comply with the tests, standards, and requirements of the NF, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the capsules shall comply with S5.2 of FED-STD-00285.

3.4 Expiration dating period. The expiration dating period shall be not less than 36 months.

3.4.1 Delivery. Not more than 6 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item for the expiration dating period specified by the contractor

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-00285 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time, The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One box containing one hundred individually packaged capsules (size 2), or one bottle containing thirty capsules (size 1), or one bottle containing five hundred capsules (size 3), as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1 and size 3. The immediate container for size 1 and size 3 shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Size 2. Immediate container for size 2 shall be a commercially available strip or blister package considered acceptable to the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container shall be altered in any way by each other.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1 and size 3. At the option of the contractor, a unit package may be furnished for each bottle containing size 1 and size 3 capsules. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Size 2. One hundred individually packaged capsules shall be packaged in a box conforming to PPP-B-566 or PPP-B-676. Closure shall be as specified in the appendix of the applicable box specification.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1. Twelve units shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.2.3.2 Size 2. Ten unit packages shall be packaged in a box conforming to PPP-B-566, PPP-B-636, class domestic or PPP-B-676. Closure shall be as specified in the appendix of the applicable box specification.

5.2.2.3.3 Size 3. Twelve units shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A.

5.3.1.1 Size 1 and size 3. Twelve intermediate packages (144 units) containing size 1 capsules or two intermediate packages (24 units) containing size 3 capsules shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.1.2 Size 2. Ten intermediate packages (100 units) containing size 2 capsules shall be packaged in an exterior container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and waterproofing shall be as specified in the appendix of the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

5.3.2 Level B.

5.3.2.1 Size 1. Twelve intermediate packages (144 units) containing size 1 capsules shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.2.2 Size 2. Ten intermediate packages (100 units) containing size 2 capsules shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.

5.3.2.3 Size 3. Two intermediate packages (24 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, constructed so as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date (for size 1 and size 3 only).

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

(c) the expiration date (for size 2 only).

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied for size 1 and size 3, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number and name of contractor shall be shown. Type II Shelf Life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C. (59° to 86°F)".

5.4.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Type II Shelf Life markings as specified in MIL-STD-129 shall be shown. Lot (control) number and the following legend shall be shown: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° to 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-117-8607	DIOCTYL CALCIUM SULFOSUCCINATE CAPSULES, NF, 0.24 Grams, 30s	Size 1
6505-00-118-1449	DIOCTYL CALCIUM SULFOSUCCINATE CAPSULES, NF, 0.24 Gram, Individually Sealed, 100s	Size 2
6505-00-148-9815	DIOCTYL CALCIUM SULFOSUCCINATE CAPSULES, NF, 0.24 Gram, 500s	Size 3

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1586

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-D-36354D DIOCTYL CALCIUM SULFOSUCCINATE CAPSULES, NF

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.

☆ GPO: 1974—603-680/6126 2-1

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:27Z
Check the source to verify that this is the current version before use.