MIL-P-36318B(DLA-DM)
26 July 1977
SUPERSEDING
MIL-P-36318A
5 September 1968

MILITARY SPECIFICATION

PSYLLIUM HYDROPHILIC MUCILLOID WITH DEXTROSE

This specification is approved for use by the Defense Personnel Support Center, Defense Logistics Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Psyllium Hydrophilic Mucilloid with Dextrose for use as a bulk producing laxative.

2. APPLICABLE DOCUMENTS

2.1 Issue of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

COUNCIL ON DRUGS, AMERICAN MEDICAL ASSOCIATION (AMA)

New and Nonofficial Remedies - 1953 Tests and Standards

(Application for copies should be addressed to the J. B. Lippincott Company, Philadelphia, PA 19101.)

Source: https://assist.dla.mil -- Downloaded: 202610-21T08:23Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be a uniform, powdered mixture containing equal parts of the mucilaginous portion (outer epidermis) of blond psyllium seeds (Plantago ovata-Forskal) and of powdered anhydrous Dextrose, USP, together with 0.3 percent sodium bicarbonate, 0.25 percent potassium biphosphate, 0.6 percent citric acid and 0.04 percent benzyl benzoate. The psyllium mucilloid component shall be carefully refined to be substantially free from vegetable oil and from fibrous or other material which will not gelatinize in water.

3.1.1 Standards. The finished preparation shall comply with the tests and standards in the 'Tests and Standards of the New and Nonofficial Remedies', 1953, except that the moisture content shall not exceed 4.60 percent and a 2.0 gram sample shall be used in the assay in lieu of a 20.0 gram sample.

3.1.2 Oil content. The oil content of the finished preparation shall be not more than 0.40 percent when tested as specified in 4.7.1.

3.1.3 Swelling test. One (1.0) gram of the finished preparation shall swell to not less than 25 ml and not more than 35 ml in volume when tested as specified in 4.7.2.

3.1.4 Accelerated aging. All lots of finished product are subject to compliance with the "Aging test" (4.7.3). At its discretion, the Government may test any and all lots to determine compliance with the aging test.

3.2 Ingredients.

3.2.1 Psyllium mucilloid component. The psyllium mucilloid component shall be carefully refined to be substantially free from vegetable oil and from fibrous or other material which will not gelatinize in water.

3.2.1.1 Flotation test at 25°C. The final mix of the purified psyllium mucilloid component before admixture with the dextrose and other ingredients shall contain not more than 0.8 percent of non-mucilaginous substances which will float on a mixture of chlorinated solvents of specific gravity of 1.45, when tested as specified in 4.7.4.

3.2.1.2 Sinking test at 25°C. The final mix of the purified psyllium mucilloid component, before admixture with the dextrose and other ingredients, shall contain not more than 0.5 percent of non-mucilaginous substances which will sink in carbon tetrachloride, when tested as specified in 4.7.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.

3.3 Contents. Each immediate container shall contain 14 oz (397 gram).

3.4 Delivery. Not more than 6 months shall have elapsed from the date of manufacture of the product, to the date of delivery to the Government.

3.5 Workmanship. The material and its containers shall be free from any defects which detract from their appearance or impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such time, or such longer period as may be required by regulation of the any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of psyllium hydrophilic mucilloid with dextrose produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container.
Minor	II	2.5	Filled immediate container.

4.4 Examination. The finished psyllium hydrophilic mucilloid with dextrose shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	Psyllium not free from foreign matter.
102	Psyllium not free from crystal formation.
103	Psyllium not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents and foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 202610-21T08:23Z
Check the source to verify that this is the current version before use.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests.

4.7.1 Oil content. Weigh out a 100-gram sample and extract (Soxhlet) with carbon tetrachloride over a 24-hour period.

4.7.2 Swelling test. Add a one (1.0) gram sample to 100 ml of water (room temperature) in a 100 ml glass-stoppered graduated cylinder. Shake for 5 minutes and then allow the sample to stand at room temperature for 20 hours with occasional shaking.

4.7.3 Aging test. Six (6) immediate containers of the finished product shall be randomly selected from each of the designated lots and subjected to each test group (2 immediate containers each for Groups I, II, and III) for one week and two weeks, as specified.

Source: https://assist.dla.mil -- Downloaded: 202640-21T08:23Z
Check the source to verify that this is the currentversion before use.

TABLE III. Aging test. 1/

GROUP	TEMPERATURE/HUMIDITY	TEST CONDITIONS
I	70° to 80°F	Finished package with screw-cap in place.
II	120°F ± 2°F and 65 to 70 percent R.H.	Same as described in GROUP I.
III	24 hour cycles alternated as follows: One cycle at 130°F ± 2°F for 24 hours and the other cycle at 70° to 80°F and 50 percent R.H. for 24 hours.	Same as described in GROUP I.

1/ Pull one filled container from each of the above groups at the end of one (1) week and the remaining containers at the end of two (2) weeks aging. The samples shall comply with the following:

A. Samples from GROUPS II and III may show slight lumping and may be slightly darker than GROUP I samples.

B. The powder samples from GROUPS II and III shall not develop an off-taste when compared to the unaged (GROUP I) samples.

C. Samples from GROUPS I, II, and III shall comply with all requirements of the specification.

D. The containers of unaged (GROUP I) and aged (GROUPS II and III) samples shall show no evidence of swelling, collapse, or rupture, and shall have no odor foreign to the containers.

4.7.4 Flotation test at 25° C. Accurately weigh about 15 grams of the purified psyllium mucilloid and place in a 100 ml cylindrical separator. Add approximately 90 ml of a mixture of chlorinated solvents of specific gravity 1.45 and shake for about 1/2 to 1 minute and allow to settle for 1/2 to 1 minute. Repeat shaking and settling two times. Drain off about 80 ml of lower mixture and discard. To the remaining solution, add about 25 ml of mixture, stir or mix carefully, allow to settle and drain off lower layer. Repeat twice using about 10 ml of mixture each time. Transfer the final remaining solvent (about 10 ml) containing the non-mucilaginous portion into a tared beaker, evaporate to dryness at 65°, dry to room temperature in calcium chloride desiccator and weigh. Calculate the percent floating substances.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.

4.7.5 Sinking test at 25° C. Accurately weigh about 10 grams of the purified psyllium mucilloid into a 100 ml beaker. Transfer quantitatively into a 250-ml cylindrical separator. Add 80 ml of carbon tetrachloride and stir for one (1) minute. Let stand for five (5) minutes. Drain off the non-mucilaginous substances which sink by drawing off at least 30 ml of solvent (care must be exercised in drawing off the solvent so that none of the floating material is removed) into a tared 100-ml beaker. Evaporate to dryness on a steam bath at a temperature not exceeding 70° C. Cool the beaker over anhydrous calcium chloride and weigh. Calculate the percent sinking substances.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One container, containing 14 oz (397 Gram), as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged as specified in 5.2.14.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Forty-eight (48) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 202610-21T08:23Z
Check the source to verify that this is the current version before use.

5.3.2 Level B. Forty-eight (48) units of issue shall be packed as specified in 5.4.3.6.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug, and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the date of manufacture.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. When labels are utilized, waterproofing shall be required only when applicable carton is fabricated of water-resistant material. Lot (control) number, contract or purchase order number and name of contractor shall be shown. Date of manufacture shall be shown in lieu of date packed.

5.4.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number shall be shown. Date of manufacture shall be shown in lieu of date packed.

Source: https://assist.dla.mil -- Downloaded: 202640-21T08:23Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-050-4567	PSYLLIUM HYDROPHILIC MUCILLOID WITH DEXTROSE, 14 oz (397 Gram)

6.3 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Preparing activity:
DLA-DM

Project No. 6505-1950

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-P-36318B(DLA-DM) PSYLLIUM HYDROPHILIC MUCILLOID W/DEXTROSE

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:23Z
Check the source to verify that this is the current version before use.