INCH-POUND

MIL-DTL-27434/24A
w/AMENDMENT 1
30 July 2022
SUPERSEDING
MIL-DTL-27434/24A
22 May 2008


DETAIL SPECIFICATION SHEET

ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, BETWEEN SERIES, SERIES TWIN to SERIES C TYPE UG-971/U

Inactive for new design after 19 February 1982

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-27434.



NOTES:

1. Dimensions are in inches.

FIGURE 1. Type UG–971/U connector adapter.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:57Z
Check the source to verify that this is the current version before use.

ENGINEERING DATA:

Impedance: 50 ohms, nominal.

Frequency range: 0 to 200 MHz.

Voltage rating: 500 V rms, maximum at sea level.
125 V rms, maximum at 70,000 feet.

Temperature rating: -65º C to +165º C.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Mating characteristics: Series C socket contact in accordance with MIL-STD-348, and series twin interface shall be in accordance with MIL-DTL-27434 after assembly.

Dielectric withstanding voltage: MIL-STD-202-301, 1,500 V rms minimum at sea level.

Corrosion: Applicable.

Vibration: Applicable.

Shock: Applicable.

Part or Identifying Number (PIN): UG-971/U.

Supersession: This document supersedes Signal Corps Drawing SC-C-106728.

Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Referenced documents. In addition to MIL-DTL-27434, this document references the following:

MIL-STD-202-301	SC-B-106736
MIL-STD-348	SC-B-106737
SC-B-106730	SC-B-106739
SC-B-106731	SC-B-106740
SC-B-106732	SC-B-106741
SC-B-106733	SC-C-106742
SC-B-106735	

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:57Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - EC
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2022-095)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:57Z
Check the source to verify that this is the current version before use.