MIL-A-27434/32A
25 March 1966
SUPERSEDING
MIL-A-27434/32
28 September 1960

MILITARY SPECIFICATION

ADAPTER, CONNECTOR, COAXIAL,

RADIOFREQUENCY, BETWEEN SERIES

TYPE UG-1144/U

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the detail requirements for type UG-1144/U, between series (series N to series QDS), radiofrequency, coaxial connector adapter.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATION

MILITARY

MIL-A-27434 - Adapters, Connector, Coaxial, Radiofrequency, Between Series, General Specification for.

STANDARD

ARMY-NAVY AERONAUTICAL

AN6227 - Packing, "O" Ring Hydraulic.

DRAWINGS

BUREAU OF SHIPS

REB10003 - Bushing.
REB10022 - Insulator.
REB10042 - Ring.
REA10284 - Contact.

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 20260-20T12:00Z
Check the source to verify that this is the current version before use.





FIGURE 1. Type UG-1144/U connector adapter.



NOTES
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

INCHES	MM
.001	.03
.002	.05
.004	.10
.093	2.36
.200	5.08
.276	7.01
.288	7.32
.318	8.08
.340	8.64
.413	10.49
.625	15.88

FIGURE 2. Dimensional requirements for group B inspection

Source: https://assist.dla.mil -- Downloaded: 202640-20T12:00Z
Check the source to verify that this is the current version before use.

REA10285 - Flange.
REA10288 - Ball Bearing.
REA10289 - Sleeve.
REA10293 - Spring.
REB10424 - Insulator.
REB10635 - Contact.
REB10914 - Body.
REB10916 - Body.

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer).

3. REQUIREMENTS

3.1 Requirements. Requirements shall be in accordance with MIL-A-27434, and as specified herein.

3.2 Design and construction. The connector adapter shall of the design, construction, and physical dimensions specified on figure 1.

3.2.1 Gage tests for contacts. The specified contact shall meet the gage tests for contacts specified in 4.2 to 4.2.1, inclusive.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling and inspection. Sampling and inspection shall be in accordance with MIL-A-27434, and as specified herein.

4.1.1 Group B inspection. Group B inspection shall be in accordance with MIL-A-27434. Mating dimensions shall be as specified on figure 2.

4.2 Gage tests for contacts (applicable only to series QDS termination) (see 3.2.1). The outer contact shall be subjected to the gage tests specified in 4.2.1 prior to assembly into the connector adapter.

4.2.1 Spring-finger contact members shall make contact, within 1/32 inch of their tip ends, with a ring having an inside diameter of 0.420 inch minimum. All contact members shall then enter a ring having an inside diameter of 0.428 inch maximum when a pressure of not more than 1 pound is applied.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with MIL-A-27434.

6. NOTES

6.1 Notes. In addition to the notes specified herein, the notes specified in MIL-A-27434 are applicable to this specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:00Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the design of type UG-1144/U connector adapter which was previously covered by Bureau of Ships Drawing, REB49321.

6.3 The margins of this specification are marked with an asterisk to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - EL
Navy - SH
Air Force - 11

Preparing activity:
Army - EL

(Project 5935-1441)

Review activities:
Army - MI, MJ, EL
Navy - SH, ESO
Air Force - 11, 17, 85

User activities:
Army - MO
Navy - WP, MC
Air Force - 14, 19

Source: https://assist.dla.mil -- Downloaded: 202640-20T12:00Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET

Form Approved Budget Bureau No 119 R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor involved in the use of the specification in procurement of products for ultimate use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner and send to preparing activity

SPECIFICATION

ORGANIZATION	CITY AND STATE

CONTRACT NO	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF YES IN WHAT WAY?

4 REMARKS *(Attach any pertinent data which may be of use in improving this specification If there are additional papers attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1426
1 APR 63

Army-Ft Monmouth, NJ-MON 94-64

Source: https://assist.dla.mil -- Downloaded: 202610-20T12:00Z
Check the source to verify that this is the current version before use.

FOLD

HEADQUARTERS
U. S. ARMY ELECTRONICS COMMAND
FORT MONMOUTH, NEW JERSEY 07703

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

Commanding General
U. S. Army Electronics Command
ATTN: AMSEL-PP-

Fort Monmouth, New Jersey 07703

FOLD

To detach this form, cut along this line