INCH-POUND

MIL-DTL-27434/38B
22 May 2008
SUPERSEDING
MIL-A-27434/38A
3 June 1964

DETAIL SPECIFICATION SHEET

ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, SERIES N to SERIES LN TYPE UG-213A/U

Inactive for new design after 19 February 1982

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-27434.



Inches	mm
.015	0.38
.875	22.23
1.531	38.89

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.

FIGURE 1. Type UG–213A/U connector adapter.

AMSC N/A FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:01Z
Check the source to verify that this is the current version before use.

ENGINEERING DATA:

Impedance: 50 ohms, nominal.

Voltage rating: 1,000 V rms, maximum at sea level.
250 V rms, maximum at 70,000 feet.

Temperature rating: -65º C to +165º C.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Mating characteristics: Series N socket contact in accordance with MIL-STD-348, and series LN pin contact interface shall be in accordance with MIL-DTL-27434 after assembly.

Dielectric withstanding voltage: 2,500 V rms, maximum at sea level.

Corrosion: Applicable.

Vibration: Applicable.

Shock: Applicable.

Part or Identifying Number (PIN): UG-213A/U.

Supersession: This document supersedes drawing REB49274.

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-27434, this document references the following:

MIL-STD-348
REB10859
REB10860

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:01Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - EC
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2007-013)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:01Z
Check the source to verify that this is the current version before use.