MILITARY SPECIFICATION SHEET

CONTRACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the contacts described herein shall consist of this document and the latest issue of Specification MIL-C-39029.




Figure 1. Connector contact.

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Metric equivalents are in parentheses for overall length and diameter only.
4. Dimensions shown apply after plating.

(A) Denotes changes

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:38Z
Check the source to verify that this is the current version before use.

TABLE I. Design characteristics. (A)

BIN code	Color bands			Contact cavity size	Cable accommodated	Type	Class
	1st	2nd	3rd				
340	Orange	Yellow	Black	12	M17/094-RG179	D	B

TABLE II. Tools. (A)

BIN code	Inner contact		Outer contact		Installing and removal tool
	Basic crimping tool	Positioner	Basic crimping tool	Die	
340	M22520/2-01	M22520/2-30	M22520/5-01 M22520/10-01	M22520/5-08 M22520/10-05 Cavity A	M81969/14-04

REQUIREMENTS:

Dimensions, design characteristics, and configuration: See figure and table I.

Tools: See table II.

(A) Vibration: Method 2005 of MIL-STD-1344, test condition VI, letter G.

Shock (specified pulse): Method 2004 of MIL-STD-1344, test condition A.

Mating contact: MIL-C-39029/51.

Manufacturer's recommended assembly instructions to be shipped with unit package.

Insulation resistance: Greater than 5,000 megohms.

Dielectric withstanding voltage: 500 Vac rms at sea level.

QPL evaluating activity: AFALD/PTES, Wright-Patterson AFB. OH 45433.

Military part number: See table III.

TABLE III. Military part number.

(A)

BIN code	Military part number	Supersedes
340	M39029/50-340	M83733/13-12

Custodian:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC, SH, MC
Air Force - 11, 17, 99
DLA-ES

User activities:
Army -
Navy - OS
Air Force -

Preparing activity:
Air Force - 85

(Project 5935-3097-14)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-39029/50A, 25 April 1980

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76 PREVIOUS EDITION WILL BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:38Z
Check the source to verify that this is the current version before use.