MIL-S-36834B
22 December 1975
SUPERSEDING
MIL-S-36834A(DSA-DM
19 March 1974

MILITARY SPECIFICATION

SHEETS, BED, NONWOVEN FABRIC, DISPOSABLE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for one type, three sizes and two colors of a disposable, nonwoven fabric, bed sheet.

1.2 Classification. The disposable bed sheets shall be furnished in the following sizes and colors, as specified (see 6.2):

SIZES

Size 1-96 by 60	Size 2-72 by 40	Size 3-84 by 40

COLORS

White	Aqua

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-636	Boxes, Shipping, Fiberboard

FSC 7210

Source: https://assist.dla.mil -- Downloaded: 202610-21T09:25Z
Check the source to verify that this is the current version before use.

Military

MIL-F-36911	Fabric, Nonwoven, Bed Sheets and Gowns, Disposable

STANDARDS

Federal

FED-TEST METHOD STD No. 191	Textile Test Methods

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	Marking for Shipment and Storage

(Copies of specifications and standards required by contractors in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials. The materials shall conform to the applicable specifications and standards as listed or required herein.

3.1.1 Fabric. The bed sheets shall be fabricated from the nonwoven fabric conforming to MIL-F-36911. The color of the Size 1 bed sheet shall be white. The color of the Size 2 and 3 bed sheets shall be aqua.

3.2 Design and construction. Each bed sheet shall be rectangular in appearance with all edges straight and even. Each bed sheet shall be clean, free from any break, tear, hole, wrinkle, uneven or ragged edge, foreign matter, spot, stain, mend or patch and anything that detracts from its appearance or serviceability.

3.3 Dimensions. The sheets shall conform to the dimensions for the different sizes specified in Table I when measured as specified in 4.3.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

Table I. Bed Sheet Dimensions in inches

Size	Length	Width
1	96	60
2	72	40
3	84	40
Tolerance	± 3	± 3

3.4 Workmanship. The bed sheets shall conform to the quality of grade established by this specification. The occurrence of defects shall not exceed the acceptance criteria established herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material and component inspection. In accordance with 4.1, the materials and components shall be inspected and tested in accordance with all the requirements of the referenced specifications and standards, unless otherwise excluded, amended, modified, or qualified in this specification or purchase document.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (an investigation without the use of special laboratory apparatus or procedures such as visual) and testing (a determination by technical means of physical and chemical properties) of the item.

4.2 Quality conformance inspection. The sampling and inspection shall conform to MIL-STD-105, except where otherwise indicated hereinafter. The quality conformance inspection shall consist of the tests and examinations specified in Table II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

4.2.1 Sampling.

4.2.1.1 Inspection lot.

4.2.1.1.1 Bed sheets. An inspection lot size shall be expressed in units of one bed sheet made essentially under the same conditions and from the same materials and components. The sample unit shall be one bed sheet.

4.2.1.2 Sampling for examinations and tests of the bed sheets. The sample size, acceptance criteria, examinations and tests required for the bed sheets shall be as specified in Table II.

TABLE II
SAMPLE SIZE, ACCEPTANCE CRITERIA, EXAMINATIONS AND TESTS OF THE BED SHEETS

Inspection	Paragraph		Sample Size	Acceptance Criteria
	Requirement	Method		
Visual Examination	3.2 and 3.4	4.3.1.1	Inspection Level II	An acceptable quality level of 4.0 defects per 100 units for major defects and 10.0 defects per 100 units for minor defects.
Dimensional check	3.3	4.3.1.1	Inspection Level S-3	An acceptable quality level of 4.0 defects per 100 units.

4.3 Inspection methods.

4.3.1 Visual examination.

4.3.1.1 Sheets. Each sheet selected in accordance with Table II as a sample unit from the lot shall be thoroughly checked dimensionally and examined visually to determine conformance to this specification. The classification of defects listed in MIL-F-36911 and the list of defects, Table III of this specification, as applicable, shall be used to classify and enumerate the defects found.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

TABLE III
LIST OF DEFECTS FOR THE DIMENSIONS OF THE BED SHEETS

Measurement	Defect
Measure the length and width	Any measurement deviating from the measurements specified in 3.3 and applicable tolerance shall be enumerated as a dimensional defect.

4.3.1.2 Packaging inspection. An inspection shall be made to determine compliance with the packaging, packing and marking requirements of section 5. Defects shall be scored as specified in table IV. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with AQL of 4.0 expressed in terms of percent defective.

TABLE IV. Examination of preparation for delivery

Examine	Defect
Contents	Not as specified.
Container	Not as specified.
Marking	Omitted; incorrect; illegible; improper size, location, sequence or method of application.
Material	Component missing or damaged.
Workmanship	Bulging or distortion of containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

4.3.1.2.1 Examination of closure, waterproofing and banding of container. When the shipping container is required to comply with PPP-B-636, the examination for defects in closure, waterproofing or banding shall be in accordance with the appendix of the box specification.

4.3.2 Procedure for measuring. The bed sheet to be measured shall be laid flat, without tension, on a smooth, flat surface so that any wrinkles or creases shall not affect the measurement. The measurements shall be made with the use of any suitable measuring device.

5. PACKAGING

5.1 Packaging requirements. Packaging shall be Levels A or C as specified (see 6.2).

5.1.1 Unit of issue. One package containing one hundred sheets of one color and size as specified, constitutes one unit of issue.

5.1.2 Level A.

5.1.2.1 Unit preparation. Each size 1 sheet shall be neatly folded to an approximate size of 11 by 16 inches. Each size 2 and size 3 sheet shall be neatly folded to an approximate size of 9 by 12 inches. Ten folded sheets of one color and size shall comprise one bundle and each bundle shall be secured with a paper-band or packaged in a plastic bag.

5.1.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.2 Packing. Packing shall be Levels A, B or C as specified (see 6.2).

5.2.1 Level A. Ten bundles containing ten sheets each of one color and size only shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-636, class weather-resistant. Each box shall have the contents completely covered on the top and bottom with a sheet of 30 pound minimum basis weight kraft paper. When plastic bag is used for unit preparation, kraft paper shall not be required. Closure, waterproofing, and strapping shall be as specified in the appendix of the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

5.2.2 Level B. Ten bundles containing ten sheets each of one color and size only shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-636, type CF, class domestic. Each box shall have the contents completely covered on the top and bottom with a sheet of 30 pound minimum basis weight kraft paper. When plastic bag is used for unit preparation kraft paper shall not be required. Closure of the box shall be as specified in the appendix of the box specification.

5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.2.4 Packing variation permitted. If the required number of units to be shipped is less than the number of units specified to be overpacked in an exterior container, such units shall be packed in an exterior container of suitable size and design, acceptable to a common carrier, which shall insure safe delivery to destination.

5.3 Marking.

5.3.1 Band. Each paper band shall be commercially identified.

5.3.2 Bag. Each bag shall be commercially identified. Marking may be on the bag or on a label inserted within the bag.

5.3.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number shall be shown. The date of manufacture shall be shown in lieu of the date packed.

6. NOTES

6.1 Intended use. The bed sheets covered by this specification are intended for one-time use in situations where contamination, damage and staining are encountered.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Size required (see 1.2).
(c) Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

Source: https://assist.dla.mil -- Downloaded: 202640-21T09:25Z
Check the source to verify that this is the current version before use.

6.3 Catalog information. This specification is intended to cover the following items appearing in the Federal Supply Catalog:

National Stock Number	Item Identification	Size
7210-00-144-6082	Sheet, Bed, Nonwoven Fabric, White, Disposable, 100s	1
7210-00-498-0512	Sheet, Bed, Nonwoven Fabric, Aqua, Disposable, 100s	2
7210-00-139-6376	Sheet, Bed, Nonwoven Fabric, Aqua, Disposable, 100s	3

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 7210-0201
CS

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-S-36834B SHEETS, BED, NONWOVEN FABRIC, DISPOSABLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-21T09:25Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:25Z
Check the source to verify that this is the current version before use.