MIL-C-44328
29 March 1988
SUPERSEDING
PP-C-002199(Army-GL)
17 December 1984

MILITARY SPECIFICATION

CHICKEN CACCIATORE, THERMOSTABILIZED, TRAY PACK

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers chicken cacciatore thermostabilized in tray pack cans for use by the Department of Defense as a component of operational rations.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Documents. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

FEDERAL

TT-C-495	-	Coatings, Exterior, For Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items
MIL-L-35078 - Loads, Unit: Preparation of Semiperishable Subsistence Items; Clothing, Personnel Equipment and Equipage; General Specification for

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks and Sugars Used in the Preparation of Thermo-stabilized Foods for the Armed Forces

(Copies of documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

2.1.2 Other Government documents. The following other Government documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Meat and Poultry Products Inspection Regulations

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Standards for Grades of Canned Mushrooms
U.S. Standards for Grades of Tomato Paste

(Application for copies should be addressed to the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service (AMS), U.S. Department of Agriculture, Washington, DC 20250.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

United States Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Market Research and Development Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

Food Safety and Inspection Service, Canning of Meat and Poultry Products (9 CFR Part 318)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Primary Drinking Water Regulations

(Application for copies should be addressed to the Office of Drinking Water, Environmental Protection Agency, WH550D, 401 Main Street, S.W., Washington, DC 20460.)

2.2 Other publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issues of the nongovernment documents which are current on the date of the solicitation.

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION (ADOGA)

Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, 650 California Street, Suite 800, San Francisco, CA 94108.)

NATIONAL ACADEMY OF SCIENCE

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence. Nothing in this document, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.4, 6.1, and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Chicken. The chicken shall be prepared from chilled or frozen ready-to-cook fowl (mature female chicken) which has been processed in accordance with USDA Poultry Products Inspection Regulations. All chicken (raw or cooked) shipped between plants shall be accompanied by a USDA Poultry Grading Certificate to certify quality, class, and condition of the product and either the initial chilling date or initial freezing (in-storage) date.

3.2.1.1 Chicken, chilled. Raw bone-in or boneless chicken received in the chilled state shall not have been previously frozen and shall have been held at a temperature not to exceed 40°F for a period of time not to exceed 4 days following initial chilling and prior to preparation and further processing (see 3.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

3.2.1.2 Chicken, frozen. Raw bone-in or boneless chicken received in the frozen state shall have been held at a temperature not to exceed 0°F for a period of time not to exceed 120 days following initial freezing and prior to preparation and further processing (see 3.3).

3.2.1.3 Chicken, cooked, frozen. Frozen cooked chicken shall be prepared from chilled chicken that complies with 3.2.1 and 3.2.1.1. Chicken shall be processed in accordance with 3.3.1, 3.3.1.1 or 3.3.1.2. Cooked chicken, in log, piece, or dice form, shall be packaged and vacuum-sealed in water-impermeable material having an oxygen permeability rate of not more than 10cc of oxygen per square meter per 24 hours at 73°F and 0 percent relative humidity and shall be frozen to 0°F or below within 72 hours. The packaged, frozen cooked chicken shall have been held at 0°F or below for a period not to exceed 30 days prior to can filling (see 3.4). Frozen cooked chicken compliance with processing and packaging requirements shall be certified by the ingredient supplier. Alternatively, chicken dices produced from cooked chicken logs may be packaged in suitable material other than that described above and placed in a freezer immediately after dicing and frozen to 0°F or below within 24 hours after placement in the freezer. Cooked, individually quick frozen chicken dices may also be packaged in other than the impermeable material and placed in a freezer immediately after packaging. Cooked, frozen chicken dices packaged in other than impermeable material shall be held at 0°F for a period of time not to exceed 14 days. If other than impermeable packaging material is used, the type of material shall be approved by USDA.

3.2.2 Broth, chicken. Chicken broth may be frozen or canned (thermostabilized). The broth shall be inspected in accordance with USDA Poultry Products Inspection Regulations. It shall be free from extraneous material and cracklings. If frozen, broth shall have been held at 0°F or below for a period not to exceed 75 days prior to use in product formulation. The broth shall be clear, essentially fat free, and concentrated to a soluble solids level sufficient to comply with the solids requirement in the product formulation. The broth shall have a characteristic mild chicken broth odor and flavor and may contain flavor enhancers approved by FDA.

3.2.3 Tomatoes, canned, crushed. Canned tomatoes shall be peeled, cored, mature crushed tomatoes packed in puree. The use of safe and suitable firming and acidification ingredients and salt is permitted in accordance with Federal regulations. The canned tomatoes shall have not less than 8.0 percent tomato soluble solids and shall possess a red flesh color, normal character, and a good distinct acid sweet tomato flavor and odor. The crushed tomatoes shall be free of extraneous vegetable material and objectionable core material and skins (peel). The crushed tomatoes shall be from the latest date of pack.

3.2.4 Mushrooms, canned, pieces and stems. The canned pieces and stems shall be U.S. Grade B or better, in accordance with the U.S. Standards for Grades of Canned Mushrooms. The mushrooms shall be drained prior to use in the sauce formulation. The brine shall be retained for inclusion into the sauce. The canned mushrooms shall be from the latest date of pack.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

3.2.5 Mushrooms, frozen, sliced. Frozen mushrooms shall be prepared from fresh, sound, properly trimmed and washed mushrooms possessing the characteristics of the species Agaricus (Psalliota) bisporus or Agaricus bitorguis. The mushrooms shall be of the white or cream color type and shall be of a randomly sliced style with approximately 1/8 inch slices. The frozen mushrooms shall be of the latest season's pack.

3.2.6 Tomato paste. Tomato paste shall be U.S. Grade A of the U.S. Standards for Grades of Tomato Paste.

3.2.7 Fat, chicken, rendered, frozen. Frozen rendered chicken fat shall have a clear, yellow color and a characteristic mild chicken-fat odor and flavor. The fat may contain USDA approved antioxidants. The chicken fat shall have a peroxide value not to exceed 6 meq./kg, a free fatty acid value not to exceed 0.50 percent (expressed as oleic acid), and a moisture content not to exceed 0.25 percent. The chicken fat shall be produced in a USDA inspected plant in accordance with USDA regulations and shall have been held at 0°F or below for a period not to exceed 75 days prior to formulation.

3.2.8 Starch, waxy maize, modified. The starch shall be white, odorless, finely pulverized, modified waxy maize starch for use in thermostabilized foods and shall comply with MIL-STD-900. The modified starch shall demonstrate initial viscosity development in the temperature range of 140° to 170°F and a typical viscosity (be fully hydrated) at common retort temperatures. It shall resist breakdown at low pH, under shear stress, and under conditions of cold storage. The cooked modified starch slurry shall be bland with essentially no cereal or starch taste.

3.2.9 Onion, dehydrated, chopped. Dehydrated chopped onion shall be fancy grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

3.2.10 Salt. Salt shall be noniodized, white, refined sodium chloride with or without anticaking agents and shall comply with purity standards for sodium chloride of the Food Chemicals Codex.

3.2.11 Cheese, parmesan, grated. Parmesan cheese shall be grated parmesan cheese which has been aged 10 months or more. The grated cheese shall be free-flowing and free from lumps that do not fall apart under light finger pressure.

3.2.12 Sugar. Sugar shall be refined, sucrose, liquid or granulated, cane or beet sugar or a combination thereof, and shall comply with MIL-STD-900.

3.2.13 Peppers, green, sweet, freeze-dried. The peppers shall be 1/4 inch dices of sweet bell peppers which have been dehydrated by freeze-drying or partially air-dryed followed by freeze-drying. The dices shall be free of seeds, seed cells, and diseased or rotted areas. The pepper dices shall have a fresh, clean, typical sweet green pepper flavor and odor and a green with minimal brownish color. The moisture content shall be not greater than 4 percent.

3.2.14 Lecithin. Lecithin shall comply with the Food Chemicals Codex.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

3.2.15 Pepper, white, ground. Ground white pepper shall be derived from the dried mature berries of Piper nigrum L. from which the outer covering or the outer and inner coverings have been removed. The pepper shall have a characteristic penetrating odor, a hot biting pungent flavor, and a light color. The white pepper shall contain not less than 1.0 mL of volatile oil per 100 grams of ground white pepper and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 40 sieve.

3.2.16 Garlic powder. Garlic powder shall be Fancy Grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

3.2.17 Oregano, ground. Ground oregano shall be derived from the dried leaves of Origanum vulgare L. and shall possess a strong camphoraceous aroma and a pungent, slightly bitter flavor. The ground oregano shall contain not less than 2.0 mL of volatile oil per 100 grams of ground oregano and shall be of such size than 95 percent shall pass through a U.S. Standard No. 30 sieve.

3.2.18 Bay leaves, ground. Ground bay leaves shall be derived from the dried leaves of Laurus nobilis L. The bay leaves shall possess a pleasant aromatic odor, a pungent, mildly bitter flavor, and a pale green to yellow green color. A minimum of 95 percent shall pass through a U.S. Standard No. 30 sieve. Volatile oil content shall be not less than 1.0 mL of volatile oil per 100 grams of ground bay leaves.

3.2.19 Celery seed, ground. Ground celery seed shall be derived from the seed of Apium graveolens L. and shall be light to rich-brown in color, and shall possess a characteristic celery odor and flavor with a warm, slightly bitter aftertaste. The ground celery seed shall contain not less than 2.0 mL of volatile oil per 100 grams and shall be of such size that not less than 95 percent, by weight, shall pass through a U.S. Standard No. 35 sieve.

3.2.20 Fennel ground. Ground fennel shall be derived from the ripe fruit of Foeniculum vulgare Mill. The ground fennel shall be light green-brown to yellow-brown in color and shall possess a pleasant aromatic odor with a flavor resembling that of anise. The fennel shall contain not less than 1.0 mL of volatile oil per 100 grams of ground fennel and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 25 sieve.

3.2.21 Sodium tripolyphosphate. Sodium tripolyphosphate shall comply with the Food Chemicals Codex.

3.2.22 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The spices and seasonings in the mixture shall comply with the individual requirements specified in this document. The containers used for the spice and seasoning blend shall be labeled with each ingredient and the percentage of each ingredient in the blend. The ingredients shall be in the same proportions as specified in the ingredient formula.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

3.2.23 Water. Water used for ice-making, formulation, rehydration, and washing shall conform to the National Primary Drinking Water Regulations.

3.3 Preparation and further processing. Processing shall be on a continuous basis.

3.3.1 Chicken preparation. The chicken shall be made boneless and skinless. The wing tips, giblets, neck, feet, and viscera shall be excluded. The boned meat shall be free of pin feathers, skin, blood clots, bruises, blemishes, ligaments, tendons, coarse connective tissue, cartilage, and bone greater than 0.3 inch in any dimension. The boneless meat shall be comprised of at least 50 percent white meat. Cooked chicken dices shall be prepared in accordance with 3.3.1.1 and 3.3.1.2.

3.3.1.1 Preparation of individually quick frozen (IQF) chicken dices. The IQF chicken dices shall be prepared as follows:

a. The chicken shall be cooked either before or after deboning by any commercially acceptable cook method in accordance with USDA Poultry Products Inspection Regulations.

b. The cooked chicken meat shall be cooled to 40°F or below within 4 hours following the cooking process and shall be held no longer than 48 hours at a temperature not to exceed 40°F prior to dicing.

c. The cooked chicken meat shall be mechanically diced with dicer settings at 3/4 by 3/4 by 3/4 inch dimensions. The diced meat shall be held no longer than 4 hours in the temperature range of 28° to 40°F from time of dicing to the beginning of the IQF process.

d. Immediately after the IQF process, the frozen chicken dices shall be screened to eliminate fines. The frozen and screened chicken dices shall be packaged and vacuum sealed in water-impermeable material having an oxygen permeability rate of not more than 10 cc of oxygen per square meter per 24 hours at 73°F and 0 percent relative humidity. Frozen, cooked chicken meat shall not have been prepared from raw (uncooked) frozen chickens (see 3.2.1.3).

3.3.1.2 Chicken log preparation and processing. The chicken logs shall be prepared and processed as follows:

Ingredient	Percent by weight
Chicken meat	95.75
Ice or ice water	3.00
Salt	1.00
Sodium tripolyphosphate	0.25

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

a. Fresh chilled chicken meat processed on the day of boning shall be coarse ground within 24 hours following boning. If fresh-chilled (not previously frozen) chicken meat is transported between plants, it shall be maintained in the temperature range of 28° to 40°F and coarse ground within 4 days following boning. Frozen chicken meat shall be maintained at 0°F or lower until further processing and be coarse ground within 120 days after boning. The meat shall be mechanically coarse ground through a grinder plate having kidney-shaped openings measuring not less than 2 inches in the shortest dimension. The grinder shall be equipped with a 2-blade knife.

b. The coarse ground (chunked) chicken meat shall be mechanically mixed with the salt and sodium tripolyphosphate. The mixing shall continue until the mixture exhibits a sticky (tacky) consistency. Time from grinding to mixing shall not exceed 4 hours. The ground chicken meat shall be maintained in the temperature range of 28° to 40°F during this time period.

c. The mixed meat shall immediately be mechanically stuffed tightly into prestuck, regenerated cellulose casings of a size to accommodate the finished product meat dimension requirement. The stuffed meat logs shall be in the cooking process within 4 hours after being stuffed. (This period of time may be extended up to 24 hours, provided the meat logs are maintained in the temperature range of 28° to 40°F.)

d. The chicken logs shall be cooked in a cook house (smoke house without smoke) or by other commercially acceptable cook methods to provide a product meeting the finished product drained weight and other requirements.

e. Immediately after completion of the cooking process, the cooked meat logs shall be placed in an ice water bath, or cooled by other commercially acceptable cooling method, and rapidly cooled to 130°F or below. The chicken logs shall be further cooled from 130°F to 80°F or below within 2 hours and further cooled from 80°F to 40°F or below within 4 hours.

f. The cooked chicken logs shall be mechanically diced with dicer settings at 3/4 by 3/4 by 3/4 inch dimensions. After dicing, the meat shall be screened to eliminate fines. The diced meat shall be held not longer than 4 hours in the temperature range of 28° to 40°F until preparation of the finished product or, if stored in frozen form, until packaged and vacuum-sealed (see 3.2.1.3).

3.3.3 Sauce formulation and preparation. The sauce shall be formulated as follows:

Ingredients	Percent by weight
Chicken broth 1/	56.61
Tomato, crushed	16.00
Mushrooms, stems, and pieces, canned, drained or mushrooms frozen	8.46
Tomato paste (26 percent natural tomato soluble solids) 2/	5.00

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

Ingredients	Percent by weight
Chicken fat	4.00
Starch, waxy maize, modified	3.50
Onions, chopped, dehydrated 4/	3.45
Salt 3/	1.25
Cheese parmesan, grated	0.50
Sugar, granulated	0.50
Green pepper, diced, dehydrated 4/	0.30
Lecithin	0.20
Pepper, white, ground	0.09
Garlic powder	0.06
Oregano, ground	0.03
Bay leaf, ground	0.02
Celery seed, ground	0.02
Fennel seed, ground	0.01

1/ Chicken broth with different soluble solids content shall be adjusted to the 3.0 to 3.5 percent solids.

2/ If the specified tomato solids are not available, the tomato solids that are used must be calculated to bring the solid level to that specified.

3/ The total amount of salt in sauce formula shall be adjusted as necessary to produce a product that complies with the finished product salt requirements.

4/ The dehydrated onions and green peppers shall be fully rehydrated in an excess of water, then thoroughly drained before incorporation into the sauce (see 3.3.4).

a. A slurry shall be made using part of the chicken broth, and the starch.

b. An emulsion shall be made by mixing the remainder of the chicken broth, mushrooms, crushed tomatoes, tomato paste, chicken fat, and lecithin. The emulsion shall be heated to a boil in a steam jacketed kettle with continuous and vigorous agitation to attain maximum emulsification of the fat.

c. To the emulsion, add the parmesan cheese and stir until the cheese is uniformly dispersed.

d. The emulsion shall be cooled to 180°F or lower and the remaining ingredients added. The emulsion shall be stirred to assure that the salt is dissolved, the dehydrated vegetables are rehydrated, and the spices are uniformly dispersed.

e. The starch slurry shall be added and the final mixture heated to 180° to 190°F and held in this temperature range for 5 minutes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

f. The volume of the final mixture shall be adjusted with water to compensate for evaporation loss during heating and holding.

g. If the sauce is not to be immediately filled into cans, it shall be maintained in the temperature range of 150° to 180°F. The holding time from end of preparation until filling into the cans shall not exceed 4 hours.

3.3.4 Product preparation. The diced chicken and sauce shall be combined in the following proportions, using either a single or multi-stage filling operation:

Ingredient	Percent by weight
Chicken, cooked, diced	49.10
Sauce	50.90

3.4 Tray pack filling and sealing. Each tray pack can (see 5.1.1) shall be filled with product such as to conform to the finished product requirements and to the following requirements:

a. Each can shall be hermetically sealed under a vacuum established by a processing authority and specified in the scheduled process so as to assure compliance with the finished product requirement (see 3.6t).

b. The filled and sealed tray pack cans shall be in the retort process within 2 hours after sealing.

3.5 Tray pack thermoprocessing. The filled and sealed tray pack cans shall be thermostabilized by retorting at 240°F or below until a sterilization value (F_0) of not less than 6.0 has been achieved.

3.6 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as, but not limited to, dirt, insect parts, hair, wood, glass, or metal.

b. There shall be no foreign odors or flavors such as, but not limited to, burnt, scorched, stale, sour, rancid, or moldy.

c. There shall be no color foreign to the product.

d. No individual can shall contain a bone piece measuring more than 0.3 inch in any dimension.

e. The total weight of skin, cartilage, coarse connective tissue, section of tendons or ligaments, and discolored meat, collectively, in a can shall be not more than 1 ounce.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

f. There shall be no feathers or feather parts.

g. The average net weight shall be not less than 106 ounces.

h. No individual can shall contain less than 104 ounces of product.

i. The average drained weight of whole intact chicken pieces, mushrooms and other ingredients shall be not less than 59.0 ounces.

j. No individual can shall contain less than 54.0 ounces of drained, whole intact chicken pieces, mushrooms and other ingredients.

k. Of the 54.0 ounces drained weight of product, not less than 20.0 ounces shall be whole intact chicken pieces.

l. Texture of chicken pieces shall not be dry, rubbery, or mushy.

m. Texture of mushrooms shall not be mushy, hard, fibrous, or tough.

n. Sauce consistency shall be smooth, without lumps, and shall not be excessively thick or thin.

o. The average fat content shall be not greater than 7.0 percent.

p. The fat content of an individual tray pack shall be not greater than 9.0 percent.

q. The salt content of an individual tray pack shall be not greater than 1.3 percent nor less than 0.5 percent.

r. The chicken pieces and sauce shall be uniformly distributed.

s. The product shall show no evidence of excessive heating (materially darkened or scorched).

t. Filled, sealed and retorted cans must show evidence of proper vacuum as determined by concavity of the can lid (see 4.5.6).

3.6.1 Palatability. The product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.7 Plant qualification. The poultry component and the finished product shall originate and be produced, processed, and stored in plants regularly operating under Poultry Products Inspection Regulations of the U.S. Department of Agriculture.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of inspection service necessary to assure compliance with the requirements of this document.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, or compliance be verified by examination of pertinent labels, markings, U.S. Grade certificates, certificates of analysis, or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods, such as the standard methods described in the Official Methods of Analysis of the Association of Official Analytical Chemists and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, can interior coating, filling, sealing, and packing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Tray pack inspection. The inspection lot shall include only tray packs produced in one workshift. The USDA reserves the right to separate the inspection lot into smaller inspection lots.

4.5.3.1 Net weight inspection. Randomly select 30 filled and sealed tray pack cans from the inspection lot and weigh separately. Subtract the average tare weight (determined by randomly selecting and weighing 30 of the empty tray pack cans and lids used in preparing the product and dividing the total weight by 30) from the weight of each tray pack in the sample. The results shall be reported to the nearest 1 ounce. If the average net weight is less than 106 ounces or if the net weight of any individual can is less than 104 ounces, the lot shall be rejected.

4.5.3.2 Product inspection. The sample size shall be as indicated by the double sampling plan specified in table I. The tray pack cans shall be selected at random from the lot. The tray pack cans shall be heated in accordance with heating instructions on the can label, opened, and inspected for the defects listed in table II.

TABLE I. Double sampling plan for product inspection. 1/

Lot size (cans)	Sample size (cans)	Cumulative sample	Acceptance number	Rejection number
0 to 3200	8	-	0	2
	8	16	1	2
3201 to 35000	13	-	0	3
	13	26	3	4

1/ a. If no defects are found in the first sample, the lot shall be accepted.

b. If the number of defects found in the first sample equals or exceeds the rejection number, the lot shall be rejected.

c. If the number of defects found in the first sample exceeds the acceptance number but is less than the rejection number, the second sample shall be inspected. Defects found in the first and second samples shall be combined and if the number of defects in the cumulative sample equals or exceeds the rejection number, the lot shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

TABLE II. Product defects 1/ 2/

Category	Defect
Major	
101	Presence of bone measuring more than 0.3 inch in any dimension.
102	Presence of feathers or feather parts.
103	Total weight of skin, cartilage, coarse connective tissue, section of tendons or ligaments, and discolored meat, collectively, is more than 1 ounce.
104	Drained weight of whole intact chicken pieces, mushrooms, and other ingredients in a can is less than 54.0 ounces. 3/ 4/
105	Of the 54.0 ounces drained weight of product, less than 20.0 ounces are whole intact chicken pieces. 5/
106	Texture of chicken pieces dry, rubber, or mushy. 6/
107	Sauce consistency lumpy or is excessively thick or thin.
108	Texture of mushrooms mushy, hard, fibrous, or tough. 6/
109	Chicken pieces and sauce not uniformly distributed.
110	Product shows evidence of excess heating (materially darkened or scorched).

1/ The presence of foreign material (e.g. glass, dirt, insert parts, hair, wood, metal), foreign odor or flavor (e.g. burnt, scorched, stale, sour, rancid, moldy), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by an AMS agent.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

3/ To determine drained weight, the free liquid in the can shall be poured off and the remaining contents shall be poured into a flat bottom container. A minimum of three times the tray pack can's volume of 190° to 212°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated such as to liquify rendered fat and to remove the sauce without breaking the chicken pieces, mushrooms or vegetables. The contents shall then be poured into a U.S. Standard 1/4-inch sieve in a manner that will distribute the product over the sieve without breaking the chicken pieces, mushrooms or vegetables. Sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at an approximate 45° angle and allowed to drain for 2 minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.

4/ The lot shall be rejected if the sample average drained weight of the whole intact chicken pieces, mushrooms, and other ingredients is less than 59.0 ounces.

5/ For purpose of this examination, the definition of a whole intact chicken piece is one that measures not less than 3/8 inch in each of two separate dimensions.

6/ Examination for appearance and texture conformance of the chicken and mushrooms shall be made of representative pieces immediately following the determination of drained weight.

4.5.3.3 Fat and salt content testing. Nine tray packs shall be selected at random from the lot and distributed as follows:

- Three for laboratory analysis.
- Three for submission to the contractor.
- Three for retention by the AMS agent as reserve samples.

The three tray packs for laboratory analysis shall individually be tested for fat and salt content in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists, Chapter: Meat and Meat Products, except that preparation of the samples shall be as follows: The three unopened cans shall be gently warmed in a water bath to melt fat adhering to the inside of the cans. The cans shall be opened and the entire contents of each can shall be separately blended in a Waring blender or equivalent. The test results shall be reported to the nearest 0.1 percent. The lot shall be rejected if:

a. The average fat content of the three tray packs is greater than 7.0 percent.
b. The fat content of any individual tray pack is greater than 9.0 percent.
c. The salt content of any individual tray pack is less than 0.5 percent or greater than 1.3 percent.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

Analysis of reserve samples at the request of the contractor shall not be permitted unless the original laboratory analysis indicated that the involved lot will be rejected because of noncompliance with the fat or salt content requirement. When the reserve samples are analyzed, the analyses for both fat and salt shall be made and will be considered final. Unused reserve samples shall be returned to the contractor for inclusion in subsequent lots.

4.5.4 Can condition examination. Examination of filled and sealed tray pack cans shall be in accordance with the United States Standards for Condition of Food Containers, except that inspection for labeling shall be in accordance with 4.5.4.1.

4.5.4.1 Can label examination. Labels shall be examined for defects in accordance with MIL-L-1497 (see 5.4), except, that for self-adhering labels, the following additional defects shall apply:

Major: Label torn or scratched so as to obliterate any of the markings.

Minor: Air bubbles under label.
Label not properly adhered to can, i.e., label raised or peeled back from edges or corners.

4.5.4.2 Label adhesive examination. When self-adhering labels are used, the adhesive shall be tested in accordance with ASTM D 3330.

4.5.5 Can closure examination. Can closure shall be examined visually and by teardowns in accordance with the can manufacturer's requirement and CFR 21, Part 113, Subpart D, or CFR 9, Part 318, Subpart G, as applicable. Any nonconformance based on observation of can seam teardowns or of record of can seam teardowns shall be cause for rejection of any involved product.

4.5.6 Vacuum examination. Cans shall be allowed to cool to 75° ± 5°F, held for at least 24 hours after sealing, and then examined for vacuum retention. To examine, lay a straight edge in the center of the lid along the length of the tray pack. Both ends of the straight edge shall touch the lid at the inside edge of the double seam. There shall be a visible gap between the straight edge and the lid for the entire distance of the label panel. Using a shorter straight edge, the same procedure shall be used across the width, in the center of the tray pack can. When examining a ribbed lid, only lay the straight edge between the two center ribs along the length of the can. The inspection lot shall include only tray packs produced in a single shift on a single sealing machine. The sample size shall be 50 cans. Any nonconforming tray pack can shall be cause for rejection of the lot.

4.5.7 Shipping container examination. Shipping containers shall be examined for defects in assembly, closure, and reinforcement (when applicable) in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

Major: National stock number, item description, contract number, or date of pack markings missing, incorrect, or illegible.
Reinforced with other than nonmetallic strapping or tape.
Dimensions of pads not as specified.
Interior packing with fiberboard liner or pads not as specified.

Minor: Other required markings missing, incorrect or illegible.
Arrangement or number of cans not as specified.

4.5.8 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

5. PACKAGING

5.1 Preservation. The product shall be preserved in accordance with level A or C as specified (see 6.1).

5.1.1 Level A. A size 1001 by 1206 by 200 tray pack can shall be filled with 106 ounces of the food product, sealed, and thermoprocessed as specified in 3.4 and 3.5. The base plate of the can shall be electrolytic chromium-coated steel and shall be of sufficient temper to protect the product during shipment and storage. The base plate weight of the body and end of each can shall be 90 pounds per base box. The entire inside area of the can shall be coated. Scratches or fractures shall not penetrate through the interior can coating. The interior can coating shall not peel or blister when in contact with the product. The interior can coating shall neither affect nor be affected by the packaged product. A certificate of conformance shall be furnished to certify compliance with the interior can coating requirements. The can shall be coated overall on the outside with a coating conforming to type I of TT-C-495.

5.1.1.1 When specified (see 6.1), the base plate of the can shall be electrolytic chromium-coated steel and shall be of sufficient temper to protect the product during shipment and storage. The base plate weight of the body and end of each can shall be 98 pounds per base box. The body design shall be reinforced on the bottom with six longitudinal beads or ribs 0.050 $\pm$ 0.010 inches deep. The beads shall be 9 inches by 3/4 inch in length and width and shall be equidistant in the center panel of the bottom. The end design shall be reinforced with eight longitudinal beads 0.018 $\pm$ 0.004 inches deep. The beads shall be 11 inches by 3/4 inch in length and width and shall be equidistant in the center panel of the end. The center four beads on the end design shall be interrupted to provide a 5-inch by 5-inch flat center panel for labeling. The apex of all these beads shall be outward. The interior and exterior can coating requirements shall be as specified in 5.1.1.

5.1.2 Level C. The product shall be preserved as specified in 5.1.1, except that cans with commercial exterior coating will be acceptable.

5.2 Packing. The product shall be packed in accordance with level A, B, or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

5.2.1 Level A packing. Four cans of product, preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L or HSC-L with a HSC full depth cover, grade V2s of PPP-B-636. The cans shall be packed flat, four in depth within the box, with the first two cans placed with the lids together and the next two cans with the lids together. The inside of each box shall be provided with a box liner and five fiberboard pads fabricated of grade V3c fiberboard. The height of the box liner shall be equal to the full inside depth of the box (+0 inch, -1/8 inch). The pads shall be placed between the cans and on the top and bottom of the stacked cans. The pad dimensions shall be not less than 1/8 inch of the full length and width dimensions of the box. Each box shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament-reinforced tape in accordance with the appendix of PPP-B-636. Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.1) except that the unit load shall consist of 48 boxes with 12 boxes per course and four courses per load with all courses having the same pattern so as to create columnar stacking. When unit loads are strapped, strapping shall be limited to nonmetallic strapping, except for type II, class F load.

5.2.2 Level B packing. Four cans of product, preserved as specified in 5.1, shall be packed as specified in 5.2.1 except the box shall be constructed of grade V3c, V3s, or V4s fiberboard.

5.2.3 Level C packing. Four cans of product, preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, class domestic, grade 275 of PPP-B-636. The cans shall be packed flat, four in depth within the box, with the first two cans placed with the lids together and the next two cans with the lids together. The inside of each box shall be provided with a box liner and five fiberboard pads. The height of the box liner shall be equal to the full inside depth of the box (+0 inch, -1/8 inch). The pads shall be placed between the cans and on the top and bottom of the stacked cans. The pad dimensions shall be not less than 1/8 inch of the full length and width dimensions of the box and shall be fabricated of the same material as the box.

5.3 Unit loading. When specified (see 6.1), the product, packed as specified in 5.2.2 and 5.2.3 shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified except that the unit load shall consist of 48 boxes with 12 boxes per course and four courses per load with all courses having the same pattern so as to create columnar stacking. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping, except for type II, class F loads.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

5.4 Labeling. Each tray pack can shall be labeled in accordance with MIL-L-1497 and with the following:

- Official establishment number (e.g., est 38) or a three letter code identifying the establishment.
- Lot number 1/
- Production shift number 1/
- Retort identification number 1/
- Retort cook number 1/

1/ The lot number shall be expressed as a four digit Julian code. The first digit shall indicate the year of production and the next three digits shall indicate the day of the year (Example, March 19, 1987 would be coded as 7078). The Julian code shall represent the day the product was packaged and processed. Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code. Following the four digit Julian code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above.

In addition, the name of product shall be marked, stamping is permitted, on one 1001 by 200 side of the can. The labeling shall be legible when examined in accordance with 4.5.4 after submerging the can in boiling water for 30 minutes. Paper labels are not permitted. Cans shall show the following statements:

TO HEAT: Submerge unopened can in boiling water. Simmer gently for 40 to 45 minutes. Avoid overheating (can shows evidence of bulging).

CAUTION: Use care when opening as pressure may have been generated within the can.

To heat in oven: Either punch several holes in lid of can or open can in usual manner leaving the loose lid in place. Place in a 350°F oven for approximately 35 to 40 minutes.

WARNING: Do not place unopened can in oven. This may cause the can to burst.

YIELD: Serves 12 portions of 1 cup each.

5.5 Marking.

5.5.1 Shipping containers. In addition to any special marking required by the contract or purchase order, shipping containers shall be marked in accordance with MIL-STD-129.

5.5.2 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078. In addition, when tray pack cans are fabricated from 90 pounds per base box, the following precautionary markings in capital letters larger than other markings shall be included:

CAUTION: DO NOT STACK PALLETS IN TRANSIT OR MORE THAN TWO HIGH IN STORAGE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. When a first article is required (see 3.1, 4.4, and 6.3).
c. Provisions for approved preproduction samples (see 3.6.1 and 6.3).
d. Level of preservation and packing required (see 5.1 and 5.2).
e. When tray pack cans are to be fabricated from 98 pounds per base box (see 5.1.1.1).
f. Type and class of unit load when unit loading is required (see 5.2.1 and 5.3).

6.2 Appropriate level of pack. Based on the conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.18/AFR 71-6/MCO 4030.33A/DLAR 4145.7.

6.3 First article inspection. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

6.4 Subject term (key word) listing.

Canned foods
Chicken
Rations
Thermostabilized
Tray pack

Custodians:

Army - GL
Navy - SA
Air Force - 50

Preparing activity:

Army - GL

Project No. 8940-A532

Review activities:

Army - MD, TS
Navy - MC
DP - SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

U.S. ARMY NATICK RESEARCH, DEVELOPMENT
and ENGINEERING CENTER
ATTN: STRNC-ES
Natick, MA 01760-5014

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Natick Research, Development
and Engineering Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-44328	Chicken Cacciatore, Thermostabilized, Tray Pack

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK/OP-1, Feb 86

Source: https://assist.dla.mil/ - Downloaded: 2026-10-22T01:28Z
Check the source to verify that this is the current version before use.